July 2011

INTELLINET™
NETWORK SOLUTIONS

MANHATTAN™
BRINGING COMPUTERS TO LIFE

2,000 Computer and Networking Products

Buying Guide

Boom, Boom, Wow!

MANHATTAN™

BRINGING COMPUTERS TO LIFE

Acoustic Series Bluetooth Bookshelf Speaker System

LIFETIME WARRANTY

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, use and disclosure of the contents herein are prohibited, unless specifically authorized.

Lifetime Warranty: Most MANHATTAN and INTELLINET NETWORK SOLUTIONS products are warranted against defects in material and workmanship for as long as they are owned by the original purchaser. See your local dealer for repair or replacement.

Copyright © 2011

CONTENTS

Active Networking

Page

Internet Access 24
Media Converters 13
Network Attached Storage (NAS) 24
Network Cameras & Accessories 20-23
Network Cards 14
Power Over Ethernet 11-12
Powerline 15
Switches, Desktop 9-10
Switches, Fast Ethernet 9
Switches, Gigabit 10-11
Switches, KVM 16-19
Switches, SFP Tranceivers 11
Wireless Networking 2-7

Passive Networking

Cabinets & Racks 36-38
Cabinet & Rack Accessories 38-41
Cabinets, 19" Double Section Wall Mount 38
Cabinets, 19" Server 36
Cable Testers 34
Cable, Bulk 27
Cable, Cat5e Patch 25
Cable, Cat6 Patch 25
Cable, Cat6a Patch 26
Cable, Fiber Optic 28
Keystone Jacks/Cable Management 30
Mounting Boxes/Wall Plates 32-33
Patch Panels 29
Rackmount Power Strips 41
Racks, 19" Open 37
RJ45 Components 31
Tool Kits 34
Tools 35

Peripherals

Audio/Video 52-53
Barcode Scanners 58-59
Card Readers 64
Graphics Tablets 50
Headsets 54
Keyboards 49-50
Mice 46-48
Microphones 55-56
Speakers 55-56
USB Hubs 45, 60-61
USB Peripherals 45, 62-63
Webcams 51

Computer Components

Cards 44, 68-71

Computer Components (continued)

Page

CMOS Battery 66
CPU Coolers 65
CPU Thermal Grease 66
Docking Kits 45, 66
External Enclosures 44, 67
Mounting Kits 66
Power Protectors 57
Power Supplies 66
Superspeed USB 44-45

Cables and Data Communications

Audio/Video Cables 93-94
Cable Management 95
Canshell Cables 72
Data Cables 87
DisplayPort Cables 82
DVI Cables 88
FireWire Cables 80-81
HDMI Cables 77-79
Internal Power Cables 92
Mini-DisplayPort Cables 83
Other Cables 95
Power Cables 92
Printer Cables 87
SATA Cables 89-91
USB Cables 45, 73-76
VGA Cables 84-86

Office Accessories and Mobile Computing

Cleaning Products 106
Display Systems 110-111
iPad Accessories 108
Mobile Computing 100-101
Monitor Arms 105
Mouse Pads 107
Notebook Accessories 102-103
Notebook Cases 96-99
Notebook Skins 101
Office Accessories 104
Tool Kits 109

Complete Product Information Is Now Available On The Web

- Smart-Search Functionality
- Innovative Carousel Navigation
- Searchable Knowledge Base
- Detailed Product Information with Multiple Image Views
- Related Products and Categories

www.manhattan-products.com **www.intellinet-network.com**

Going wireless is easy. All you need is an INTELLINET NETWORK SOLUTIONS Wireless N Router, and then, for each PC or laptop that you want to connect wirelessly, you'll need a Wireless network adapter (Wireless N USB adapter or Wireless N PCI card). Most new laptops come with WiFi already integrated, so you may not need a wireless adapter or card, just the router. However, in order to take advantage of the new Wireless N networking standard and its advanced speed, the use of INTELLINET NETWORK SOLUTIONS Wireless 150N and Wireless 300N network adapters would guarantee the performance boost you're seeking.

Products required:

- DSL/Cable modem (provided by your ISP)
- Wireless 150N, Wireless 300N or Wireless 450N 4-Port Router (connects to the DSL/Cable modem)
- Wireless 300N PCI card or USB adapter for desktop PC
- Wireless 300N or 150N USB adapter for laptop (if wireless is not built-in or you want to upgrade to the faster Wireless N standard)

Besides the increased performance, Wireless N also offers WPS technology (WiFi Protected Setup) that allows creating a secure wireless connection with the push of a button. Setting up a wireless network has never been easier than it is today.

Speed and Coverage

Definitions	
Data Transfer Rate	The speed with which data can be transmitted from one device to another. Data rates are measured in megabits (million bits) and abbreviated as Mbps.
Antennas and MIMO Technology	"X" T "X" R (ex. 2T3R) refers to the new antenna technology multiple-input and multiple-output (MIMO). MIMO uses multiple antennas for both transmitter and receiver to improve the wireless connection quality. "T" refers to Transmitter and "R" is the Receiver, therefore 2T3R uses 2 transmitters and 3 receivers for communication.
Products	
Wireless Access Points	A hardware device that acts as a communication hub for users of a wireless device to connect to a wired LAN. APs provide heightened wireless security and extend the physical range of service a wireless user has access to.
Wireless Routers	A Wireless Router combines the features of a Wireless AP and a Wired LAN Router while providing connections to a Cable or DSL service. Wireless routers provide a convenient way to connect a small number of wired users and numerous wireless users to access the Internet.
Wireless Adapters	Connects a desktop or notebook computer to a wireless network - either through the USB port, PCI slot or PC Card connection.
Wireless Antennas	Enhances building-to-building applications and optimizes internal configurations for extended range and environmental obstructions.

Wireless N Technology	Benefits	Speed	Coverage
1T1R	Antennas: (One Transmitter and One Receiver). Advanced compression and MIMO Technology	150 Mbps	Two times the range and 3 times the speed of Wireless G
2T2R	Antennas: (Two Transmitter and Two Receiver). Advanced compression and MIMO Technology	300 Mbps	Three times the range and 6 times the speed of Wireless G
3T3R	Antennas: (Two Transmitter and Three Receivers). Advanced compression and MIMO Technology	450 Mbps	Four times the range and 9 times the speed of Wireless G



Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

Wireless 150N 4-Port Router

150 Mbps, QoS, 4-Port 10/100 Mbps LAN Switch

- Supports WMM function to meet the multimedia data bandwidth requirement
- Supports Wi-Fi Protected Setup (WPS)
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption

524445

Wireless 150N Portable 3G Router

150 Mbps, 3G, rechargeable Li-ion battery

- Supports UMTS/HSDPA and EVDO 3G networks
- Supports WMM function to meet the multimedia data bandwidth requirement
- Supports Wi-Fi Protected Setup (WPS)
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption

524803

Wireless 150N 3G Router

150 Mbps, 3G, 4-Port 10/100 Mbps LAN Switch

- Supports UMTS/HSDPA and EVDO 3G networks
- Supports Wi-Fi Protected Setup (WPS)
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption

524940

Wireless 300N Presentation Gateway

Full HD 1080p, 300 Mbps

- Presents the screen contents from a computer to the projector or monitor wirelessly
- Provides Wireless N access point functionality for up to 16 users
- Supports VGA and HDMI connections with auto-scaling video output

524759

Wireless 300N 4-Port Router

300 Mbps, MIMO, QoS, 4-Port 10/100 Mbps LAN Switch

- 2T2R MIMO technology for enhanced throughput and coverage
- Supports WMM function to meet the multimedia data bandwidth requirement
- Supports Wi-Fi Protected Setup (WPS)
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption

524490

Wireless 300N 3G Router

300 Mbps, 2T2R MIMO, 3G, 4-Port 10/100 Mbps LAN Switch

- 2T2R MIMO technology for enhanced throughput and coverage
- Supports WMM function to meet the multimedia data bandwidth requirement
- Supports Wi-Fi Protected Setup (WPS)
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption

524681

Wireless 150N ADSL2+ Modem Router

For ADSL (Annex A), 150 Mbps Wireless 802.11n, QoS, with 4-Port 10/100 Mbps LAN Switch

- Wireless N router with integrated ADSL2+ modem
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption

524872

Wireless 150N Access Point

150 Mbps, Bridge, Repeater, Multiple SSIDs and VLANs

- Supports Wi-Fi Protected Setup (WPS)
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption
- Integrated RADIUS authentication server for 16 wireless clients
- Supported modes: Access Point, Bridge Point-to-Point, Bridge Point-to-Multi-Point, WDS and Universal Repeater

524704

Wireless 300N Access Point

300 Mbps, MIMO, Bridge, Repeater, Multiple SSIDs and VLANs

- Supports Wi-Fi Protected Setup (WPS)
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption
- Integrated RADIUS authentication server for 16 wireless clients
- Supported modes: Access Point, Bridge Point-to-Point, Bridge Point-to-Multi-Point, WDS and Universal Repeater

524728

Wireless 300N PoE Access Point

300 Mbps, MIMO, PoE Support, Bridge, Repeater, Multiple SSIDs and VLANs

- Supports Wi-Fi Protected Setup (WPS)
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption
- Integrated RADIUS authentication server for 16 wireless clients
- Supported modes: Access Point, Bridge Point-to-Point, Bridge Point-to-Multi-Point, WDS and Universal Repeater

524735

Wireless 300N Outdoor PoE Access Point

300 Mbps, MIMO, PoE Support, IP67, Bridge, Repeater, Multiple SSIDs and VLANs

- Industrial-grade IP 67 housing for optimal protection against dust and water
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption
- Integrated RADIUS authentication server for 16 wireless clients
- Supported modes: Access Point, Bridge Point-to-Point, Bridge Point-to-Multi-Point, WDS and Universal Repeater

524711

Wireless 300N ADSL2+ Modem Router

For ADSL (Annex A), 300 Mbps Wireless 802.11n, MIMO, QoS, with 4-Port 10/100 Mbps LAN Switch

- Wireless N router with integrated ADSL2+ modem
- 2T2R MIMO technology for enhanced throughput and coverage
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption

524780

GuestGate MK II

Wireless 300N HotSpot Gateway, 300 Mbps, MIMO, 4-Port 10/100 Mbps LAN Switch

- Captive portal provides instant secure guest access to the public network
- The ideal solution for conference rooms, Internet cafés and hotels
- All-in-one wireless high-speed HotSpot for secure access to the Internet

524827

Wireless 450N Dual-Band Gigabit Router

450 Mbps Wireless 802.11a/b/g/n, 2.4 + 5 GHz, 3T3R MIMO, QoS, 4-Port Gigabit LAN Switch

- Supports simultaneous dual-band 2.4 GHz and 5 GHz operation
- Up to 450 Mbps network link speed
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption
- Supported modes: Access Point, Station Infrastructure, Bridge Point-to-Point, Bridge Point-to-Multi-Point, WDS and Universal Repeater

524988

NEW 4-Port Broadband Router

4-Port 10/100 Mbps LAN Switch, UPnP, QoS

- Integrated Firewall protects your computers and gaming consoles
- Easy installation through Web-based user interface
- Supports virtual server, port forwarding and DMZ (demilitarized zone)
- VPN Pass Through (PPTP, IPSec, L2TP)

524957

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

Wireless 150N USB Mini Adapter

150 Mbps, USB

- High transfer data rate – up to 150 Mbps
- Supports WEP (64/128 bit), WPA and WPA2 data encryption

524773

Wireless 150N USB Adapter

150N, USB, 1T1R, Detachable Antenna

- Includes detachable 3 dBi high-gain antenna with reverse SMA connector
- High transfer data rate - up to 150 Mbps
- Supports WEP (64/128 bit), WPA and WPA2 data encryption

524698

Wireless 150N USB Adapter

150 Mbps, USB

- High transfer data rate - up to 150 Mbps
- Includes USB extension cable
- Supports WEP (64/128 bit), WPA and WPA2 data encryption

524438

Wireless 300N USB Adapter

300 Mbps Wireless 802.11n, MIMO

- Up to 300 Mbps network link speed
- Advanced 2T2R MIMO technology with 2 internal antennas for enhanced throughput and coverage
- Supports WEP (64/128 bit), WPA and WPA2 data encryption

523974

Wireless 150N PCI Card

150 Mbps Wireless 802.11n, 1T1R

- Connects your desktop PC to a wireless network
- Detachable 3 dBi antenna with reverse SMA connector
- Supports WMM (Wi-Fi Multimedia) for increased multimedia data throughput

524810

Wireless 300N Dual-Band USB Adapter

300 Mbps Wireless 802.11a/b/g/n, 2.4 + 5 GHz, USB, 2T2R MIMO

- Dual-band operation provides twice the bandwidth and less interference
- Advanced 2T2R MIMO technology with 2 internal antennas for enhanced throughput and coverage
- Supports WEP (64/128 bit), WPA and WPA2 data encryption

524995

High-Gain Outdoor Parabolic Grid Antenna

2.4 GHz, 24 dBi, parabolic 60 cm (23 in.) dish

- Ideal for long-distance, outdoor, wireless point-to-point connections of up to 15 km (9 mi.)
- Weatherproof and corrosion resistant
- Survives hurricane-force winds up to 168 km/h (105 mph)
- N-type female connector

503785

High-Gain Panel Directional Antenna

2.4 GHz, 18 dBi, IP68

- Ideal for building-to-building wireless connections
- Weatherproof and corrosion resistant, IP68
- N-type female connector

502313

High-Gain Panel Directional Antenna

2.4 GHz, 15 dBi, IP68

- Ideal for building-to-building wireless connections
- Weatherproof and corrosion resistant, IP68
- N-type female connector

500449

High-Gain Panel Directional Antenna

2.4 GHz, 10 dBi, IP65

- Ideal for building-to-building wireless connections
- Weatherproof and corrosion resistant, IP65
- SMA jack connector

521383

High-Gain Omni-Directional Antenna

2.4 GHz, 12 dBi, IP65

- Ideal for increasing wireless network range and speed
- Weatherproof and corrosion resistant, IP65
- N-type female connector

502306

High-Gain Omni-Directional Antenna

2.4 GHz, 9 dBi, IP65

- Ideal for increasing wireless network range and speed
- Weatherproof and corrosion resistant, IP65
- N-type female connector

521413

Omni-Directional Antenna

2.4 GHz, 6.5 dBi

- Ideal for increasing wireless network range and speed
- Weatherproof and corrosion resistant, IP65
- N-type female connector

500432

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

Indoor Omni-Directional Antenna

2.4 GHz, 7 dBi

- RP-SMA male connector
- Including antenna cable (1.5 m / 5 ft.)
- Heavy base with rubber feet for stable desktop installation

524018

Indoor Omni-Directional Antenna

2.4 GHz, 5 dBi

- Ideal for increasing wireless network range and speed
- RP-SMA male connector
- For desktop, wall and magnet mounting

502290

High-Gain Directional Indoor Antenna

2.4 GHz, 6 dBi

- Eliminate weak and dead spots in any wireless network
- 100 cm (40 in.) cord
- RP-SMA male connector is compatible with most wireless access points and network adapters

525138

Dual-Band Ceiling Mount Antenna

2.4 / 5.0 GHz, Omni-directional, 4 dBi, IP65

- Provides uniform coverage in conference rooms, offices and common areas
- For indoor use with common wireless access points and routers
- 30 cm (1 ft.) connection cable with RP-SMA female connector

524025

Antenna Cable

N-type Male/RP-SMA Male, RG-58, 0.21 dB loss per ft.

- Signal loss of 0.21 dB per ft
- N-type Male/RP-SMA Male connectors

522137 6 ft. (1.8 m)
522144 10 ft. (3.0 m)
522175 25 ft (7.5 m)

Antenna Cable

N-Type Male/Male, RG-58, 0.21 dB Loss Per Ft., 3.0 m (10 ft.)

- Signal loss of 0.21 dB per ft
- N-type Male/Male connectors

790284

Low-Loss Antenna Cable

N-Type Male/Male, RG-213, 0.09 dB Loss Per Ft., 7.5 m (25 ft.)

- Low signal loss of only 0.09 dB per ft
- Ideal for longer cable runs
- N-type Male/Male connectors

790291

Antenna Cable Adapter

N-type Jack to RP-SMA Plug Jumper Cable, 1 ft (0.3 m)

- Connects CFD200, CFD400 and CFD600 cable to regular WLAN Access Points and Routers

500425


Wireless...
Whenever,
Wherever
INTELLINET
NETWORK SOLUTIONS

5-Port Fast Ethernet Office Switch

Compact, Plastic

- Five 10/100 auto-sensing ports - automatically detect optimal network speeds
- Supports any combination of 10 Mbps or 100 Mbps network devices
- NWay auto-negotiation

502023

8-Port Fast Ethernet Office Switch

Compact, Plastic

- Eight 10/100 auto sensing ports - automatically detect optimal network speeds
- Supports any combination of 10 Mbps or 100 Mbps network devices
- NWay auto-negotiation

502054

5-Port Fast Ethernet Office Switch

Desktop, Metal

- Five 10/100 auto-sensing ports - automatically detect optimal network speeds
- Supports any combination of 10 Mbps or 100 Mbps network devices
- Supports NWAY auto-negotiation

523301

8-Port Fast Ethernet Office Switch

Desktop, Metal

- Eight 10/100 auto sensing ports - automatically detect optimal network speeds
- Supports any combination of 10 Mbps or 100 Mbps network devices
- Supports NWAY auto-negotiation

523318

16-Port Fast Ethernet Office Switch

Desktop, Metal

- 10/100 auto sensing ports - automatically detect optimal network speeds
- Supports any combination of 10 Mbps or 100 Mbps network devices
- Supports NWAY Auto-Negotiation

522595

16-Port Fast Ethernet Rackmount Switch

Rackmount, Metal

- 10/100 auto-sensing ports automatically detect optimal network speeds
- Supports NWay auto-negotiation
- 19" compact rigid metal case

520409

24-Port Fast Ethernet Rackmount Switch

Rackmount, Metal

- 10/100 auto-sensing ports automatically detect optimal network speeds
- Supports NWay auto-negotiation
- 19" compact rigid metal case

520416

48-Port Fast Ethernet Rackmount Switch

Rackmount, Metal

- 10/100 auto-sensing ports automatically detect optimal network speeds
- Supports NWay auto-negotiation
- 19" compact rigid metal case

522618

24-Port Fast Ethernet Office Switch

2 Gigabit Combo Ports (SFP and RJ-45)

- 24 10/100 Mbps auto-sensing Auto-MDIX RJ-45 ports
- 2 Gigabit (RJ-45 + SFP) combo ports
- Supports NWay auto-negotiation
- Includes 19" rackmount brackets

523929

5-Port Gigabit Ethernet Desktop Switch

Plastic

- 10/100/1000 auto-sensing Auto MDI-X ports — automatically detect optimal network speeds
- High performance, half and full duplex, with zero packet loss
- Supports jumbo frames up to 9.7 kBytes

524117

8-Port Gigabit Ethernet Desktop Switch

Plastic

- 10/100/1000 auto-sensing Auto MDI-X ports — automatically detect optimal network speeds
- High performance, half and full duplex, with zero packet loss
- Supports jumbo frames up to 9.7 kBytes

524124

5-Port Gigabit Ethernet Desktop Switch

Metal Chassis

- 10/100/1000 auto-sensing Auto MDI-X ports — automatically detect optimal network speeds
- High performance, half and full duplex, with zero packet loss
- Supports jumbo frames up to 9 kBytes

530378

8-Port Gigabit Ethernet Desktop Switch

Metal Chassis

- 10/100/1000 auto-sensing Auto MDI-X ports — automatically detect optimal network speeds
- High performance, half and full duplex, with zero packet loss
- Supports jumbo frames up to 9 kBytes

530347

16-Port Gigabit Ethernet Rackmount Switch

10/100/1000 Mbps

- 10/100/1000 auto-sensing ports automatically detect optimal network speeds
- Supports 802.3x flow control for full duplex mode and collision-based backpressure for half duplex mode

524148

16-Port Gigabit Ethernet Rackmount Web-Smart Switch

802.1x security, Jumbo frame support and QoS

- 10/100/1000 auto-sensing ports — automatically detect optimal network speeds
- Supports VLAN (tag-based and port-based)

524087

16-Port Gigabit Ethernet Rackmount Managed Switch

4 SFP Module Slots, Metal Chassis

- 10/100/1000 auto-sensing ports — automatically detect optimal network speeds
- 4 SFP mini-GBIC transceiver module slots (use of the SFP port disables the connection of its corresponding copper port automatically)
- Supports VLAN (16 groups) and trunking (8 groups)
- Supports Quality of Service (QoS) with 2 priority levels
- Supports jumbo frames up to 9 kBytes

523547

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

24-Port Gigabit Ethernet Rackmount Switch

Rackmount

- 10/100/1000 auto-sensing ports automatically detect optimal network speeds
- Supports 802.3x flow control for full duplex mode and collision-based backpressure for half duplex mode

524162

24-Port Gigabit Ethernet Rackmount Web-Smart Switch

802.1x security, Jumbo frame support and QoS

- 10/100/1000 auto-sensing ports — automatically detect optimal network speeds
- Supports VLAN (tag-based and port-based)

524063

24-Port Gigabit Ethernet Rackmount Managed Switch

4 SFP Module Slots, Metal Chassis

- 10/100/1000 auto-sensing ports — automatically detect optimal network speeds
- 4 SFP mini-GBIC transceiver module slots (use of the SFP port disables the connection of its corresponding copper port automatically)
- Supports VLAN (24 groups) and trunking (12 groups)
- Supports Quality of Service (QoS) with 4 priority levels
- Supports jumbo frames up to 9.6 kBytes

523554

Gigabit Ethernet SFP Mini-GBIC Transceiver

1000Base-SX (LC) Multi-Mode Port, 550 m

- Data transfer rate: 1000 Mbps
- Distance support: up to 550 m (50/125 µm cable) or 220 m (62.5/125 µm cable)
- Compliant with SFP Transceiver MSA specifications
- Wavelength: 850 nm

545006

8-Port PoE Office Switch, 7.3 Watts per Port

Endspan, Desktop

- IEEE 802.3af-compliant RJ45 PSE/PoE output ports
- Power output up to 7.3 Watts per port
- 10/100 auto-sensing ports automatically detect optimal network speeds

560412

8-Port PoE Office Switch, with 4 PoE Ports (7.3 Watts)

Endspan, Desktop

- IEEE 802.3af-compliant RJ45 PSE/PoE output ports
- 4 integrated PoE Ports (Ports 1 to 4) with a power output of up to 7.3 Watts each
- 10/100 auto-sensing ports automatically detect optimal network speeds

560399

16-Port Fast Ethernet Rackmount PoE Switch, 7.3 Watts per Port

Endspan, 19" Rackmount

- 10/100 auto-sensing ports automatically detect optimal network speeds
- IEEE 802.3af-compliant RJ-45 PSE/PoE output ports
- Power output up to 7.3 Watts per port

524155

16-Port Fast Ethernet Rackmount PoE Switch, with 8 PoE Ports (7.3 Watts)

Endspan, 19" Rackmount

- IEEE 802.3af-compliant RJ-45 PSE/PoE output ports
- 8 integrated PoE Ports (Ports 9 to 16) with a power output of up to 7.3 Watts each
- 10/100 auto-sensing ports automatically detect optimal network speeds

560405

8-Port PoE Web-Smart Switch, 15.4 Watts per Port

Endspan

- 10/100 auto-sensing ports automatically detect optimal network speeds
- IEEE 802.3af-compliant RJ45 PSE/PoE output ports
- Power output up to 15.4 Watts per port
- Supports 8 VLAN groups, port-based and tagged VLAN support
- Supports Quality of Service (QoS), port-based and tagged with 2 priority levels

502917

16-Port Fast Ethernet Rackmount PoE Switch, 15.4 Watts per Port

Endspan, 19" Rackmount

- 10/100 auto-sensing ports automatically detect optimal network speeds
- IEEE 802.3af-compliant RJ-45 PSE/PoE output ports
- Power output up to 15.4 Watts per port

503631

8-Port Rackmount PoE Midspan

Rackmount

- 8 RJ45 input ports with NWay support
- 8 IEEE 802.3af-compliant RJ45 PSE/PoE output ports for signal and data
- Power output up to 15.4 Watts per port

502931

Power over Ethernet (PoE) Injector, 15.4 Watts per Port

1 Port, 48 V DC, IEEE 802.3af Compliant

- Ideal when AC power is not available
- Power output of up to 15.4 Watts
- Supports all IEEE 802.3af-compliant PoE devices (Wireless LAN access points and bridges, VoIP (Voice over Internet Protocol) telephones, IP surveillance cameras)

524179

1-Port High-Power PoE Injector

1 x 30 W PoE+ Port, IEEE 802.3at Compliant

- Ideal when AC power is not available
- Power output of up to 30 Watts
- Supports all IEEE 802.3at- and IEEE 802.3af-compliant PoE devices (Wireless LAN access points and bridges, VoIP (Voice over Internet Protocol) telephones, IP surveillance cameras)

560436

PoE Splitter

IEEE802.3af, 5, 7.5, 9 or 12 V DC output current

- Can be used to connect non-PoE IEEE 802.3af-compliant devices to a PoE injector or PoE switch
- Output current, selectable: 5, 7.5, 9 or 12 V DC
- Output power, max.: 15.4 W

502900

PoE+ Splitter

IEEE802.3at, 5, 7.5, 9 or 12 V DC output current

- Can be used to connect non-PoE IEEE 802.3af/t-compliant devices to a PoE injector or PoE switch
- Output current, selectable: 5, 7.5, 9 or 12 V DC

560443

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

Fast Ethernet Media Converter

10/100Base-TX to 100Base-FX Multi-Mode, 2 km (1.24 mi)

- Data transfer rate: 100 Mbps
- One 10/100Base-TX RJ45 port, maximum distance 100 m / 300 ft.
- Fiber distance support: up to 2 km / 1.24 mi (62.5/125 or 50/125 µm cable)

506502 SC
506519 ST

Fast Ethernet Media Converter

10/100Base-TX to 100Base-FX (SC) Single-Mode, 40 km (24.8 mi)

- Data transfer rate: 100 Mbps
- One 10/100Base-TX RJ45 port, maximum distance 100 m / 300 ft.
- Fiber distance support: up to 40 km / 24.8 mi (9/125 µm cable)

506526

Gigabit Ethernet Media Converter

1000Base-T to 1000Base-SX (SC) Multi-Mode, 220 m (720 ft.)

- Data transfer rate: 1000 Mbps
- One 1000Base-T RJ45 port, maximum distance 100 m / 300 ft. (Cat5e and better)
- Fiber distance support: up to 220 m / 720 ft (62.5/125 µm cable) or 550 m / 1800 ft (50/125 µm cable)

506533

Media Converter Chassis

12 Port, 19", 3U

- High-quality 19" rackmount steel chassis
- Supports up to 12 stand-alone media converters
- Internal 100 – 240 V universal switching power supply
- Slot for redundant power supply, model 510554
- Power supplies are hot-swappable and support load sharing
- Three high volume cooling fans ensure perfect ventilation
- LED status panel with fan and slot and power LEDs
- Supports INTELLINET NETWORK SOLUTIONS media converters (please refer to compatibility statement of the individual media converters)

519151

Media Converter Chassis

4 Port, 19", 1U

- High-quality 19" rackmount steel chassis
- Supports up to 4 stand-alone media converters
- Dual cooling fans ensure perfect operating environment

517553

Not all products may be available in all markets. Please consult your local representative for details.

Fast Ethernet PCI Network Card

32-bit 10/100 Mbps Ethernet LAN PCI Card

- Supports 10/100 speeds over network cable
- Full duplex speeds (20 Mbps, 200 Mbps)
- Supports the most popular operating systems: Windows XP, Vista and Windows 7

509510

Gigabit PCI Express Network Card

10/100/1000 Mbps PCI Express Ethernet Card

- Supports Gigabit speeds over existing network cable
- Full duplex speeds (20 Mbps, 200 Mbps, 2000 Mbps)
- Wake-On-LAN (WOL) support

522533

Gigabit PCI Network Card

32-bit 10/100/1000 Mbps Ethernet LAN PCI Card

- Supports Gigabit speeds over existing network cable
- Full duplex speeds (20 Mbps, 200 Mbps, 2000 Mbps)
- Wake-On-LAN (WOL) support

522328

Network PC Adapters

10/100/1000 Mbps

- Supports Gigabit speeds over existing network cable
- Full duplex speeds (20 Mbps, 200 Mbps, 2000 Mbps)
- Supports the most popular operating systems: Windows XP, Vista and Windows 7

Gigabit Ethernet ExpressCard, 10/100/1000 Mbps, ExpressCard/34 form factor
524056

Gigabit PC Card, 32-bit 10/100/1000 Mbps Ethernet LAN PC Card
150057

Fast Ethernet PC Card

32-bit 10/100 Mbps Ethernet LAN PC Card

- Built-in RJ45 port
- Fits any Type II or Type III PCMCIA slot
- Full duplex speeds (20 Mbps, 200 Mbps)

520522

Hi-Speed USB 2.0 to Fast Ethernet Adapter

Connect at 10/100 Fast Ethernet Speeds

- 10 times faster than USB 1.1 to Fast Ethernet adapters
- Add a network connection without opening up your PC
- Built-in USB 2.0 cable
- Supports the most popular operating systems: Windows 2000, XP, Vista and Windows 7

503686

Hi-Speed USB 2.0 to Fast Ethernet Mini-Adapter

10/100 Mbps Fast Ethernet, Hi-Speed USB 2.0

- 10 times faster than USB 1.1 to Fast Ethernet adapters
- Add a network connection without opening up your PC
- Includes USB 2.0 cable
- Hot-swappable (no need to power down)
- Low power consumption via a USB bus

524766

Hi-Speed USB 2.0 Gigabit Ethernet Adapter

Connect via USB at Gigabit Link Speeds

- Up to 30 times faster than USB 1.1 to Fast Ethernet adapters
- Add a network connection without opening up your PC
- Hot swappable (no need to power down)
- Supports the most popular operating systems: Windows XP, Vista and Windows 7

505932

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

Create a high-speed network in your home or office.

The INTELLINET NETWORK SOLUTIONS Powerline products allow you to create a high-speed computer network in your home or office. Simply plug the bridges into any electrical outlet, and you immediately create a network using the existing AC power lines. This technology is ideal when using network patch cable or wireless technology is not practical. Think of it as "Ethernet over Power", as the data is transmitted over the AC power lines.



Ideal For:

- High Definition (HD) and Standard Definition (SD) video distribution
- TV over IP (IPTV)
- Backbone for WiFi, UWB and Wireless USB
- Higher data rate broadband sharing
- Shared broadband internet access
- Audio and video streaming and transfer
- Expanding the coverage of wireless LANs
- Voice Over IP (VoIP)
- PC files and applications sharing
- Printer and peripheral sharing
- Network and online gaming
- Security cameras

Powerline AV200 Ethernet Adapter

Enables high-quality video streaming, VoIP and gaming over a home network

- Up to 200 Mbps network data rates and data security through 128-bit encryption
- Provides network access for computers, HD media players and gaming consoles

200 Mbps Networking Across Your Entire AC Power Line Network
503273

Powerline AV200 Ethernet Adapter Starter Kit, Includes two Powerline AV200 Ethernet Adapters
503280

Powerline AV500 Ethernet Adapter

Enables high-quality video streaming, VoIP and gaming over a home network

- Up to 500 Mbps network data rates and data security through 128-bit encryption
- Provides network access for computers, HD media players and gaming consoles

500 Mbps Networking Across Your Entire AC Power Line Network
506557

Powerline AV500 Ethernet Adapter Starter Kit, Includes two Powerline AV500 Ethernet Adapters
506564

Powerline AV200 3-Port Ethernet Switch

Enables high-quality video streaming, VoIP and gaming over a home network

- Up to 200 Mbps network data rates and data security through 128-bit encryption
- Provides network access for computers, HD media players and gaming consoles

506571

PowerLine Turbo Ethernet Adapter

Extends high-speed Internet around the home

- Provides network access for computers and gaming consoles
- Up to 85 Mbps network data rates and data security through 56-bit encryption

85 Mbps Networking Across Your Entire AC Power Line Network
502641

PowerLine Turbo Ethernet Adapter Starter Kit, Includes two PowerLine Turbo Ethernet Adapters
503297

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

2-Port PS/2 Mini KVM Switch

2-Port PS/2

- Operate two PS/2 computers with one keyboard, mouse and monitor
- Hot key commands and LED indicators for computer selection
- Supports resolutions up to 1920 x 1440 pixels

524513

2-Port PS/2 Mini KVM Switch

2-Port PS/2, Audio Support

- Operate two PS/2 computers with one keyboard, mouse and monitor
- Hot key commands and LED indicators for computer selection
- Supports resolutions up to 1920 x 1440 pixels

524520

2-Port USB Mini KVM Switch

2-Port USB, Audio Support

- Operate two USB computers with one keyboard, mouse and monitor
- Hotkey commands and LED indicators for computer selection
- Supports resolutions up to 1920 x 1440 pixels

524599

2-Port USB & PS/2 Mini KVM Switch

1-Port USB, 1-Port PS/2, Audio Support

- Operate one PS/2 and one USB computer with one PS/2 keyboard, PS/2 mouse and SVGA monitor
- Hotkey commands and LED indicators for computer selection
- Supports resolutions up to 1920 x 1440 pixels

524612

2-Port PS/2 KVM Switch

PS/2, Compact, with Cables and Audio Support

- Manage/control 2 PS/2 computers from a single keyboard, monitor and mouse
- Channel selection via push buttons and keyboard hotkeys
- Includes two connection cables for computer, speaker and microphone connection

150101

4-Port PS/2 KVM Switch

PS/2, Compact, with Cables and Audio Support

- Manage/control four PS/2 computers from a single keyboard, monitor and mouse
- Channel selection via push buttons and keyboard hotkeys
- Includes four connection cables for computer, speaker and microphone connection

150118

2-Port USB KVM Switch

USB, Compact, with Cables and Audio Support

- Manage/control 2 USB computers from one keyboard, monitor and mouse
- Channel selection via push buttons and keyboard hotkeys
- Includes two connection cables for computer, speaker and microphone connection

157025

4-Port USB KVM Switch

USB, Compact, with Cables and Audio Support

- Manage/control four USB computers from one keyboard, monitor and mouse
- Channel selection via push buttons and keyboard hotkeys
- Includes four connection cables for computer, speaker and microphone connection

157032

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

8-Port Rackmount KVM Switch

Combo USB + PS/2, On-Screen Display, Cables included

- Manage/control up to 8 PCs from a single keyboard, monitor and mouse
- Eight 4-in-1 USB/PS/2 connection cables included
- Computer selection and operation using front-panel push buttons and OSD menu
- Supports screen resolutions of up to 1600 x 900

506441

16-Port Rackmount KVM Switch

Combo USB + PS/2, On-Screen Display, Cables included

- Manage/control up to 16 PCs from a single keyboard, monitor and mouse
- 16 4-in-1 USB/PS/2 connection cables included
- Computer selection and operation using front-panel push buttons and OSD menu
- Supports screen resolutions of up to 1600 x 900

506496

16-Port Rackmount KVM Switch

Combo USB + PS/2, On-Screen Display

- Manage/control up to 16 PCs from a single keyboard, monitor and mouse
- Computer selection and operation using front-panel push buttons, keyboard hotkeys and OSD menu
- Supports 2048 x 1536 resolution
- One 4-in-1 connection cable (505727) included, additional connection cables (505727, 505734 or 505840) required per port

524643

8-Port KVM over IP Switch

PS/2 & USB, SSL, SNMP, Rackmount

- Full-featured IP-based remote control solution for server management
- Operation and channel selection by front-panel buttons, keyboard hotkeys, OSD menu and Thin-client viewer interface
- Supports video resolutions up to 1600 x 1200 @ 60 Hz
- Requires one 3-in-1 connection cable (models 375382 or 375399) per port

503723

16-Port KVM over IP Switch

PS/2 & USB, SSL, SNMP

- Full-featured IP-based remote control solution for server management
- Operation and channel selection by front-panel buttons, keyboard hotkeys, OSD menu and Thin-client viewer interface
- Supports video resolutions up to 1600 x 1200 @ 60 Hz
- Requires one 3-in-1 connection cable (models 375382 or 375399) per port

503730

Cat5 KVM Switch

Combo USB + PS/2, On-Screen Display, Rackmount

- Manage/control multiple CPUs from either of the two shared consoles, each using a PS/2 keyboard, mouse and monitor
- Bank/channel selection and operation using keyboard hotkeys and OSD menu
- Supports video resolutions up to 1600 x 1200 @ 60 Hz
- Utilizes computer connection dongles for each port (model 503921 for PS/2, model 503938 for USB)

503907 8-Port
503914 16-Port

16-Port Rackmount KVM Switch

PS/2, with On-Screen Display, metal housing

- Manage/control up to sixteen computers from one keyboard, monitor and mouse
- Gain complete control with easy-to-use OSD interface
- Supports 1920 x 1440 resolution
- Requires sixteen 3-in-1 cables (205009 or 205016)

157858

8-Port Rackmount LCD Console KVM Switch

17-Inch LCD Panel, PS/2 or USB, 1U, connection cables included

- Integrated LCD console, keyboard, mouse, and KVM switch module for rack-mount installation
- Gain complete control with easy-to-use OSD interface
- Flip-open 17 inch LCD panel (2048 x 1536 highest resolution; 1280 x 1024 optimal resolution)

506540

KVM Cable for Rackmount Console KVM Switch

USB + PS/2, for KVM Switch models 506540 and 506601

- Replacement connection cable for Rackmount Console KVM Switch models 506540 and 506601
- One HD15 male connector for connection to the KVM switch
- One HD15 male connector for PC
- 2 PS/2 keyboard and mouse male connectors
- USB type-A connector

506311 6 ft. (1.8 m)
506410 10 ft. (3 m)

Remote Console Unit

Cat 5 KVM Switch Remote Console Unit

- Remote console unit for the extension of keyboard, mouse and video up to 100 m (330 feet) from the Cat5 KVM Switch (Models 503907 and 503914)
- OSD and local console hotkeys for remote console access control
- PS/2 interface for keyboard and mouse

503983

KVM Extender PS/2

Extend your KVM or Console up to 150 m (450 feet)

- Uses inexpensive Cat5 RJ45 cable
- Supports video resolutions up to 1024 x 768
- Supports PS/2 mice and keyboards
- Computer connection to transmitter unit via 3-in-1 connection cable (included)

524353

KVM Extender USB/PS2

Extend your KVM or Console up to 150 m (450 feet)

- Uses inexpensive Cat5 RJ45 cable
- Supports video resolutions up to 1024 x 768
- Supports PS/2 mice and keyboards
- Computer connection to transmitter unit via 3-in-1 connection cable (included)

524476

PS/2 Dongle for Cat5 KVM Switch

Connects One Computer to a Cat5 KVM Switch

- 1 x RJ45 socket
- 1 x HD15M video connector
- 2 x PS/2 mini-DIN 6 female (keyboard, mouse)

503921

USB Dongle for Cat5 KVM Switch

Connects One Computer to a Cat5 KVM Switch

- 1 x RJ45 socket
- 1 x HD15M video connector
- 1 x USB type A connector

503938

KVM Cable

USB + PS/2

- For use with KVM Switch models 503471, 503396, 503723, 503730

375382 6 ft. (1.8 m)
375399 10 ft. (3 m)

KVM Cable for Rackmount Console KVM Switch

USB

- Coaxial wires used for red, green, and blue signals to ensure the highest performance
- For use with Rackmount Console KVM Switch models 501620, 521796, 521871, 523561 and 523578

503242 6 ft. (1.8 m)
503327 10 ft. (3 m)

KVM Cable for Rackmount Console KVM Switch

PS/2

- One HD15 male connector for connection to the KVM switch
- Two PS/2 male connectors and one HD15 male connector for connection to a computer
- For use with Rackmount Console KVM Switch models 501620, 521796, 521871, 523561 and 523578

502535 6 ft. (1.8 m)
503303 10 ft. (3 m)

KVM Cable

USB + PS/2

- For use with KVM Switch models 524629 (8-port) and 524643 (16-port)
- HD15 male connector for connection to the KVM switch
- HD15 male connector for PC
- 2 PS/2 keyboard and mouse male connectors
- USB type-A connector

505727 6 ft. (1.8 m)
505734 10 ft. (3 m)

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

2-in-1 Spider Cable

USB A Male /HD15 Male to USB B Male / HD15 Female

- Connects a USB KVM Switch to a PC
- Monitor Cable HD15 male to HD15 female, molded, triple shielded (3 coaxial conductors)
- USB Cable A male to B male, molded, shielded, High-Speed USB

370691 6 ft. (1.8 m)

3-in-1 Spider Cable

2xMini-DIN6 Male / HD15 Male to 2xMini-DIN6 Male / HD15 Female

- Keyboard, Monitor and Mouse all in one cable
- For use with KVM Switch models 156899, 156738, 157858, 156721, 156714 and 157872

205016 10 ft. (3 m)
204996 15 ft. (4.5 m)
323994 30 ft. (10 m)

3-in-1 Spider Extension Cable

2xMini-DIN6 Male / HD15 Male to 2xMini-DIN6 Female / HD15 Female

- Keyboard, Monitor and Mouse extensions all in one cable

210409 60 ft. (20 m)

3-in-1 Spider Cable

2xMini-DIN6 Male / HD15 Male to 2xMini-DIN6 Male / HD15 Male

- Keyboard, Monitor and Mouse extensions all in one cable

333221 6 ft. (1.8 m)

The INTELLINET NETWORK SOLUTIONS Network Cameras are designed for security surveillance applications, and come fully equipped with state-of-the-art features that set them apart from other network cameras on the market today. These professional series cameras use a progressive-scan CMOS sensor, which provides sharp video images with dramatic lifelike color representation.

NSC11 Network Camera

Motion-JPEG + MPEG4, 300k CMOS

- Supports image resolutions up to 640 x 480 (VGA)
- Supports simultaneous MPEG4 and Motion-JPEG image compression
- Ultra-compact and easy to install

551106

NSC11-WN Network Camera

Motion-JPEG + MPEG4, 300k CMOS, 150 Mbps Wireless 802.11n

- Supports image resolutions up to 640 x 480 (VGA)
- Supports simultaneous MPEG4 and Motion-JPEG image compression
- Ultra-compact and easy to install

551113

NSC15 Network Camera

Motion-JPEG + MPEG4, Audio, 300k CMOS

- Supports image resolutions up to 640 x 480 (VGA)
- Audio support, full duplex, up to 8 kHz, with integrated microphone
- MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom

524421

NSC15-WG Network Camera

Motion-JPEG + MPEG4, Day/Night, Audio, 300k CMOS, 54 Mbps Wireless 802.11g

- Supports image resolutions up to 640 x 480 (VGA)
- Audio support, full duplex, up to 8 kHz, with integrated microphone
- Day/Night mode with 6 white LEDs for a range of up to 5 m (15 ft.)
- Supports 54 Mbps Wireless 802.11g with WEP, WPA & WPA2 encryption
- MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom

550901

NSC16-WG Megapixel Network Camera

H.264 + MPEG4 + Motion-JPEG Multi-Streaming, Audio, 1.3 Megapixel CMOS, 720p HD, 54 Mbps Wireless 802.11g

- Supports image resolutions up to 1280 x 1024 (1.3 Megapixel) or 1280 x 720 (720p)
- Day/Night mode with 6 white LEDs for a range of up to 5 m (15 ft.)
- H.264 + MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom

551083

NSC18-WN Pan/Tilt Network Camera

1.3 Megapixel CMOS, 300 Mbps Wireless 802.11n, Motion-JPEG + MPEG4, Audio, SD Card

- Motorized wide-range pan and tilt control via Web browser and windows utility
- Supports image resolutions up to 1280 x 1024
- Integrated SD/SDHC card slot for on-board storage of up to 8 GB
- 4X digital zoom
- Supports WEP and WPA/WPA2 (TKIP and AES) data encryption

550857

NFC30 Network Camera

MPEG4 + Motion-JPEG Dual Mode, PoE, Audio, 300k CMOS

- Supports image resolutions up to 640 x 480 (VGA)
- MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom
- Supports IEEE 802.3af Power over Ethernet injectors, mid- and endspans

550949

NFC30-WG Network Camera

MPEG4 + Motion-JPEG Dual Mode, Audio, 300k CMOS, 54 Mbps Wireless 802.11g

- Supports image resolutions up to 640 x 480 (VGA)
- Supports 54 Mbps Wireless 802.11g with WEP, WPA & WPA2 encryption
- MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom

550956

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

NFC30-IR Night-Vision Network Camera

MPEG4 + Motion-JPEG Dual Mode, PoE, Audio, 300k CMOS, Day/Night

- Supports image resolutions up to 640 x 480 (VGA)
- For surveillance in low light or nighttime conditions, minimum 0 lux (complete darkness)
- MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom
- Supports IEEE 802.3af Power over Ethernet injectors, mid- and endspans

550963

NFC30-IRWG Night-Vision Network Camera

MPEG4 + Motion-JPEG Dual Mode, Audio, 300k CMOS, Day/Night, 54 Mbps Wireless 802.11g

- Supports image resolutions up to 640 x 480 (VGA)
- Supports 54 Mbps Wireless 802.11g with WEP, WPA & WPA2 encryption
- For surveillance in low light or nighttime conditions, minimum 0 lux (complete darkness)
- MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom

550970

NFC31 Megapixel Network Camera

H.264 + MPEG4 + Motion-JPEG Multi-Streaming, PoE, Audio, 1.3 Megapixel CMOS, 720p HD

- Supports image resolutions up to 1280 x 1024 (1.3 Megapixel) or 1280 x 720 (720p)
- H.264 + MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom
- Supports IEEE 802.3af Power over Ethernet injectors, mid- and endspans

551021

NFC31-WG Megapixel Network Camera

H.264 + MPEG4 + Motion-JPEG Multi-Streaming, Audio, 1.3 Megapixel CMOS, 720p HD, 54 Mbps Wireless 802.11g

- Supports image resolutions up to 1280 x 1024 (1.3 Megapixel) or 1280 x 720 (720p)
- Supports 54 Mbps Wireless 802.11g with WEP, WPA & WPA2 encryption
- H.264 + MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom

551038

NFC31-IR Megapixel Night-Vision Network Camera

H.264 + MPEG4 + Motion-JPEG Multi-Streaming, PoE, Audio, 1.3 Megapixel CMOS, 720p HD

- Supports image resolutions up to 1280 x 1024 (1.3 Megapixel) or 1280 x 720 (720p)
- For surveillance in low light or nighttime conditions, minimum 0 lux (complete darkness)
- H.264 + MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom

551045

NFC31-IRWG Megapixel Night-Vision Network Camera

H.264 + MPEG4 + Motion-JPEG Multi-Streaming, Audio, 1.3 Megapixel CMOS, 720p HD, 54 Mbps Wireless 802.11g

- Supports image resolutions up to 1280 x 1024 (1.3 Megapixel) or 1280 x 720 (720p)
- For surveillance in low light or nighttime conditions, minimum 0 lux (complete darkness)
- H.264 + MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom

551052

NBC30-IR Outdoor Night-Vision Network Camera

MPEG4 + Motion-JPEG Dual Mode, IP67, PoE, Audio, 300k CMOS, Day/Night

- Supports image resolutions up to 640 x 480 (VGA)
- For surveillance in low light or nighttime conditions, minimum 0 lux (complete darkness)
- Infrared LEDs with 35 m effective range
- MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom

550932

NFD30 Network Dome Camera

MPEG4 + Motion-JPEG Dual Mode, PoE, Audio, 300k CMOS, 3.7 – 12 mm vari-focal lens

- Supports image resolutions up to 640 x 480 (VGA)
- 3.7 – 12 mm, F1.4 vari-focal lens
- MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom
- Supports IEEE 802.3af Power over Ethernet injectors, mid- and endspans

550987

NVS30 Network Video Server

MPEG4 + Motion-JPEG Dual Mode, PoE, Audio

- Analog video BNC input and analog video BNC loop-through port
- MPEG4 + Motion-JPEG + 3GPP mobile phone streaming, audio and 10x digital zoom
- Supports IEEE 802.3af Power over Ethernet injectors, mid- and endspans

550994

NSC10 Network Camera

Motion-JPEG, 300k CMOS

- Digital 24-bit color Motion-JPEG video
- Auto-setup for foolproof installation
- Supports image resolutions up to 640 x 480 (VGA)

503792

NSC10-WG Network Camera

Motion-JPEG, 300k CMOS,
54 Mbps Wireless 802.11g

- Digital 24-bit color Motion-JPEG video
- Supports 54 Mbps Wireless 802.11g with WEP, WPA & WPA2 encryption
- Auto-setup for foolproof installation
- Supports image resolutions up to 640 x 480 (VGA)

550918

Network Camera Outdoor Enclosure

Temperature controlled with Cable Manager Bracket

- Weatherproof enclosure protects INTELLINET NETWORK SOLUTIONS Pro Series Network Cameras for outdoor use
- Integrated heating element and cooling fan for severe conditions
- IP66 rated: dust-tight and protection against heavy seas

176224

Network Camera Indoor - Outdoor Enclosure

With Mounting Bracket

- Enclosure protects INTELLINET NETWORK SOLUTIONS Pro Series Network Cameras for indoor and outdoor use
- IP66 rated: dust-tight and protection against heavy seas

176323

Pole Mount

For Outdoor Camera Enclosures

- Designed for outdoor camera enclosure models 176231, 176224 and 176323
- For pole diameters up to 110 mm (4.3 in.) wide
- Maximum capacity: 2 kg (4.4 lbs)

176248

CCTV Zoom Lens

1/3" CS mount, Vari-focal manual iris, F 1.4,
2.8 mm - 12.0 mm, 24° - 92°

- Compatible with CCTV and network cameras supporting 1/3" CS mount lenses
- Field of view: 92° - 24° (wide-angle to telephoto)
- Manual zoom, focus & iris control

524407

CCTV Zoom Lens

1/3" CS mount, Vari-focal manual iris, F 1.4,
3.5 mm - 8.0 mm, 36° - 80°

- Compatible with CCTV and network cameras supporting 1/3" CS-mount lenses
- Field of view: 36 - 80° (wide-angle to slight telephoto)
- Manual zoom, focus & iris control

524391

CCTV Zoom Lens

1/3" CS mount, Vari-focal manual iris, F 1.4,
6 mm - 15 mm, 19° - 46°

- Compatible with CCTV and network cameras supporting 1/3" CS mount lenses
- Field of view: 46° - 19° (standard to strong telephoto)
- Manual zoom, focus & iris control

524414

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

Camera Mounting Bracket

130 mm (5.1 in.), Aluminum

- Ideal for wall, ceiling and table mounting
- Swivel angle: 360°
- Tilt angle: 90°

176279

Camera Mounting Bracket

160 mm (6.3 in.), ABS

- Ideal for wall, ceiling and table mounting
- Swivel angle: 360°
- Tilt angle: 120°

176330

Camera Mounting Bracket

Adjustable 305 - 465 mm (12 - 18 in.), Aluminum

- Ideal for wall, ceiling and table mounting
- Swivel angle: 360°
- Tilt angle: 90°

176293

Camera Mounting Bracket

Adjustable 617 - 1000 mm (24 - 39 in.), Aluminum

- Ideal for wall, ceiling and table mounting
- Swivel angle: 360°
- Tilt angle: 90°

176309

Camera Mounting Bracket

For Ceiling Mounting, 210 mm (8.2 in.), Metal

- Ideal for ceiling mounting
- Swivel angle: 360°
- Tilt angle: 90°

172721

Camera Mounting Bracket

For Table and Wall Mounting, 200 mm (7.8 in.), Metal

- Ideal for table and wall mounting
- Swivel angle: 360°
- Tilt angle: 90°

172714

go1984 Software

Video Surveillance Software for Network Cameras

- For use with all INTELLINET NETWORK SOLUTIONS Pro Series Network Cameras
- PTZ control for Speed-Dome Cameras
- PTZ control for Digital PTZ Cameras 550468 and 550482
- Can process digital network cameras and analog video sources that are connected via video servers or capture cards
- Live Monitoring
- Image Center allows viewing of multiple cameras simultaneously and defining of customized views
- Calendar function
- Remote access via network and Internet
- Recording (scheduled, motion-triggered, constant)
- Integrated motion detection with hot- and cold-spot masking, threshold adjustment and adaptive motion sensing
- Acoustic alarm, via e-mail or voice-call over ISDN
- Windows Desktop Client for live view and recording
- Access via Web browser, iPhone, Windows Mobile phone and Desktop Client
- Adjustable user management; e.g., live view, recording, PTZ control
- Remote access via Web browser, iPhone, Windows Mobile phone or Desktop Client for two simultaneous connections

go1984 Professional Edition
505451

go1984 Enterprise Edition
505598

4-Port Broadband Router

4-Port 10/100 Mbps LAN Switch, UPnP

- Supports virtual server and DMZ (demilitarized zone)
- Supports VPN pass-through (PPTP, L2TP)
- Integrated scheduler to limit Internet access to client computers in the LAN
- Easy installation through Web-based user interface

524537

ADSL2+ Broadband Modem Router

For ADSL (Annex A), with 4-Port 10/100 Mbps LAN Switch

- Includes integrated ADSL2+ modem
- Supports ADSL standards G.992.1 (G.dmt), G.992.2 (G.lite), G.992.3 (ADSL2), G.992.4 (splitterless ADSL2) and G.992.5 (ADSL2+) for Annex A
- Supports virtual server, port forwarding and DMZ (demilitarized zone)
- Easy installation through Web-based user interface

523462

ADSL Modem Splitter Adapter

One RJ11 for Telephone Line, Two RJ11 for Modem and Phone

- Separates the ADSL signal from the voice signals on a telephone line
- Protects the voice signal and ADSL digital signal from the interference of a telephone and a fax machine
- One RJ11 at one end for telephone line; two RJ11s at the other end for phone/fax and ADSL modem

201124

The INTELLINET NETWORK SOLUTIONS Gigabit SATA NAS 3 TB is an easy solution for home and office users who require speed, streaming and abundant storage space. The Gigabit SATA NAS 3 TB addresses the growing needs for additional high-speed storage in the SOHO and small/medium-sized business environments.

STORAGE

With the Gigabit SATA NAS, you can install two SATA hard drives for extremely fast access to data storage on your network.

SPEED

With a Gigabit network connection, the SATA NAS provides ultra-fast data throughput of up to 25 MB/s, making it the perfect network storage unit for smaller work groups.

STREAMING

The SATA NAS will allow you to stream videos and photos through your Universal Plug and Play-enabled media player in your home entertainment center. It will also stream MP3 files to your media player and download files via the BitTorrent network to the NAS without your PC being turned on.

RAID (Redundant Array of Independent Disks)

The Gigabit SATA NAS 3 TB supports RAID 0 and RAID 1 configurations: RAID 0 (striped disks) distributes data across both hard drives and improves speed and capacity – however, if one hard drive fails, the data is lost; RAID 1 (mirrored disks) is a backup solution using both hard drives to store the same information — if one hard drive fails, the information is not lost.



Gigabit SATA NAS 3 TB

2-Bay, 3-Terabyte with RAID, One External High-Speed USB Port

- Holds two 3.5" SATA hard drives (up to 1.5 TB each, not included)
- Supports RAID configurations (RAID 0, 1, JBOD)
- Integrated iTunes Digital Audio Access Protocol (DAAP) server delivers audio streams to any iTunes-compatible media player on the network
- Cross-platform file sharing for Windows, Linux and Mac OS

505895

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

CAT5e UTP PATCH CABLES

Unshielded Twisted-Pair Patch Cable with Molded Boots

- UL listed, certified Cat5e tested
- EIA/TIA approved
- Unique snagless boots
- 350 MHz



LENGTH	GREY	WHITE	BLACK	RED	ORANGE	YELLOW	GREEN	BLUE	PINK	PURPLE
0.5 ft	**345590**	**347167**	**347310**	**347327**	**347334**	**347341**	**347358**	**347365**	**453035**	**453424**
1 ft	**345606**	**347181**	**347440**	**347457**	**347464**	**347471**	**347488**	**347495**	**453042**	**453431**
1.5 ft	**318228**	**318082**	**318143**	**318198**	**341509**	**325165**	**318167**	**318129**	**453059**	**453448**
3 ft	**318921**	**320672**	**320740**	**318952**	**338455**	**318969**	**318945**	**318938**	**453066**	**453455**
5 ft	**336628**	**338370**	**338387**	**338394**	**338431**	**338424**	**338417**	**338400**	**453073**	**453462**
7 ft	**318976**	**320689**	**320757**	**319300**	**338288**	**319744**	**318990**	**318983**	**453080**	**453479**
10 ft	**319768**	**320696**	**320764**	**319799**	**338295**	**319805**	**319782**	**319775**	**453097**	**453486**
14 ft	**319812**	**320702**	**320771**	**319843**	**338301**	**319850**	**319836**	**319829**	**453103**	**453493**
25 ft	**319867**	**320719**	**320788**	**319898**	**338318**	**319966**	**319881**	**319874**	**453110**	**453509**
50 ft	**319973**	**320726**	**320795**	**320603**	**338325**	**320610**	**319997**	**319980**	**453127**	**453516**
75 ft	**337335**	**338486**	**338493**	**338516**	**338547**	**338530**	**338523**	**338509**	**453134**	**453523**
100 ft	**320627**	**320733**	**320801**	**320658**	**338332**	**320665**	**320641**	**320634**	**453141**	**453530**
150 ft	**345514**	**347143**	**347259**	**347266**	**347273**	**347280**	**347297**	**347303**	**453158**	**453547**

Cat5e UTP Crossover Cables

LENGTH	
3 ft	**329378**
10 ft	**329392**
14 ft	**329446**
25 ft	**329750**
100 ft	**329873**

CAT6 UTP PATCH CABLES

Unshielded Twisted-Pair Patch Cable with Molded Boots

- UL listed, certified Cat6 tested
- EIA/TIA approved
- Unique snagless boots

LENGTH	GREY	WHITE	BLACK	RED	ORANGE	YELLOW	GREEN	BLUE	PINK	PURPLE
0.5 ft	**347174**	**347372**	**347389**	**347396**	**347402**	**347419**	**347426**	**347433**	**392730**	**392990**
1 ft	**340526**	**347501**	**343312**	**343329**	**347518**	**344920**	**344845**	**343282**	**329747**	**393102**
1.5 ft	**340427**	**341936**	**342032**	**342131**	**342230**	**342339**	**342469**	**342568**	**392754**	**393119**
3 ft	**340373**	**341943**	**342049**	**342148**	**342247**	**342346**	**342476**	**342575**	**392761**	**393126**
5 ft	**340380**	**341950**	**342056**	**342155**	**342254**	**342353**	**342483**	**342582**	**392778**	**393133**
7 ft	**334112**	**341967**	**342063**	**342162**	**342261**	**342360**	**342490**	**342599**	**392785**	**393140**
10 ft	**334129**	**341974**	**342070**	**342179**	**342278**	**342377**	**342506**	**342605**	**392792**	**393157**
14 ft	**340410**	**341981**	**342087**	**342186**	**342285**	**342384**	**342513**	**342612**	**392808**	**393164**
25 ft	**336758**	**341998**	**342094**	**342193**	**342292**	**342391**	**342520**	**342629**	**392815**	**393171**
50 ft	**336772**	**342001**	**342100**	**342209**	**342308**	**342407**	**342537**	**342438**	**392822**	**393188**
75 ft	**341820**	**342018**	**342117**	**342216**	**342315**	**342445**	**342544**	**342421**	**392839**	**393195**
100 ft	**340557**	**342025**	**342124**	**342223**	**342322**	**342452**	**342551**	**342414**	**392846**	**393201**
150 ft	**345507**	**347136**	**347198**	**347204**	**347211**	**347228**	**347235**	**347242**	**392853**	**393218**

Cat6 UTP Crossover Cables

LENGTH	
25 ft	**341233**
50 ft	**341240**
100 ft	**341257**

CAT6a UTP PATCH CABLES

Augmented Category 6 (Cat6a) Cable is used in network applications such as 10, 100, 1000, and 10,000Base-T Ethernet up to 100 meters (328 feet). Cat6a cables have been designed specifically for 10 Gigabit Ethernet applications over copper. They perform at high-data transfer rates and operate at a minimum frequency of 500 MHz. These cables deliver improved performance over standard Cat6 cables.

The new Cat6a standard extends the frequency of Cat6a cables to 500 MHz and includes specifications for a new performance parameter known as Alien Crosstalk (ANEXT). ANEXT is crosstalk that occurs between adjacent cables and connecting hardware. While not a problem at the lower frequencies of Cat5e and Cat6 cabling, the higher frequency signals of Cat6a makes ANEXT the limiting noise source for these systems.

INTELLINET NETWORK SOLUTIONS Cat6a cables are designed to meet or exceed the TIA standard in reducing the interference caused by Alien Cross Talk. Category 6a cables are also fully backward compatible with all the previous categories, including Category 6 and 5e.

Intelligent Cat6a solutions begin with INTELLINET NETWORK SOLUTIONS.

Unshielded Twisted-Pair Patch Cable with Molded Boots (UTP) Cat6a

- UL listed
- Certified Cat6a tested
- EIA/TIA approved
- Unique snagless boots

LENGTH	GREY
0.5 ft	**313209**
1 ft	**313216**
1.6 ft	**313223**
3.3 ft	**313230**
5 ft	**313254**
6.5 ft	**313292**
10 ft	**313308**
16 ft	**313315**
25 ft	**313322**
50 ft	**313339**
75 ft	**313346**
100 ft	**313353**
165 ft	**313360**

INTELLINET™
NETWORK SOLUTIONS
Guaranteed Quality
Independently tested to exceed current standards and assure the highest possible construction and quality
Are you completely satisfied with this product? Please contact your INTELLINET NETWORK SOLUTIONS™ dealer with comments or questions.
INTELLINET Cat5e Patch Cable
UTP Red,Molded
MADE IN CHINA
LIFETIME WARRANTY
MADE IN CHINA

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com



Cat5e

Model	Type	Jacket	Color	Rating	Length	AWG
704199	UTP	Solid / PVC	Grey	CM	250 ft / 75 m	24
703796	UTP	Stranded / PVC	Grey	CM	250 ft / 75 m	24
704229	UTP	Solid / PVC	Grey	CM	500 ft / 150 m	24
704397	UTP	Stranded / PVC	Grey	CM	500 ft / 150 m	24
305488	UTP	Solid / Plenum	Grey	CMP	1000 ft / 305 m	24
309851	UTP	Solid / Plenum	Blue	CMP	1000 ft / 305 m	24
325899	UTP	Solid / PVC	Grey	CM	1000 ft / 305 m	24
327749	UTP	Solid / PVC	Blue	CM	1000 ft / 305 m	24
333078	UTP	Solid / PVC	White	CM	1000 ft / 305 m	24
326032	UTP	Stranded / PVC	Grey	CM	1000 ft / 305 m	24

Due to the volatility within the copper market, pricing is subject to change. Call your sales representative for current pricing.

Cat6

Model	Type	Jacket	Color	Rating	Length	AWG
704250	UTP	Solid / PVC	Grey	CM	250 ft / 75 m	23
704038	UTP	Stranded / PVC	Grey	CM	250 ft / 75 m	24
704274	UTP	Solid / PVC	Grey	CM	500 ft / 150 m	23
704403	UTP	Stranded / PVC	Grey	CM	500 ft / 150 m	24
334136	UTP	Solid / PVC	Grey	CM	1000 ft / 305 m	23
337786	UTP	Solid / PVC	White	CM	1000 ft / 305 m	23
344432	UTP	Solid / PVC	Blue	CM	1000 ft / 305 m	23
334143	UTP	Stranded / PVC	Grey	CM	1000 ft / 305 m	24

RG6 Cable

1,000 ft., Quad Shield

- 75 Ohm CATV Antenna cable
- Foil- and braid-shielding
- AWG 18/1 conductor

345866

FIBER OPTIC DUPLEX PATCH CABLES

INTELLINET NETWORK SOLUTIONS™ fiber optic cables are tested for quality with individual results packaged with each cable. All cables are designed and built in the manufacturer's ISO certified and UL approved manufacturing plants. More than 1,000 highly skilled employees stand behind our Lifetime Guarantee of quality workmanship and materials.

Multi-Mode Patch Cable ST/ST

50/125µm		62,5/125µm	
470056	1 m	**515757**	1 m
470063	2 m	**515764**	2 m
470070	3 m	**511216**	3 m
470087	5 m	**510325**	5 m
470094	10 m	**515771**	10 m
472517	15 m		
		471909	25 m
		471916	30 m

Multi-Mode Patch Cable ST/SC

50/125µm		62,5/125µm	
470100	1 m	**515788**	1 m
470117	2 m	**515795**	2 m
470124	3 m	**510349**	3 m
470131	5 m	**510356**	5 m
470148	10 m	**515801**	10 m
		474221	15 m
		474238	20 m
		471732	25 m
472609	30 m	**471770**	30 m



Multi-Mode Patch Cable SC/SC

50/125µm		62,5/125µm	
470001	1 m	**515818**	1 m
470018	2 m	**515825**	2 m
		511308	3 m
470032	5 m	**510332**	5 m
		515832	10 m
472449	15 m	**471558**	15 m
		472944	20 m
		471718	25 m
		471855	30 m

Multi-Mode Patch Cable ST/LC

50/125µm		62,5/125µm	
		471305	1 m
		471312	2 m
470421	3 m	**471329**	3 m
470438	5 m	**471336**	5 m
470445	10 m	**471343**	10 m
		472968	15 m
		472982	25 m
		472999	30 m

Multi-Mode Patch Cable SC/LC

50/125µm		62,5/125µm	
470353	1 m	**471251**	1 m
470377	2 m	**471268**	2 m
470384	3 m	**471275**	3 m
470391	5 m	**471282**	5 m
470407	10 m	**471299**	10 m
472807	15 m	**473026**	15 m
		473033	20 m
		473040	25 m
		473057	30 m

Multi-Mode Patch Cable LC/LC

50/125µm		62,5/125µm	
		471206	1 m
		471213	2 m
		471220	3 m
470339	5 m	**471237**	5 m
470346	10 m	**471244**	10 m
472746	15 m	**473088**	15 m
		473095	20 m
		473101	25 m
472777	30 m		

FIBER OPTIC SINGLE-MODE PATCH CABLES

Single-Mode Patch Cable SC/SC

9/125µm	
470636	5 m
470643	10 m
471442	20 m
471725	25 m
471763	30 m

Single-Mode Patch Cable ST/SC

9/125µm	
471008	1 m
471022	3 m
471039	5 m
471046	10 m
471633	20 m
471749	25 m
471787	30 m

Single-Mode Patch Cable ST/ST

9/125µm	
470674	3 m
470681	5 m
470698	10 m
471695	20 m
471701	25 m
471756	30 m

Not all products may be available in all markets. Please consult your local representative for details.

Cat5e Wall-mount Patch Panel

12 Port, UTP

- Solid and reliable terminations for copper cabling featuring a minimum of 3 mm 50 micro-inch gold plated jack contacts
- Compatible with both 110 and Krone punch down tools
- Supports 22 to 26 AWG stranded and solid wire

162470

Cat6 Wall-mount Patch Panel

12 Port, UTP

- Solid and reliable terminations for copper cabling featuring a minimum of 3 mm 50 micro-inch gold plated jack contacts
- Compatible with both 110 and Krone punch down tools
- Supports 22 to 26 AWG stranded and solid wire

560269

Cat5e Patch Panel

UTP, Meets 19" rackmount standards

- Solid and reliable terminations for copper cabling featuring a minimum of 3 mm 50 micro-inch gold-plated jack contacts
- Compatible with both 110 and Krone punch-down tools
- Supports 22 to 26 AWG stranded and solid wire

513531 12-Port, 1U
513548 16-Port, 1U
513555 24-Port, 1U
513579 48-Port, 2U

Cat6 Patch Panel

UTP, Meets 19" rackmount standards

- Solid and reliable terminations for copper cabling featuring a minimum of 3 mm 50 micro-inch gold-plated jack contacts
- Compatible with both 110 and Krone punch-down tools
- Supports 22 to 26 AWG stranded and solid wire

403016 12-Port, 1U
519526 16-Port, 1U
520959 24-Port, 1U
560283 48-Port, 2U

Cat6 Angled Patch Panel

UTP, 45° Connectors, Meets 19" rackmount standards

- Solid and reliable terminations for copper cabling featuring a minimum of 3 mm 50 micro-inch gold-plated jack contacts
- Modules angled at 45° to increase the cable bend radius
- Compatible with both 110 and Krone punch-down tools
- Supports 22 to 26 AWG stranded and solid wire

513388 16-Port, 1U

Shielded Patch Panel

FTP, 1U, 90° Top-Entry Punch Down Blocks

- Solid and reliable terminations for copper cabling featuring a minimum of 3 mm 50 micro-inch gold-plated jack contacts
- Top-entry punch-down blocks simplify installation
- Compatible with both 110 and Krone punch-down tools
- Supports 22 to 26 AWG stranded and solid wire

513487 Cat5e, 24-Port
513609 Cat6,16-Port

Cat6 Shielded Patch Panel

FTP, 90 Degree Top-Entry Punch-Down Blocks

- Solid and reliable terminations for copper cabling featuring a minimum of 3 mm 50 micro-inch gold-plated jack contacts
- Top-entry punch-down blocks simplify installation
- Compatible with Krone punch-down tools

720038 24-Port, 1U

19" Hinged Wall Bracket

For use with most 19" patch panels

- Each level is individually hinged
- 5" deep
- Screws included

402439 1U, Black
402446 2U, Black

Cat5e Keystone Jack

UTP, Punch-down

- Punch-down type
- For use with unshielded twisted pair (UTP) Cat5e cable
- Compatible with 110 and Krone punch-down tools
- Cat5e performance is in compliance with ANSI/TIA/EIA 568B.2 standard

210355 White
210188 Ivory
210416 Black
210546 Blue
210478 Red
210997 Green
210577 Orange
210133 Yellow

Cat6 Keystone Jack

UTP, Punch-down

- Punch-down type
- For use with unshielded twisted pair (UTP) Cat6 cable
- Compatible with 110 and Krone punch-down tools
- Cat6 performance is in compliance with ANSI/TIA/EIA 568B.2-1 standard

210591 White
210607 Ivory
210720 Black
210737 Blue
210614 Red
210638 Green
210775 Orange
210584 Yellow

Cat5e Keystone Jack

FTP, Punchdown

- Punch-Down type
- For use with fully shielded twisted pair (FTP) Cat5e cable
- Compatible with 110 and Krone punch down tools
- Cat5e performance is in compliance with ANSI/TIA/EIA 568 B.2 standard

167109 Silver

10 Gigabit Cat6A Keystone Jack

UL recognized

513791 UTP 90°, White
513883 UTP 180°, White
517546 SSTP 90°, Silver

Inline Coupler, Keystone Type

8P8C Female to 8P8C Female, UTP

- 50 micron gold plated contacts

504775 Cat5e, Black
504935 Cat5e, White
504898 Cat6, Black
505147 Cat6, White

Telephone Keystone Jack

Punch-down, RJ11/12

- Punch-down type
- RJ11 (6P4C) and RJ12 (6P6C)

210843 White
210829 Ivory

"F" Connector Keystone Jack

For RG59 and RG6

- Standard Pass-Through for Cable/TV/DSL
- For use with Keystone panels or wall plates
- Coupler type (female connectors on the front and back)

167895 White

Cable Tie Straps

Hook and Loop

- Helps identify cables, keeps installation organized and reduces damage
- Convenient, reusable hook-and-loop design — easy to add, change and rearrange cables
- Pre-cut length in five colors adds professional, finished look to projects

518260 5 Pack, assorted colors
422178 10 Pack, assorted colors

Cable FlexWrap

Cable FlexWrap, 14 cm diameter, 1.8 m

- Easy to use
- Protects equipment and cables
- Perfect for wire management

502962 Black

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

DB9 Modular Adapter

DB9 Female to RJ-45

201162

Cat5e Modular Inline Coupler

8P8C Female to 8P8C Female

504225 UTP, Ivory
504768 FTP, Silver
504942 UTP, White, Crossover

Cat6 Modular Inline Coupler

8P8C Female to 8P8C Female

504751 UTP, White
505130 FTP, Silver

2-Port Modular Distributor

FTP

- Allows two RJ45 ports to share one Cat5 shielded network cable
- Used in pairs (one modular distributor on each end of the network cable)
- Requires a coupler (female to female) for connection on each end of the network cable

504195 Silver

Junction Box

FTP, Silver

- Join two Cat5e shielded cables without the need for couplers
- Punch-Down type
- Compatible with 110 and Krone punch down tools

512114 Cat5e
512381 Cat6

502344

Modular Plugs

Category	Shield	Cable Type	Content	Packaging	Description	Model
Cat5e	-	for Installation Cable, Round Cable	100 Pieces	Jar	15µ Gold Plated	**502399**
Cat5e	-	for Patch Cable, Round Cable	100 Pieces	Jar	15µ Gold Plated	**790055**
Cat5e	-	for Patch Cable, Round Cable	100 Pieces	Jar	15µ Gold Plated, incl. Insert	**790130**
Cat6	-	for Patch Cable, Round Cable	100 Pieces	Jar	15µ Gold Plated	**502344**
Cat6	-	for Installation Cable, Round Cable	100 Pieces	Jar	15µ Gold Plated, incl. Insert	**503006**



Wall Box

Single Gang, 1.89 Inches Deep

- For network wiring
- Boxes include mounting screws and adhesive tape for quick and easy installation

517874 White

Cat5e Surface Mount Box

1-Port, UTP, Cat5e

- For use with unshielded twisted pair (UTP) Cat5e network cable
- Punch-down type
- Compatible with 110 and Krone punch-down tools

210881

Cat5e Surface Mount Box

2-Port, UTP, Cat5e

- For use with unshielded twisted pair (UTP) Cat5e network cable
- Punch-down type
- Compatible with 110 and Krone punch-down tools

210898

Surface Mount Box

1 Outlet

- Use with any standard keystone jacks
- Single outlet box

210904 Ivory
210928 White

Surface Mount Box

2 Outlets

- Use with any standard keystone jacks
- Dual-outlet box

210942 White

Cat5e Surface Mount Box

8-Port, UTP, White

- Eight network connection ports
- Punch-down type
- Compatible with 110 and Krone punch-down tools

100601

Surface Mount Box

8-Port, FTP, Grey

- Eight network connection ports
- Punch-down type
- Compatible with 110 and Krone punch-down tools

100649 Cat5e
100656 Cat6

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

Wall Plate 5-Pack

Flush-Mount, 1-Outlet, 5-Piece Multi-Pack

771061 White

Wall Plate 5-Pack

Flush-Mount, 2-Outlet, 5-Piece Multi-Pack

771078 White

Wall Plate 5-Pack

Flush-Mount, 3-Outlet, 5-Piece Multi-Pack

771085 White

Wall Plate, 5-Pack

Flush-Mount, 4-Outlet, 5-Piece Multi-Pack

771092 White

Wall Plate

Flush Mount, 1 Outlet

163286 White
162654 Ivory

Wall Plate

Flush Mount, 2 Outlet

163293 White
162838 Ivory

Wall Plate

Flush Mount, 3 Outlet

163309 White

Wall Plate

Flush Mount, 4 Outlet

163316 White

Wall Plate Inserts

Blank Plug, White

163330

Multifunction Cable Tester

RJ-45/RJ-11

- Tests RJ-11 and RJ-45
- Cable type: UTP/STP/FTP

351898

4-in-1 Cable Tester

RJ-11, RJ-45, USB and BNC

- Tests patch cables and installed wiring
- 600 ft. test distance
- LEDs indicate connections and faults

351911

Net Toner and Probe Kit

Tone Generator

- Two position switch for single or multi-tone signal
- LEDs for line polarity, continuity and voltage
- Testing leads and modular cables for individual wire tests or modular jack tests
- Alligator clips, RJ45 jack, RJ12 plug, optional F-connector

515566

LAN Identification Cable Tester

For verifying and troubleshooting local area networks

The compact style designed provides optimal convenience and portability! Simply push the "Test" button and see:

- If the cable or jack is connected to a hub or network card
- If the hub or network card work in full- or half-duplex
- If the default link speed of the hub or network card is 10 or 100 Mbps

258807

The Ultimate Tool Kit

20 pieces

- Includes: Remote cable tester, Digital multimeter, Fish tape - 50 ft., RJ-45 crimp/cut tool, Impact punch down tool, Disposable punch down tool, Slip-joint pliers, Adjustable wrench, Long needle-nose pliers, Wire cutters, Coaxial cable stripper, Surface cutter, Scissors, Electrical tape, Measuring tape, Utility knife, Cable stripper, Flat blade screwdriver, Phillips head screwdriver, 2 x 25 ft. of Cat5 cable, Rugged and stylish metal carrying case

110006

Professional Modular Installation Kit

Modular Install Kit, RJ11/12/45

- Includes: heavy-duty crimp tool for RJ11, RJ12 & RJ45,
- Crimp tool cuts and strips cable
- Made of hardened carbon steel
- High-impact plastic briefcase
- Includes assortment of RJ connectors
- Can be used for RJ11, RJ12, RJ45, Cat5e cabling
- Ratcheting tool for a consistent crimp every time

501811

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

Modular Plug Crimp Tool

For RJ45 Plugs, Strips and Cuts

- Crimps the following types of modular plugs: RJ45/8P8C, 8P6C, 8P4C, 8P2C
- SK5 blade
- Durable plastic handle

211062

Universal Modular Plug Crimping Tool

For RJ45, RJ12 and RJ11 modular plugs

- Cuts and strips both round and flat cable
- Ratchet type to control the tension of the tool; needs less strength; easy to operate
- High-quality hardened steel with black oxide finish resists rusting

211048

Modular Plug Crimp Tool

RJ-11/12 and RJ-45 Crimp/Cutter tool

- Multifunctional crimping tool to crimp RJ11, RJ12 & RJ45, strip and cut wire
- Made of hardened carbon steel
- Skid-proof handle for easy operation

210836

Modular Plug Crimp Rachet Tool

RJ-11/12 and RJ-45 Crimp/Cutter tool

- Multifunctional crimping tool to crimp RJ11, RJ12 & RJ45, strip and cut wire
- Made of hardened carbon steel
- Ratchet design for easy operation
- Skid-proof and dirt-resistant dual-colored handle

210966

Disposable Impact Tools

110 Block with Stripper

504539

Terminal Block Impact Tool

For 110/88 Terminal Blocks

- Adjustable impact pressure control
- Spare blade storage space built in
- Interchangeable and reversible blades

211055

19" Server Cabinets with advanced features for networking applications in IT environments. These Server Cabinets are exceptionally rugged, and strong; enabling them to be used for many applications.

19" Heavy-Duty Server Racks

- Constructed of heavy-duty steel for the ultimate server rack strength and stability
- Maximum static load of 800 kg (1,763 lbs.)
- Several lockable cable entrances on the top/bottom plate
- Tempered-glass door
- Vented front and rear door borders for reliable ventilation
- Parts are machine finished and powder coated for extended use and wear
- Vertical mounting rails offer a square hole universal mount (EIA-310) for any brand server
- Rail brackets are pre-punched for built-in cable management
- Multiple lacing points and slotted rail brackets add cable-management convenience
- In accordance with ANSI/EIA RS-310-D, DIN41491 (PART1), IEC297-2, DIN41494 (PART7), GB/T3047.2-92 standards
- Ships fully assembled

Accessories Included:

- 4 Fans
- 4 Castors
- 4 Support feet
- 40 Screw sets

Model Black	Height	External Dimensions	Depth
203005	42U	80.8 x 23.6 in.	39.4 in.
203104	37U	72 x 23.6 in.	39.4 in.

19" Server Rack, Glass Door

- Heavy-duty steel frame made to support heavy servers and peripherals
- Max. static load 800 kg (1,763 lbs.); max. dynamic load 350 kg (771 lbs.)
- Tempered-glass door
- Removable side panels
- Vented front and rear door borders for reliable ventilation
- Rail brackets are pre-punched for built-in cable management
- Multiple lacing points and slotted rail brackets add cable-management convenience
- A unique cable trunk provides efficient vertical cable routing that is neatly secured with the quick-release cable latches
- A grounding/bonding stud in the base of the rack facilitates proper grounding and bonding of electronic equipment
- Ships fully assembled

Accessories Included:

- 2 Fans for Depth 23.6 in
  4 Fans for Depth 31.5 in.
- 4 Castors
- 4 Support feet
- 40-piece cage nut set

Model Black	Height	External Dimensions	Depth
203319	47U	89.5 x 23.6 in.	31.5 in.
203456	42U	80.7 x 23.6 in.	23.6 in.
203609	32U	63.2 x 23.6 in.	23.6 in.
203623	27U	54.5 x 23.6 in.	31.5 in.

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

19" 2-Post Open Rack

- Designed to house standard 19" mounting devices
- Uprights come with square holes to use standard cable management
- 9-fold frame for maximum stability
- 300 kg suitably distributed load capacity
- 63 in. inside height and 66.5 in. outside height

Model Black	Height	External Dimensions	Depth
710152	48U	87.5 x 20.3 in.	25.2 in.
710114	36U	66.5 x 20.3 in.	25.2 in.

710152

19" 4-Post Open Rack

- Designed to house standard 19" mounting devices
- Uprights come with square holes to use standard cable management
- 9-fold frame for maximum stability
- 300 kg suitably distributed load capacity
- 45.5 in. inside height and 49 in. outside height

Model Black	Height	External Dimensions	Depth
710237	48U	87.5 x 20.3 in.	32.3 in.
710213	42U	77 x 20.3 in.	32.3 in.
710190	36U	66.5 x 20.3 in.	32.3 in.
710176	26U	49 x 20.3 in.	32.3 in.

710176

19" Double-Section Wallmount Rack

- Economical solution to those seeking a wallmount rack for smaller systems
- Welded frame and divided-cabinet body construction
- Standard 19" installation
- Protection grade: IP20
- Main material: SPCC high-quality cold roll steel; thickness: 2.0 mm for mounting rails and 1.2 mm for others
- Surface finish: degreasing, acidification, phosphoric, static electricity, power coat
- The front door can open over 180° on a virtually indestructible hinge
- A removable backpan for simple installation and easy access to connections
- Ventilation slots at the top of each side provide superior cooling
- Electrical knockouts at the top, bottom and rear
- In accordance with ANSI/EIA-310-D, IEC297-2, DIN41491, DIN41494 (Part 7), GB/T3047.2-92 standards
- Ships fully assembled

Model Black	Height	External Dimensions	Depth
204088	15U	29.1 x 23.6 in.	23.6 in.
204101	12U	24 x 23.6 in.	23.6 in.
204125	9U	18.9 x 23.6 in.	23.6 in.

10" Wallmount Rack

- Strong and reliable welded frame
- In accordance with ANSI/EIA-310-D, IEC297-2, DIN41491 (Part 1), DIN41494 (Part 7)
- Max. static load: 60 kg (132 lbs.)
- Wire channels with air holes on the top and bottom
- IP20-rated protection
- SPCC cold rolling steel plate, 1.0 mm thickness
- Surface finish: degreasing, phosphoric, power coated

Model Black	Height	External Dimensions	Depth
710374	9U	18.9 x 14.6 in.	11.8 in.
710350	6U	13.7 x 14.6 in.	11.8 in.

10" 2-Point Fixed Shelf, 1U

Fixed, Depth = 150, Black, 1U

- Designed for 10" cabinets
- Two mounting points on front
- Max. static load: 10 kg (22 lbs.)
- Depth: 150 mm (5.9 in.)

710398

10" Blank Panel, 1U

1U, Black

- Designed for 10" cabinets
- Covers unused positions in the cabinets
- Provides a clean, finished look and controlled air flow
- SPCC cold rolling steel plate, 1.2 mm thickness

710411

12-Port Patch Panel, 10", 1U

1U, 12 Port, Meets 19" rackmount standards

- Fits 10 Inch cabinet Cat5e
- 12 port patch panel
- 1U height

167642

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

110 V Cooling Fan

Fits into cooling units for 19'' racks and cabinets

- US Power Plug
- 120 (h) x 120 (w) x 38 (d) mm (4.7 x 4.7 x 1.5 in.)

Sleeve bearing
206297 110 V

Thermostat for Racks and Cabinets, Mounting Clip

Thermostat for Racks and Cabinets, Mounting Clip

- High switching performance with large temperature range setting
- Small size, 60 x 33 x 43 mm
- Simple to mount
- Thermostat control has a range of 0 - 60°C

710442

19" Wallmount Fixed Shelf, 1U

Fits 19" wallmount cabinets & server racks

Black
206464 Depth = 9.8 in. (250 mm), fits 17.7 in. (450 mm) depth cabinets
206471 Depth = 17.7 in. (450 mm), fits 23.6 in. (600 mm) depth cabinets
206488 Depth = 21.6 in. (550 mm), fits 31.5 in. (800 mm) depth cabinets
206501 Depth = 29.5 in. (750 mm), fits 39.4 in. (1000 mm) depth cabinets

Universal Rackmount 4-Point Adjustable Shelf

1U, load capacity 60 kg (130 lbs.), Black

710251 Depth = 15.7 in. (400 mm)
710268 Depth = 21.7 in. (550 mm)
710275 Depth = 27.6 in. (700 mm)

Universal Rackmount 2-Point Fixed Shelf

Load capacity 16 kg (35 lbs.), Black

710312 1U, Depth = 9.8 in. (250 mm)
710336 2U, Depth = 15.7 in. (400 mm)

19" Plate Drawer, 1U

Fits 19" server and wallmount cabinets

- Max. load: 80 kg (176 lbs.)

Black
206518 Depth = 17.7 in. (450 mm), fits 23.6 in. (600 mm) depth cabinets
206525 Depth = 21.7 in. (550 mm), fits 31.5 in. (800 mm) depth cabinets
206549 Depth = 29.5 in. (750 mm), fits 39.4 in (1000 mm) depth cabinets

19" Mini-Rack, 4U

4U, 480 mm x 300 mm x 180 mm (19 in. x 12 in. x 7 in.)

- Desktop or wall mountable mini rack
- Designed for small LAN installations

167628 Grey

19" Storage Drawer, 2U

Sliding storage solution, 400 mm Depth

- Perfect for storing user manuals, cables, small parts or whatever else you need
- Max. load: 30 kg (66 lbs.)
- 400 mm (15.7 in.) depth

206556 Black

Rackmount Industrial Computer Chassis

4U, with fan and 20/24-pin 300 W power supply

- Front control door with lock
- Two 5.25" bays and one 3.5" front bay
- Eight internal bays
- Two front USB connections
- One front cooling fan
- 20/24-pin 300 W ATX power with a SATA connector

164337 Black

19″ Keyboard Drawer + Touch Pad

19-inch rack mountable

- 101 keys
- 3 standard mouse buttons
- Touchpad built in
- Keyboard included
- Supports PS/2 & USB

167321 Black

19″ Blank Panel

Covers unused positions in the cabinets

- Material: sheet steel

206600 1U, Black
206617 2U, Black
206624 3U, Black
206631 4U, Black

19″ Rackmount Cable Manager, 1U

Fits 19″ cabinets

- Keeps cables neat and orderly

206594 Black

19″ Rack Mount Cable Manager, 1U

Fits 19″ cabinets

- Keeps cables neat and orderly

169950 Black

Cable Manager with 3 holes, 1U

Designed for 19″ cabinets

- 4 rings
- Material: sheet steel

204279 Black

Cable Organizer

Adhesive backing or screw on

- Screws included

162548 Black

19″ Front Panel Cable Manager, 2U

Fits 19″ cabinets

- Keeps cables neat and orderly

168458 Black

Vertical Cable Manager

Supports heavy devices by attaching to the mounting angles at the sides of the 19″ cabinets

- Vertical Cable Manager with Cover
- Materials: 1.2 mm sheet steel

710534 18U, Black
710558 27U, Black
710565 32U, Black
710572 37U, Black
710589 42U, Black

Not all products may be available in all markets. Please consult your local representative for details.
www.intellinet-network.com

19" Rackmount 7-Way Power Strip - U.S. Type

With On/Off Switch and Surge Protection

- Socket/outlet standard: IEC60884
- Outlets: 7-way
- Protection functions: with surge protector
- Electrical rating: 12 A, 120 V AC

207102 Black

Caster Wheels for 19" Server Cabinets

4 Each, 2 w/Brake, 2 without

- Rotational type
- Max load: 800 kg per set (1,764 lbs.)

206686

19" Rackmount Digital Thermostat

1U, Black

- Easy mounting, cabling and operation
- Adjust temperature with intelligent control fan unit
- IP23 protection

710459

Caster Wheel for Open Racks

3 in., with brake

- SPCC-grade steel frame
- Rubber wheel, with brake
- Fits 4-post models 710176, 710183, 710190, 710206, 710213, 710220, 710237 and 710244
- Fits 2-post models 710091, 710107, 710114, 710121, 710138, 710145, 710152 and 710169

710466

Cage nuts and screws

50 pieces

206679

Wireless

Tools & Testers

INTELLINET
NETWORK SOLUTIONS



Network Cards

Network Storage

Network Cabling

Network Accessories

HOME AND SMALL BUSINESS COMMUNICATIONS EQUIPMENT

Network Cameras

LAN Switches

Patch Panels

MANHATTAN

BRINGING COMPUTERS TO LIFE

Speakers

Bluetooth

Mobile Accessories

Keyboards

Headsets & Microphones

Mice

Web Cameras

Cables

Audio/ Video

Cards

USB Peripherals, Converters & Data Transfer

Notebook Computer Cases

Billions of Customers and Growing

With six billion USB devices in use and another 3 billion shipping each year, USB is the world's favorite electronic connector. With 10 times the performance and all of the familiar USB functionality and compatibility, experts forecast SuperSpeed USB to add more momentum to the USB phenomenon.

For decades, MANHATTAN has been a preferred global USB source and among the first to offer SuperSpeed USB cables, peripherals and components. Protected with a lifetime warranty, MANHATTAN SuperSpeed USB solutions arrive ready-to-sell in award-winning retail packaging with detailed product descriptions and user guides that optimize customer value and reseller profits.

SuperSpeed USB PCI Express Card

Two external SuperSpeed USB ports, x1 lane

- Easily adds two SuperSpeed USB ports to desktop computers
- Each port supports USB 3.0 data transfer rates of up to 5 Gbps
- Fits PCI Express x1, x2, x4, x8 and x16 lane buses

150491

SuperSpeed USB ExpressCard/34

Two SuperSpeed USB ports

- Easily adds two SuperSpeed USB ports to notebook computers
- Supports USB 3.0 data transfer rates of up to 5 Gbps
- Fits ExpressCard/34 and ExpressCard/54 slots

150583



SATA 6 Gb/s RAID PCI Express Card

Two external eSATA ports, x1 lane

- Easily adds two external SATA 6 Gb/s ports
- Provides RAID 0 (striping) and RAID 1 (mirroring)
- Low-profile form factor fits PCI Express x1, x2, x4, x8 and x16 lane buses

150972

SuperSpeed USB ExpressCard/34

One SuperSpeed USB port

- Easily adds one SuperSpeed USB port to notebook computers
- Fits ExpressCard/34 and ExpressCard/54 slots
- Slim, flush design for semi-permanent installation — nothing protrudes from PC

151016

Drive Enclosure

SuperSpeed USB, SATA, 2.5"

- Supports USB 3.0 data transfer rates for up to 5 Gbps and large-capacity drives up to 750 GB
- Sturdy case protects drive and facilitates cooling
- Fits standard 2.5" SATA drives with easy, quick installation — includes rear-mount button and LED indicator

130196

Drive Enclosure

SuperSpeed USB, SATA, 3.5"

- Supports USB 3.0 data transfer rates for up to 5 Gbps and large-capacity drives up to 2 TB
- Sturdy case protects drive and facilitates cooling
- Fits standard 3.5" SATA drives with easy, quick installation — includes rear-mount power switch and LED indicator

130172

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

SuperSpeed USB to SATA Adapter

Connects 2.5"/3.5" SATA hard drive to SuperSpeed USB port

- Easily connects a SATA hard drive to a SuperSpeed USB port to quickly transfer, back up and store files
- Supports data transfer SATA speeds up to 3 Gbps and USB 3.0 speeds up to 5 Gbps
- Supports 48-bit LBA for drives up to 2 TB

150705

SuperSpeed USB Desktop Hub

4 Ports, AC Power

- Provides 4 SuperSpeed USB ports for additional peripherals
- Supports USB 3.0 transfer rates up to 5 Gbps
- Versatile bus or AC powered with overcurrent protection; hot-swappable

161220

SATA Quick Clone Dock

SuperSpeed USB to Dual SATA, 3.5"/2.5"

- Provides fast data access, creates portable storage and simplifies hard-disk drive backup and exchanges
- One-touch cloning replicates HDD while attached or unattached to PC
- Dual insertion slots accept 3.5" and 2.5" SATA hard-disk drives up to 2 TB

130226

SATA Quick Dock

SuperSpeed USB 3.5"/2.5"

- Provides fast data access, creates portable storage and simplifies hard-disk drive backup and exchanges with one-touch backup
- Dual insertion slot accepts 3.5" and 2.5" SATA hard-disk drives up to 2 TB
- Supports data transfer rates for USB 3.0 up to 5 Gbps

130202

SuperSpeed USB Device Cable

A Male / B Male, Blue

- USB 3.0 Standard-A male to USB 3.0 Standard-B male
- Connects a SuperSpeed USB device to a SuperSpeed USB hub or computer
- Supports speeds of up to 5 Gbps

391863 1.8 m (6 ft.)
391870 3 m (10 ft.)

SuperSpeed USB Extension Cable

A Male / A Female, Blue

- USB 3.0 Standard-A female to USB 3.0 Standard-A male
- Extends a USB cable length
- Supports speeds of up to 5 Gbps

391887 1.8 m (6 ft.)
391894 3 m (10 ft.)

SuperSpeed USB Device Cable

A Male / B Male, Blue

- USB 3.0 Standard-A male to USB 3.0 Standard-B male
- Connects a SuperSpeed USB device to a SuperSpeed USB hub or computer
- Supports speeds of up to 5 Gbps

325400 1 m (3 ft.)
322430 1.8 m (6 ft.)
322454 3 m (10 ft.)

SuperSpeed USB Extension Cable

A Male / A Female, Blue

- Extends a USB cable length
- Supports speeds of up to 5 Gbps

325394 1 m (3 ft.)
322379 1.8 m (6 ft.)
322447 3 m (10 ft.)

SuperSpeed USB Device Cable

A Male / Micro B Male, Blue

- USB 3.0 Standard-A male to USB 3.0 Micro-B male
- Connects a SuperSpeed USB device to a SuperSpeed USB hub or computer
- Supports speeds of up to 5 Gbps

325417 1 m (3 ft.)
325424 1.8 m (6 ft.)
325431 3 m (10 ft.)

Ready to shift to a better mouse? MANHATTAN RightTrack Technology outperforms most higher-priced laser models and leaves ordinary optical mice behind. Advanced optics and circuitry provide definitive, affordable control on almost any surface nearly anywhere.

GOES MORE PLACES THAN MOST MICE

MANHATTAN RightTrack Mice work with laser-like accuracy on shiny granite countertops, dark glass tables and slick hotel desks without cursor jitters, overpriced gimmicks or a mouse pad. One-touch controls access frequent browser functions and adjust shift-on-the-fly sensitivity levels to suit any task at home, at the office or on the road.

GET A REAL GRIP

Hold it steady with a sure, confident grasp on essential commands. A nubby, no-slip rubber skin on MANHATTAN RightTrack Mice helps target text and objects, speed across the Web and get through spreadsheets and documents with maximum control and minimal effort.

Available in red, blue, green, orange, pink, and yellow

Top-mount, fingertip buttons for forward and back browser and resolution control

Works on polished stone, dark glass, ceramics and more

Special texture improves comfort and grip

MANHATTAN RightTrack Technology vs. Others

MANHATTAN RightTrack	Logitech Darkfield	Microsoft BlueTrack
Most surfaces*	Most surfaces including glass	Most surfaces*
USB • Wired	USB • Wireless	USB • Wired / Wireless
800/1200/1600 dpi	Non-Adjustable	Non-Adjustable
Lifetime Warranty	3 Years Limited	3 Years Limited
US$16.99 MSRP	US$59.99 – $99.99 MSRP	US$29.99 – $49.99 MSRP

**Not intended for use on clear glass or mirrored, rough or uneven surfaces.*

RightTrack Mouse

USB, Adjustable Three-Level Resolution, Six Buttons with Scroll Wheel

- RightTrack™ technology provides precise, accurate control on polished stone, dark glass, ceramics and more
- Advanced optics outperform most laser and optical mice nearly anywhere
- Top-mount push-button control instantly shifts resolution from 800 to 1600 dpi
- Compact size, ambidextrous shape with no-slip, rubber grip
- Low-friction base smoothly glides over work surfaces

177689	Yellow	**177719**	Blue
177696	Orange	**177726**	Green
177702	Red	**177733**	Pink

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

MLD Laser Desktop Mouse

USB, Adjustable Three-Level Resolution, Five Buttons with Scroll Wheel

- Precision laser performance in an agile, modern design
- Top-mount push-button control instantly shifts resolution from 800 to 1600 dpi
- Ergonomic shape and no-slip texture provide secure grip

177467 USB, Adjustable Three-Level Resolution, Five Buttons with Scroll Wheel
177375 USB, 2.4 GHz RF technology offers wireless freedom with effective range up to 7 m (30 ft.)

MLX Wireless Laser Mini Mouse

USB, Adjustable Three-Level Resolution, Three Buttons with Scroll Wheel

- Precision laser performance in an agile, modern design with USB micro receiver
- 2.4 GHz RF technology offers wireless freedom with effective range up to 7 m (30 ft.)
- Compact size, ambidextrous shape and no-slip texture provide secure grip

177139

MLBX Wireless Laser Mobile Mini Mouse

Bluetooth, Six-Level Adjustable Resolution, Three Buttons with Scroll Wheel

- Precision laser performance that easily connects and operates without receiver
- Bluetooth technology offers wireless freedom with effective range up to 10 m (33 ft.)
- Push-button control instantly shifts resolution through six levels from 500 to 3000 dpi

177078

MLXL Wireless Laser Leather Mini Mouse

USB, Adjustable Three-Level Resolution, Three Buttons with Scroll Wheel

- Precision laser performance in a stylish split leather design with USB micro receiver
- 2.4 GHz RF technology offers wireless freedom with effective range up to 7 m (30 ft.)
- Compact size, ergnomic and ambidextrous profile offer comfortable grip with less fatigue

177474

MH1 Optical Mini Mouse

USB, Three Buttons with Scroll Wheel, 1000 dpi

- Basic, three-button with scroll wheel configuration
- Compact size, ergonomic and ambidextrous design offers comfortable grip with less fatigue
- Low-friction base smoothly glides over work surfaces

176910 Silver/Silver
176927 Black/Silver
176880 Red/Silver

MHX Wireless Optical Mobile Mini Mouse

USB, Three Buttons with Scroll Wheel, 800 dpi

- 27 MHz technology offers wireless freedom with effective range up to 1.5 m (5 ft.)
- Auto power management helps maintain battery levels
- On-board storage compartment protects USB receiver from loss and damage

177535

MMX Wireless Optical Mobile Mini Mouse

USB, Three Buttons with Scroll Wheel, 1000 dpi

- 27 MHz technology offers wireless freedom with effective range up to 1.5 m (5 ft.)
- Auto power management and detachable cable help maintain battery levels — recharges while in use for uninterrupted operation
- On-board storage compartment protects USB receiver from loss and damage

176811

MM1 Optical Mobile Mini Mouse

USB, Five Buttons with Scroll Wheel, 1000 dpi

- Compact size, ambidextrous shape and no-slip texture provide secure grip
- Fully customizable and programmable buttons access frequently used applications and tasks
- Retractable reel maintains desired length, reduces tangles and stores cable for travel

176835

MM3 Optical Mobile Micro Mouse

USB, Five Buttons with Scroll Wheel, 1000 dpi

- Ultra-compact size, ambidextrous shape and no-slip texture provide secure grip
- Fully customizable and programmable buttons access frequently used applications and tasks
- Retractable reel maintains desired length, reduces tangles and stores cable for travel

176873

MH3 Classic Optical Desktop Mouse

Three Buttons with Scroll Wheel, 1000 dpi, Black/Silver

- Accurate optical sensor and sturdy construction deliver reliable performance
- Basic, three-button with scroll wheel configuration — ideal for new systems, replacements and upgrades
- Compact size, ergonomic and ambidextrous design offers comfortable grip with less fatigue

176989 USB
177016 USB
177009 PS/2

MM5 Optical Mobile Nano Mouse

USB, Three Buttons with Scroll Wheel and Two-Port Hub

- Incredibly small fully functional size, ambidextrous shape ideal for mobile computing
- Low-friction base smoothly glides over work surfaces
- Built-in, two-port Hi-Speed USB 2.0 hub connects additional peripherals

177559

Digital Photo Mouse

USB, Three Buttons with Scroll Wheel, 800 dpi

- Bright, built-in 1.5" LCD displays more than 100 favorite digital photos
- Personalize workspace with family, holiday, pet and other photos – select slideshow or manual setting
- Fully functional USB optical mini mouse with 800 dpi sensor, 3 buttons and scroll wheel

177498

Silhouette Optical Mouse

USB, Three Buttons with Scroll Wheel, 1000 dpi

- Sculpted, ultra sleek shape with accurate optical sensor
- Lightweight and slim size provide easy navigation and control
- Flat surface, ergonomic and ambidextrous design offers comfortable grip with less fatigue

177627 White
177658 Black

MXP Wireless Presenter

3-in-1 control connects the audience with content

- Full presentation and mouse functions with a built-in laser pointer
- Simplified button layout for confident, one-touch control
- Reliable 2.4 GHz wireless operation from almost anywhere in the room – effective range up to 10 m (32 ft.)

177580

MXP Wireless Presentation Mouse

Bluetooth, 2.4 GHz, 14-Function with Touchpad

- Provides reliable, wireless presentation functions from almost anywhere in the room
- Powerful built-in laser pointer helps highlight important topics
- Includes integrated multi-media remote control, four-button mouse and 200 dpi touchpad

177184

Optical Desktop Mouse

USB, Three Buttons with Scroll Wheel, 1000 dpi

- Special design commemorates international football championship
- Accurate optical sensor and sturdy construction deliver reliable performance
- Basic, three-button with scroll wheel configuration

160339

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

A striking departure from common keyboards, MANHATTAN uses superior switch technology for rapid keystrokes, quieter operation and an assured response that help improve accuracy and speed. Multi-media keyboards incorporate special, single-key access to recurring functions and conveniences for better control and more productivity. From its wireless to basic models, all MANHATTAN keyboards offer sleek, durable designs that compliment modern workspaces with a stylish touch.

Advanced Multimedia Keyboard

USB, Scissor Keys, 12 Multimedia Hotkeys

- Modern design and superior key switch technology with multimedia conveniences
- Scissor-key system reduces typing noise and offers precise keystroke response
- 12 hotkeys offer quick, 1-touch access to frequent multimedia, Windows and Internet functions

177511

Ultra Slim Multimedia Keyboard

USB, Scissor Keys, 7 Multimedia Hotkeys

- Sleek, streamlined design and superior key switch technology with multimedia conveniences – ideal for small workspaces
- Ergonomic key arrangement with full-size keys and numeric keypad in a compact layout
- 7 hotkeys offer 1-touch access to frequent multimedia and Internet functions

177528

Slim Multi-Media Keyboard

USB, Black/Silver

- Thin, modern design with essential multi-media controls helps improve speed — ideal for upgrade applications
- Ergonomic key arrangement with bright accents and buttons
- 9 hotkeys offer quick, one-touch access to frequent multi-media functions

177771

Roll-Up Keyboard

Full-sized USB Keyboard Ideal for Mobile Computing

- Virtually indestructible design with silicone, latex-free construction suitable for almost any environment and user
- Easy-to-clean, hygienic surface and soft-touch key switches resist dust, moisture, spills and contaminants
- Lightweight, full-sized flexible case and silent operation ideal for mobile computing and netbooks

177436

Multi-Media Keyboard

USB, Black

- Modern design with essential multi-media controls helps improve speed — ideal for upgrade applications
- Ergonomic key arrangement
- 9 hotkeys offer quick, one-touch access to frequent multi-media functions

177788

Enhanced Keyboard

Enhanced Keyboard, USB, Black

- Streamlined, durable design ideal for new systems and replacement applications
- Ergonomic key arrangement with Power, Sleep and Wake keys
- Spill-resistant, low-force key switches provide quiet and positive tactile response
- Adjustable tilt mechanism offers comfortable typing positions

175708

Enhanced Keyboard

Black

- Streamlined, durable design ideal for new systems and replacement applications
- Low-force key switches provide quiet and positive tactile response

155120 PS/2
155113 USB

Numeric Keypad Hub

USB, 2 Ports, Asynchronous

- Asynchronous Number Lock function operates independently of computer keypad for faster numeric data entry
- Provides 2 Hi-Speed USB 2.0 ports to connect additional peripherals
- Scissor (X-structure) key switches reduce typing noise, improve response and offer low-profile keystrokes

177443

Numeric Keypad

Yields better entry and results for notebook computers

- 19 full-size keys including backspace key
- Asynchronous number lock function operates independently of computer keypad for faster numeric data entry
- Scissor (X-structure) key switches reduce typing noise, improve response and provide low-profile keystrokes

176354

Graphics Tablet

A5 / 5.25 x 8.75 in.; Improves creativity with intuitive input, software integration and accurate control

- Advanced design tool that helps create and edit digital art — also supports handwriting recognition, signature capture and authentication, pen navigation and more
- 26 hotkeys provide quick, one-touch access to frequent menu commands and applications
- Includes Macro Key Manager, Free Notes, Office Ink, Power Presenter RE II and ULEAD PhotoImpact 12 SE software

177405

Graphics Tablet

A6 / 5 x 3 in.; Portability and professional-level performance ideal for small or mobile workspaces

- Versatile design tool that helps create and edit digital art — also supports handwriting recognition, signature capture and authentication, pen navigation and more
- 22 hotkeys provide quick, one-touch access to frequent menu commands and applications
- Includes Macro Key Manager, Free Notes, Office Ink and Power Presenter RE II software

177412

Graphics Tablet

USB, Wireless Mouse and Pen, 6" x 8" / A5

- Advanced design tool that helps create and edit digital art — also supports handwriting recognition, signature capture and authentication, pen navigation and more
- Wireless three-button mouse with scroll and programmable three-button pen provide precise cursor positioning and dynamic option control
- 42 hotkeys including 16 customizable keys provide quick, one-touch access to frequent menu commands and applications

174459

Graphics Tablet

USB, Wireless Mouse and Pen, 4" x 5.5" / A6

- Versatile design tool that helps create and edit digital art — also supports handwriting recognition, signature capture and authentication, pen navigation and more
- Wireless three-button mouse with scroll and programmable three-button pen provide precise cursor positioning and dynamic option control
- 28 hotkeys including 4 customizable keys provide quick, one-touch access to frequent menu commands and applications

174572

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

STAY CLOSE
At Any Distance

MANHATTAN
BRINGING COMPUTERS TO LIFE
Web Cameras

Web Communicator Combo

Includes 5 MP camera and headset

- 2-in-1 set enhances online communications, instant messaging, VoIP and more
- Self-adjusting camera optimizes color, exposure and brightness levels for maximum clarity
- High-performance sensor with powerful 4x digital zoom

460507

HD Web Cam 760 Pro

Hi-Speed USB, High-Definition Sensor, Face Tracking, Built-In Microphone

- Easily capture, record and share widescreen HD photos and video up to 720p – upload to Facebook, YouTube and more
- 7.6 megapixel image resolution with powerful 4x digital zoom function and built-in microphone
- Face tracking, automatic color, exposure and brightness levels maximize clarity in varying light conditions

460514

Web Cam 500 SX

Hi-Speed USB, 5.0 Megapixels

- Personalize conversations and images with special 18 video and 6 frame effects
- High-performance sensor with powerful 4x digital zoom function

460491

Web Cam 500

USB, 5.0 Megapixels

- Capture and share photos and video — software simplifies settings and operation
- Adjustable clip base for easy attachment to desktop or notebook computers
- Ready and easy to use — included software simplifies settings and operation

460668

HD Web Cam 760 Pro XL

Hi-Speed USB, High-Definition Sensor, Face Tracking, Built-In Microphone

- Easily capture, record and share widescreen HD photos and video up to 720p – upload to Facebook, YouTube and more
- 7.6 megapixel image resolution with powerful 4x digital zoom function and built-in microphone
- Face tracking, automatic color, exposure and brightness levels maximize clarity in varying light conditions

460521

Pro Cam

USB, 300k Pixels

- Self-adjusting color, exposure and brightness levels maximize clarity in varying light conditions
- Personalize conversations and images with special 10 video and 9 frame effects
- High-performance sensor with powerful 10x digital zoom function

460484

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

VGA to HDMI Converter

Converts PC Audio/Video to HDMI

- Easily converts VGA and stereo audio into an HDMI signal
- Ideal for connecting PCs to high-definition TVs, projectors, flat panel displays and more
- Delivers a clear, sharp transmission – supports up to 1280 x 1024 and 1080p resolution and video amplifier bandwidth up to 1.65 Gbps / 165 MHz

177351

Hi-Speed USB Audio/Video Grabber

Capture, edit and convert audio and video with one touch

- Easily capture media from camcorder, VCR, TV or other A/V source and transfer to computer
- Simple, single-button video snapshot and copy-and-pause control — encodes directly in MPEG 1/2/4 format
- Compact, lightweight design and easy installation ideal for travel and notebook computers

161336

PC TV Converter

Displays PC Monitor Signal on TV

- Use TV as PC monitor to view presentations, games, pictures and movies or browse the Web
- Connects a VGA port to TV – ideal for computers without a TV-out connector
- Adjust and set preferences with onscreen display and front-mount control panel

150095

HDMI Cat5e/Cat6 Extender

HDMI 1.2

- Fully HDCP compliant to protect high-definition content transmission and ensure quality reception
- Cat5e/6 cable substitutes HDMI cable to achieve long distance transmission
- Supports the video amplifier bandwidth up to 1.65 Gbps for 1080p display

177269 Extends 1080p signal up to 60 m (196 ft.)
177276 Extends 1080p signal up to 30 m (98 ft.)

PCI Sound Card

5 channel

- Easily installs in desktop computers to provide an enhanced 5.1-channel surround sound experience
- Full-duplex playback and recording with sampling rate of up to 48 kHz
- Supports HRTF 3D positional audio, DirectMusic, DirectSound 3D, A3D and Wave Table Synthesizer with 2/4/6 channel speaker modes

158107

PCI Sound Card

7 channel

- Easily installs in desktop computers to provide an enhanced 7.1-channel surround sound experience
- Supports Dolby Digital EX, DTS ES, HRTF 3D positional audio, DirectMusic, DirectSound 3D and A3D interfaces
- Full duplex 96 kHz / 24-bit playback and 48 kHz / 16-bit recording

175357

Bluetooth Adapter

Hi-Speed USB

- Establishes wireless connections between Bluetooth-enabled computers, peripherals and other devices
- Piconet and scatternet compatible
- Built-in security and protective cover

179010 Class 1 + EDR, Range 100 m (328 ft.)
179058 Class 2 + EDR, Range 20 m (65.6 ft.)

Bluetooth Micro Adapter

Hi-Speed USB

- Establishes wireless connections between Bluetooth-enabled computers, peripherals and other devices
- Piconet and scatternet compatible with built-in security
- Low-profile, compact design reduces damage and loss — stays installed for transport

179201 Class 1 + EDR, Range 50 m (164 ft.)
179218 Class 2 + EDR, Range 10 m (32.8 ft.)

Hi-Speed USB 3-D Sound Adapter

Improves audio access and performance

- Instantly creates mic-in/audio-out connectivity through any USB port – ideal for desktop, notebook and netbook PCs
- Improves access, bypasses faulty sound card or audio ports and upgrades audio performance
- Easy USB installation requires no external power or software

150859

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

HDMI Switch

HDMI 1.3b, 4-Port, 3 Inputs + 1 Output

- Easily select between multiple high-definition sources sharing one display
- Maintains highest single-link resolutions for clear, sharp images — up to 2.5 Gbps, 1080p or VGA (1920 x 1200)
- Full-function, infrared remote control with external receiver

177368

HDMI Splitter

Delivers a sharp, clear signal from DVD and Blu-ray players, set-top box, satellite receiver and other sources

- Fully HDCP compliant to protect high-definition content transmission and ensure quality reception
- Cascade up to three levels to expand signal distribution to more displays

177337 HDMI 1.3, 2-port
177146 HDMI 1.3, 4-port

VGA Cat5/5e/6 Splitter / Extender

Distributes video and audio signals up to 300 m (984 ft.)

- Easily extends VGA and audio signals using Cat5/5e/6 cables for longer distance transmissions
- Includes a 4-port VGA Cat5/5e/6 Splitter/Extender with one 1-port receiver
- Supports VGA resolutions up to 1920 x 1200

177252

VGA Cat5/5e/6 Extender Receiver

Receives video and audio signals up to 300 m (984 ft.)

- Easily extends VGA and audio signals using Cat5/5e/6 cables for longer distance transmissions
- Supports VGA resolutions up to 1920 x 1200
- Requires MANHATTAN Splitter/Extender Transmitter, Model 177252

177245

VGA Cat5/5e/6 Extender

Extends video and audio signals up to 300 m (984 ft.)

- Easily extends VGA and audio signals using Cat5/5e/6 cables for longer distance transmissions
- Supports VGA resolutions up to 1920 x 1200
- Delivers a sharp, clear signal with Gain and Peak adjustments

177344

Professional Video Splitter

VGA, SVGA, MultiSync

- Supports VGA bandwidths up to 350 MHz and resolutions up to 1920 x 1680 with effective transmission distance up to 65 m (210 ft.)
- Delivers a clear, sharp signal from a PC to VGA, SVGA and MultiSync displays, projectors and more
- Cascade up to three levels to expand signal distribution to more displays

207331 2-Port
207348 4-Port
207355 8-Port

Video Splitter

Duplicates a video signal for multiple VGA outputs

- 150 MHz signal bandwidth
- HD15 connections

177207 2-port
177214 4-port
177238 8-Port

Bluetooth Stereo Headset

Wireless listening for Bluetooth-enabled audio sources

- Enjoy clear voice and stereo reception with most Bluetooth-enabled devices – never miss a call while listening to music
- Add wireless convenience to notebook and desktop PCs, MP3 players, Skype and other Bluetooth-enabled audio sources
- Comfortable, behind-the-neck design with built-in microphone folds for travel and storage

175944

Elite Stereo Headset

In-Line Volume Control

- On-the-ear design provides comfort and enhances bass response
- Adjustable headband and padded ear cushions provide secure, relaxed fit
- Flexible boom and microphone help reduce distortion and improve voice transmission

175548

Stereo Headset

Flexible Metal Boom Microphone with In-Line Volume Control

- Comfortable padded ear cushions
- Adjustable support adapts to individual head size
- Flexible stainless steel microphone boom for hands-free communication

175517

Classic Stereo Headset

Flexible Metal Boom Microphone with In-Line Volume Control

- Comfortable padded cloth ear cushions
- Adjustable support adapts to individual head size
- Super bass system

175555

Behind-The-Neck Stereo Headset

Flexible Boom Microphone with In-Line Volume Control

- Comfortable padded earphones
- "Behind-The-Neck" headband prevents hair style damage
- Flexible microphone boom for hands-free communication

175524

Ear-Hook Headset

In-Line Volume Control

- Lightweight, around-the-ear design ideal for instant messengers and online communications
- Flexible ear-hook with pivot hinge and microphone boom adjust for hands-free conversations
- Built-in clip attaches to pocket or lapel between calls

176682

Stereo Headset

Lightweight design with adjustable headband, microphone and inline volume control

- Stereo headphone with foam earpads
- Adjustable microphone and inline volume control for hands-free communication
- Easy to install with 3.5 mm stereo plugs

164429

Stereo Headphones

Lightweight design with adjustable headband

- Stereo headphone with foam earpads
- Lightweight, comfortable design with adjustable split headband
- Long cord easily reaches desktop and notebook computers and other devices

177481

173056 176187 176217

Stereo Earphones

Properly directs sound to the ear for improved audio reproduction and noise isolation

- Comfortable and secure in-the-ear fit
- Unobtrusive and lightweight profile ideal for travel, activity and personal listening

173056 Silver, Comfortable Silicone Cushions and Full-Range Sound

176187 Black, Comfortable Silicone Cushions and Full-Range Sound

176217 White, Convenient Built-In Microphone, Volume and Mute Controls

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Maximize gaming, music and other multi-media experiences with the MANHATTAN speaker systems. Designed to complement modern personal computers, flat-panel displays and peripherals, their full range sound draws listeners into the center of the action without compromising valuable desktop or shelf space.

Equipped with responsive omni-directional electret condensers, MANHATTAN desktop microphones equally detect sound from all directions to provide stable frequency and dynamic ranges suitable for voice recognition, instant messengers, VoIP and other multi-media applications.

2800 Acoustic Series Bookshelf Speaker System

2 Speakers

- Two-way speakers deliver rich, powerful sound — ideal for games, movies and music
- Solid cabinets and active crossovers help recreate a balanced, full-spectrum frequency response
- Subtle design elements and piano-gloss finish complement flat-panel displays and décor

150149

2850 Acoustic Series Bookshelf Speaker System

2 Speakers

- Two-way speakers deliver rich, powerful sound — ideal for games, movies and music
- Solid cabinets and active crossovers help recreate a balanced, full-spectrum frequency response
- Separate volume, bass and treble controls fine-tune listening experiences

150200

2800 Acoustic Series Bluetooth Bookshelf Speaker System

Bluetooth, 2 Speakers

- Two-way speakers deliver rich, powerful sound — ideal for games, movies and music
- Enjoy exceptional audio performance with most Bluetooth-enabled devices
- Solid cabinets and active crossovers help recreate a balanced, full-spectrum frequency response

150194

Bluetooth Audio Receiver

Enables wired speakers to accept Bluetooth signals

- Converts most speaker sets into a wireless entertainment system – quickly installs with a 3.5 mm stereo plug
- Easily pairs with PCs, MP3 players, mobile phones and other Bluetooth media sources
- Built-in rechargeable battery provides up to 6.5 hours of listening almost anywhere

161091

Bluetooth Stereo Transmitter

Adds Bluetooth to devices with 3.5 mm stereo jack

- Provides Bluetooth connectivity for media sources with a 3.5 mm stereo jack – ideal for MP3 players, portable video games, TVs and more
- Easy, one-touch pairing with Bluetooth headsets, speakers and other output devices
- Built-in rechargeable battery provides up to 1.5 hours of listening almost anywhere
- Supports A2DP and AVRCP protocols

161176

2300 Series Speaker System

2 Speakers

- Full-range speaker system
- Black cloth speaker grilles
- Volume and tone controls

160780

2100 Series USB Speaker System

USB, 2 Speakers

- Full-range, USB speaker system
- Volume control, headphone jack, LED power indicator and cloth grills
- Shielded to prevent distortion and maintain clear, crisp sound

160711

2700 Series USB Speaker System

USB, 2 Speakers

- Rich, full-range stereo sound from compact USB speakers
- Easily connects to notebook computers and other USB-equipped devices
- Ideal upgrade from headphones and built-in speakers to enjoy and share music and other audio

161114

Mobile Mini Speaker

High-performance audio for MP3 players, mobile phones and more

- Compact speaker with built-in resonator expands to provide deep, full-range sound
- Connects to iPod, iPhone, notebook computers, MP3 and portable CD/DVD players, hand-held games and more
- Built-in rechargeable battery provides hours of use

161107

Desktop Microphone

Adjustable boom with mute

- Sensitive omni-directional microphone ideal for voice recognition, instant messengers, VoIP and multimedia
- Boom adjusts 45° and holds steady position — folds for storage and travel
- Convenient base-mount power switch provides privacy control

175500

Desktop Microphone

Adjustable boom

- Sensitive omni-directional microphone ideal for voice recognition, instant messengers, VoIP and multimedia
- Versatile boom adjusts 90° and holds steady position — separates from base for handheld use
- Practical design and durable construction

176590

Desktop Microphone

Gooseneck boom with mute

- Sensitive omni-directional microphone ideal for voice recognition, instant messengers, VoIP and multimedia
- Flexible, gooseneck boom adjusts and holds various positions for improved performance
- Convenient base-mount mute switch provides privacy control

176699

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Surge Strip

5 Horizontal / 2 Horizontal Adapter / RJ-45 and Coaxial Protection, 2,400 Joules, 2.9 m (9.5 ft.) Cable

- Lighted power rocker switch with integrated circuit breaker and reset button (red)
- EMI/RFI noise filter helps protect sensitive electrical equipment
- $100,000 connected equipment guarantee (US and Canada only)

161060

Surge Strip

5 Horizontal / 2 Horizontal Adapter / RJ-45 Protection, 1,200 Joules, 1.6 m (5.5 ft.) Cable

- Lighted power rocker switch with integrated circuit breaker and reset button (red)
- EMI/RFI noise filter helps protect sensitive electrical equipment
- $50,000 connected equipment guarantee (US and Canada only)

160995

Surge Strip

6 Horizontal Outlets, 90 Joules, 1 m (3.5 ft.) Cable

- 15 A / 125 V / 60 Hz / 1,875 W maximum load
- Lighted power rocker switch with integrated circuit breaker and reset button (red)
- ABS construction

160742

Surge Strip

6 Vertical Outlets, 90 Joules, 0.6 m (2 ft.) Cable

- 15 A / 125 V / 60 Hz / 1,875 W maximum load
- Power rocker switch with integrated circuit breaker and reset button
- ABS construction

161138

Power Strip

6 Vertical Outlets, 0.6 m (2 ft.) Cable

- 15 A / 125 V / 60 Hz / 1,875 W maximum load
- Power rocker switch with integrated circuit breaker and reset button
- ABS construction

161190

MANHATTAN is the leading manufacturer of reliable, performance-packed barcode scanners for small to medium-sized businesses. Our products are designed to meet the needs of almost every application. From pharmaceutical and retail point-of-sale applications to inventory control in manufacturing to shipping applications, there's a MANHATTAN barcode scanner that will satisfy your needs.

MANHATTAN Barcode Scanners read the following codes:

- **NEW GS1 DataBar**
- ALL UPC/EA/JAN
- Code 39
- Code 39 FULL ASCII
- Code 128
- Interleave 25
- Matrix 25
- CODABAR/NW7
- BC 412
- Code 11
- MSI/PLESSEY
- Code 93
- China Postage
- Code 32/Italian Pharmacy
- Industrial 25

Contact CCD Barcode Scanner

55 mm Scan Width

- Keyboard Wedge Decoder displays data as if directly entered from keyboard
- Wide scan field provides quick, accurate reads with up to 300 scans per second
- Detects many popular symbologies including UPC, EAN and GS1 DataBar

460866 USB
460859 PS/2

Contact CCD Barcode Scanner

80 mm Scan Width

- Keyboard Wedge Decoder displays data as if directly entered from keyboard
- Wide scan field provides quick, accurate reads with up to 50 scans per second
- Detects many popular symbologies including UPC, EAN and GS1 DataBar

401517 USB
400886 PS/2

Long Range CCD Barcode Scanner

300 mm Scan Depth, USB

- Keyboard Wedge Decoder displays data as if directly entered from keyboard
- Wide scan field provides quick, accurate reads with up to 270 scans per second up to 300 mm (10 in.) away
- Detects many popular symbologies including UPC, EAN and GS1 DataBar

460835

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Long Range CCD Barcode Scanner

200 mm Scan Depth, USB

- Keyboard Wedge Decoder displays data as if directly entered from keyboard
- Wide scan field provides quick, accurate reads with up to 100 scans per second up to 200 mm (8 in.) away
- Detects many popular symbologies including UPC, EAN and GS1 DataBar

177672

Wireless CCD Barcode Scanner

300 mm Scan Depth, USB

- Wireless technology offers effective range up to 20 m (65.5 ft.)
- Keyboard Wedge Decoder displays data as if directly entered from keyboard
- Detects many popular symbologies including UPC, EAN and GS1 DataBar

460873

Short Range Laser Barcode Scanner

200 mm Scan Depth

- Keyboard Wedge Decoder displays data as if directly entered from keyboard
- Wide scan field provides quick, accurate reads with up to 50 scans per second up to 200 mm (8 in.) away
- Detects many popular symbologies including UPC, EAN and more

460910 USB
460903 PS/2

Barcode Scanner Stand

Gooseneck with base

- Suitable for table, counter or wall mount – ideal for retail and other applications
- Maximum height up to 26 cm (10 in.)
- Compatible with MANHATTAN 460873, 400954, 460828, 400961, 460835, 460903 and 460910 handheld barcode scanners

460842

Omni-Directional Barcode Scanner

300 mm Scan Depth, USB

- Helps speed data entry, reduce errors and improve efficiency – ideal for retail transactions and automated processes
- Keyboard Wedge Decoder displays data as if directly entered from keyboard
- Adjustable stand provides hands-free flexibility

177597

2D Barcode Scanner

430 mm Scan Depth, USB

- Helps speed data entry, reduce errors and improve efficiency – ideal for retail transactions and automated processes
- Keyboard Wedge Decoder displays data as if directly entered from keyboard
- Wide scan field provides quick, accurate reads wth up to 200 scans per second up to 430 mm (17 in.) away

177603

Magnetic Strip Card Reader

Triple Track Reader

- Helps speed data entry, reduce errors and improve efficiency – ideal for retail transactions, access control and ID verification
- Keyboard Wedge Decoder displays data as if directly entered from keyboard
- Bi-directional swipe reads most bank cards, membership and ID badges, gift cards, driver's licenses and more

460255 USB
460897 PS/2

Smart Card Reader

USB, Contact Reader, External

- Compatible with friction-type, contact smart cards
- Ideal for transactions and applications requiring secure information exchanges
- Supports host communication speeds up to 12 Mbps

172844

Barcode Scanner Stand

Rubber

- Properly aims and keeps scanner steady for reliable, accurate reads
- Suitable for table or counter mount – ideal for retail and other applications
- Compatible with all MANHATTAN CCD and laser handheld barcode scanners

460880

Get and stay better connected with USB peripherals. Create more easily accessible USB ports for desktop systems and expand the limited capacities of notebook computers. MANHATTAN hubs instantly add extra USB ports to attach and use more peripherals when and where they're needed.

Hi-Speed USB 2.0 Micro Hub

4 Ports, AC Power

- Provides four Hi-Speed USB 2.0 ports for additional peripherals
- Compact size ideal for both desktop and notebook computers
- Over-current protection; hot-swappable

160612

Hi-Speed USB Pocket Hub

4 Ports, Bus Power

- Built-in, self-storing USB cable ideal for notebook computers with rear-mount ports
- Over-current protection; hot-swappable
- LED power indicator

160599

Hi-Speed USB 2.0 Micro Hub

4 Ports, Bus Power

- Provides four Hi-Speed USB 2.0 ports for additional peripherals
- Built-in, self-storing USB cable ideal for notebook computers with rear-mount ports
- Overcurrent protection and hot-swappable

160605

Hi-Speed USB Flex Hub

4 Ports, Bus Power

- Provides four Hi-Speed USB ports for additional peripherals
- Each port rotates 180° to easily connect most USB devices
- Vibrant purple, red, orange, yellow and green colors help identify cables and connections – add interest and fun

161053

Hi-Speed USB 2.0 In-Desk Hub

3 Ports, Fits 6 cm (2.4 in.) Grommet Hole

- Provides three Hi-Speed USB 2.0 ports for additional peripherals
- Easily installs into desktops and other work surfaces for low-profile USB connections
- Full-access, open-port design accommodates most USB devices

161077

Hi-Speed USB Hub

7 Ports, Dual Power

- Provides seven Hi-Speed USB ports to connect additional peripherals
- Versatile bus or AC powered with over-current protection; hot-swappable
- Easy-to-read power and port LED indicators

160766

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Hi-Speed USB Internal Hub

4 Ports, 3.5" Bay Mount

- Provides four Hi-Speed USB front-mount ports for additional peripherals
- Easy installation in any 3.5" drive bay for convenience and accessibility
- Over-current protection and detection; hot-swappable

350310

Hi-Speed USB 2.0 Ultra Hub

7 Ports, Dual Power, Multiple Transaction Translator

- Provides seven Hi-Speed USB 2.0 ports for additional peripherals
- Multiple Transaction Translator supports low-speed and high-bandwidth USB devices for optimum performance
- Built-in, wrap-around cable easily connects and protects ports when not in use

161039

Hi-Speed USB Desktop Hub

13 Ports, AC Power

- Provides 13 Hi-Speed USB ports for additional peripherals
- Replaces less-capable hubs with compact multi-port design and high-capacity 4-amp power adapter
- Conveniently recharges mobile devices and connects flash drives, receivers, card readers and more

161022

Hi-Speed USB 2.0 Pocket Hub

7 Ports, Bus Power

- Built-in, self-storing USB cable ideal for notebook computers with rear-mount ports
- Power-only USB connection eliminates the need for power adapters
- LED power indicator

161169

Hi-Speed USB Combo Hub

3 Ports with 42-in-1 Multi-Card Reader

- Provides three Hi-Speed USB 2.0 ports for additional peripherals
- Compatible with Memory Stick, SecureDigital and MultiMedia – no power supplies or adapters required
- Built-in, self-storing USB cable ideal for notebook computers with rear-mount ports

100984

162005

162012

Hi-Speed USB 2.0 Automatic Sharing Switch

Dual Control

- Share a single USB device among multiple computers
- Individual toggle switches select USB devices for each computer

162005 1x2 Ports
162012 1x4 Ports

SuperSpeed USB Desktop Hub

4 Ports, AC Power

- Provides 4 SuperSpeed USB ports for additional peripherals
- Supports USB 3.0 transfer rates up to 5 Gbps
- Versatile bus or AC powered with overcurrent protection; hot-swappable

161220

USB to Serial Converter

Connects Serial Devices To A USB Port

- Quickly adds RS232 ports to a single USB port
- Easily connect most serial modems, digital cameras, label writers, card readers, barcode scanners, palm PCs and digital organizers
- Windows compatible — Plug and Play; hot-swappable

205146 Connects One Serial Device To A USB Port
174947 Connects Two Serial Devices To A USB Port
173384 Connects Four Serial Devices To A USB Port

USB to Parallel Printer Converter

Converts USB signals for use with IEEE 1284 devices

- Supports data transfer speeds up to 12 Mbps
- Ideal for connecting a computer USB port to parallel printer
- Bus power support requires no external power supply

317474 USB A to Cen36 Male, 1.8 m (6 ft.)
317405 USB A Male to Cen36 Male, 3.0 m (9.5 ft.)

USB to Parallel Printer Converter

USB A to Cen36 Male, 1.8 m (6 ft.)

- Converts USB signals for use with IEEE 1284 devices – supports data transfer speeds up to 12 Mbps
- Ideal for connecting a computer USB port to parallel printer
- Windows compatible — Plug and Play; hot-swappable

317016

USB to RS485 Converter

Connects RS485 Network To A USB Port

- Quickly adds an RS485 connection to a single USB port
- Easily converts RS485 industrial buses to a USB interface
- Hassle-free configuration of two-wire half duplex networks up to 1200 meters

150439

Full Speed USB to Parallel Printer Converter

A Male to DB25 female

- Converts USB signals for use with IEEE 1284 devices – supports data transfer speeds up to 1.2 Mbps
- Ideal for connecting a computer USB port to parallel printer
- Plug and Play installation; Windows compatible

336581

Hi-Speed USB 2.0 SVGA Converter

Supports up to 6 additional displays, Silver/Blue

- Easily adds a monitor to a computer to expand visual areas
- Software manages up to 6 converters – easily add up to 6 displays to a single PC
- Primary, extended and mirror functions provide display continuity and multiple views
- Supports resolutions up to 1600 x 1200 in 16-bit or 32-bit color

179225

Hi-Speed USB to SATA/IDE Adapter

3-in-1 with One-Touch Backup

- Provides fast data access to IDE and SATA drives with one-touch backup
- Supports data transfer SATA speeds up to 1.5 Gbps and Hi-Speed USB speeds up to 480 Mbps
- Supports 48-bit LBA (Logical Block Addressing)

179195

USB to PS/2 Converter

Connects Two PS/2 Devices via One USB Port

- Easily connect two PS/2 peripherals through a single USB connection
- Ideal for connecting full-sized keyboard and mouse to notebook and desktop computers
- Molded PVC boot with strain relief helps maintain reliable connections

179027

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Hi-Speed USB Dock Extension Cable

Dual ports, 1.8 m (6 ft.)

- Repositions difficult-to-reach or closely spaced USB ports for convenient access and sharing
- Data port supports data transfer speeds up to 480 Mbps — ideal for connecting USB flash drives, receivers and more
- Power port quickly recharges MP3 players and other mobile devices

179003

SuperSpeed USB to SATA Adapter

Connects 2.5"/3.5" SATA hard drive to SuperSpeed USB port

- Easily connects a SATA hard drive to a SuperSpeed USB port to quickly transfer, back up and store files
- Supports data transfer SATA speeds up to 3 Gbps and USB 3.0 speeds up to 5 Gbps
- Supports 48-bit LBA for drives up to 2 TB

150705

Hi-Speed USB to ExpressCard/34 Adapter

Adds functionality to desktop and notebook computers not equipped with an ExpressCard/34 slot

- Easily connects ExpressCards/34 through a USB port — ideal for broadband wireless modems, flash memory card adapters, serial, parallel and TV cards, GPS receivers and more
- Creates another slot to operate additional ExpressCard/34 cards

179188

Hi-Speed USB File Transfer Cable

USB A Male to USB A Male, 2 m (7 ft.)

- Quickly and easily transfer files via USB ports - ideal for transferring data between Windows XP and Vista-equipped computers
- Hot pluggable - connect while computer is running
- No additional drivers or software needed for Vista/7

365925

Hi-Speed USB Active Cable

A Male / B Male, 11.0 m (36 ft.)

- Extends and boosts the signal to any USB device – supports data transfer speeds up to 480 Mbps
- Overcomes the 5 m (16 ft.) USB distance limitation – ideal for connecting most USB printers
- Provides a single, nondaisy-chainable extension for maximum distance of 11 m (36 ft.)

510424

Hi-Speed USB Active Extension Cable

Daisy-Chainable, A Male / A Female, 10 m (33 ft.)

- Extends and boosts the signal to any USB device – supports data transfer speeds up to 480 Mbps
- Overcomes the 5 m (16 ft.) USB distance limitation – ideal for connecting enclosures and other peripherals
- Daisy-chain up to three extensions for a total distance of 30 m (99 ft.)

150248

Hi-Speed USB Active Extension Cable

Daisy-Chainable, A Male / A Female, 5 m (16 ft.)

- Extends and boosts the signal to any USB device – supports data transfer speeds up to 480 Mbps
- Overcomes the 5 m (16 ft.) USB distance limitation – ideal for connecting enclosures and other peripherals
- Daisy-chain up to three extensions for total distance of 15 m (50 ft.)

519779

USB Line Extender

Extends The Distance To Any USB Device Up To 60 m (196 ft.)

- Extends the distance of barcode scanners, printers, digital cameras, keyboard/mouse extensions and other USB devices from a USB-enabled computer
- Embedded transceivers enhance signal and prevent signal loss
- Bus powered – requires no external power supply

179300

Multi-Card Reader/Writer

Hi-Speed USB, Slim, 80-in-1

- Easily access media and manage content almost anywhere
- Includes slot-to-slot read/write/copy and USB mass storage capabilities

100762

Multi-Card Reader/Writer

Hi-Speed USB, External, 60-in-1

- Easily access media and manage content almost anywhere
- Includes USB mass-storage capabilities
- Compatible with CompactFlash, Microdrive, Memory Stick, MagicGate, SecureDigital and Multimedia

100939 Black
100946 Blue

Hi-Speed USB Combo Hub

3 Ports with 42-in-1 Multi-Card Reader

- Provides three Hi-Speed USB 2.0 ports for additional peripherals
- Compatible with Memory Stick, SecureDigital and MultiMedia – no power supplies or adapters required
- Built-in, self-storing USB cable ideal for notebook computers with rear-mount ports

100984

Multi-Card Reader/Writer

Hi-Speed USB 2.0, Mobile

- Easily access media and manage content almost anywhere with slot-to-slot read/write/copy and USB mass storage capabilities
- Compatible with Memory Stick, MagicGate and SecureDigital memory cards including M2, microSD and MMCmicro — no power supplies or adapters required
- Supports automatic card detection and data transfer speeds up to 480 Mbps

100793 20-in-1
100779 24-in-1

Multi-Card Reader/Writer

Hi-Speed USB, 3.5" Bay Mount, 60-in-1

- Convenient front-mount USB port
- Compatible with CompactFlash, Microdrive, Memory Stick, MagicGate, SecureDigital, Multimedia and XD
- Supports Automatic Card Detection and data transfer speeds up to 480 Mbps

100915



CompactFlash to SATA Converter

Dual PCI / 3.5

- Easily converts a CompactFlash Type I/II flash memory card into a bootable solid state drive
- Creates a versatile, high-performance PC read/write/storage device
- Supports data transfer rates of up to 1.5 Gbps

158138

Smart Card Reader

USB, Contact Reader, External

- Compatible with friction-type, contact smart cards
- Ideal for transactions and applications requiring secure information exchanges
- Supports host communication speeds up to 12 Mbps

172844

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Case/Power Supply Fan

Delivers quiet, reliable operation

- Ideal for new systems, upgrades and replacements

701747 80 mm, 3-Pin, Ball Bearing
700894 80 mm, 4-Pin, Ball Bearing
700955 80 mm, 3-Pin, Sleeve Bearing
700320 80 mm, 4-Pin, Sleeve Bearing
701655 120 mm, 4-Pin, Sleeve Bearing

Hard Drive Cooler

Hard Drive Mount, Dual 60 mm Fans, Aluminum

- Helps protect hard drives and data from heat damage
- Dual fans with sleeve bearings deliver quiet, reliable operation
- Durable, lightweight aluminum construction — mounts on the bottom of 3.5" drive

210799

Socket LGA 775 / Pentium 4 CPU Cooler

Supports P4 Socket LGA 775 CPU up to 3.6 GHz with PWM Control

- Lightweight, rugged aluminum heat sink and crotched-fin construction provide effective thermal conductivity and dissipation
- High-efficiency fan delivers quiet, reliable cooling with PWM control
- Easy installation – ideal for new systems, upgrades and replacements

702812

Video Card Chipset Cooler

With Thermal Paste

- Helps eliminate "hotspots" over a VGA chip to extend video card life
- Ball-bearing design delivers quiet, reliable operation
- Ideal for new systems, upgrades and replacements

701402

Video Card Chipset Cooler

Aluminum Radial Fin Heat Sink, Single 45 mm Fan

- Helps eliminate "hotspots" over a VGA chip to extend video card life
- Ball-bearing design delivers quiet, reliable operation
- Ideal for new systems, upgrades and replacements

701334

Socket 478 / Pentium 4 CPU Cooler

Supports Socket 478 and P4 up to 3.2 GHz

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with ball bearing delivers quiet, reliable cooling
- Easy installation – ideal for new systems, upgrades and replacements

701853

Socket LGA 775 CPU Cooler

Supports Socket LGA 775 up to 3.2 GHz

- Lightweight, rugged aluminum heat sink and crotched-fin construction provide effective thermal conductivity and dissipation
- High-efficiency fan delivers quiet, reliable cooling
- Easy installation – ideal for new systems, upgrades and replacements

703376

Pentium 4 CPU Cooler

Supports P4 up to 3.4 GHz

- Lightweight, rugged aluminum and copper heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with ball bearing delivers quiet, reliable cooling
- Easy installation – ideal for new systems, upgrades and replacements

701785

Socket LGA 1156 CPU Cooler

Supports LGA 1156 / Socket H

- Lightweight, rugged aluminum heat sink and crotched-fin construction provide effective thermal conductivity and dissipation
- High-efficiency fan delivers quiet, reliable cooling
- Easy installation – ideal for new systems, upgrades and replacements

140034

SATA Quick Dock

Hi-Speed USB 2.0/eSATA 3.5″/2.5″

- Provides fast data access, creates portable storage and simplifies hard-disk drive backup and exchanges
- Dual insertion slot accepts 3.5″ and 2.5″ SATA hard-disk drives up to 1 TB
- Quick and easy USB or eSATA installation — no special drivers or configuration required

709088

Multi-Function SATA Quick Dock

With One Touch Backup, 2-Port USB Hub and Multi-Card Reader

- Provides fast data access to portable storage and SATA drives with One-Touch Backup
- Dual insertion slot accepts 3.5″ and 2.5″ SATA high-capacity hard-disk drives with 2-port Hi-Speed USB hub for additional peripherals
- Compatible with CompactFlash, Microdrive, Memory Stick, MagicGate, SecureDigital and Multimedia

130004 Hi-Speed USB/eSATA 3.5″/2.5″
130165 Hi-Speed USB 3.5″ / 2.5″

SATA Quick Clone Dock

Hi-Speed USB/eSATA to Dual SATA, 3.5″/2.5″

- Provides fast data access, creates portable storage and simplifies hard-disk drive backup and exchanges
- One-touch cloning replicates HDD while attached or unattached to PC
- Dual insertion slots accept 3.5″ and 2.5″ SATA hard-disk drives up to 2 TB

130219

SATA Quick Clone Dock

SuperSpeed USB to Dual SATA, 3.5″/2.5″

- Provides fast data access, creates portable storage and simplifies hard-disk drive backup and exchanges
- One-touch cloning replicates HDD while attached or unattached to PC
- Dual insertion slots accept 3.5″ and 2.5″ SATA hard-disk drives up to 2 TB

130226

SATA Quick Dock

SuperSpeed USB 3.5″/2.5″

- Provides fast data access, creates portable storage and simplifies hard-disk drive backup and exchanges with one-touch backup
- Dual insertion slot accepts 3.5″ and 2.5″ SATA hard-disk drives up to 2 TB
- Supports data transfer rates for USB 3.0 up to 5 Gbps

130202

Easy-to-read, backlit LCD display

Digital Power Supply Tester

ATX, 20- or 24-pin

- Quickly diagnose power supply units – save time, avoid system damage and data loss
- Accepts 20- or 24-pin ATX, 4-, 6-, and 8-pin CPU, 4-pin FDD, 4-pin Molex (HDD) and SATA power connectors
- Easy-to-read, backlit LCD display with audible alarms and LED indicators

101530

CPU Thermal Grease

1.5 g (0.5 oz.)

- Increases thermal conductivity between CPU and heat sink
- Helps dissipate damaging heat to prolong CPU life
- Syringe dispenser with resealable cap for precise and easy application

701662

CMOS Battery

CR2032, 2 pack, Lithium

- Ideal for Remote Controls, Watches, Motherboards, Computers, and other devices

432528

Hard Disk Drive Stand

Fits 2.5″ and 3.5″ Drives

- Securely mounts one 3.5-in. or up to two 2.5-in. hard disk drives for convenient use outside of a PC case or enclosure
- Ideal for protecting drives during testing, repair and other applications
- Compatible with SATA, IDE and other drive types

130134

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Drive Enclosure

SuperSpeed USB, SATA, 2.5"

- Supports USB 3.0 data transfer rates for up to 5 Gbps and large-capacity drives up to 750 GB
- Sturdy case protects drive and facilitates cooling
- Fits standard 2.5" SATA drives with easy, quick installation — includes rear-mount button and LED indicator

130196

Drive Enclosure

Hi-Speed USB 2.0, eSATA, 2.5"

- Supports data transfer rates for Hi-Speed USB 2.0 up to 480 Mbps and SATA up to 3 Gbps
- Lightweight, compact design ideal for portable storage
- Fits standard 2.5" SATA drives with easy, quick installation — USB powered

709064

Drive Enclosure

Hi-Speed USB 2.0, SATA, 2.5", Bright Silver

- Supports data transfer rates for up to 480 Mbps
- Lightweight, compact design ideal for portable storage
- Fits standard 2.5 in. SATA drives with easy, quick installation – includes built-in USB cable

130028

Drive Enclosure

Hi-Speed USB 2.0, SATA, 2.5", Black

- Supports data transfer rates for up to 480 Mbps
- Lightweight, compact design ideal for portable storage
- Fits standard 2.5 in. SATA drives with easy, quick installation – includes built-in USB cable

130042

Drive Enclosure

Hi-Speed USB 2.0, SATA, 3.5"

- Supports data transfer rates for up to 480 Mbps and large-capacity drives up to 2 TB
- Lightweight, compact design ideal for portable storage with convenient one-touch copy for easy data transfer
- Fits standard 3.5" SATA drives with easy, quick installation — includes rear-mount power switch and LED indicator

709026

Drive Enclosure

SuperSpeed USB, SATA, 3.5"

- Supports USB 3.0 data transfer rates for up to 5 Gbps and large-capacity drives up to 2 TB
- Sturdy case protects drive and facilitates cooling
- Fits standard 3.5" SATA drives with easy, quick installation — includes rear-mount power switch and LED indicator

130172

Drive Enclosure

Hi-Speed USB 2.0, SATA, 2.5", Silicone

- Supports data transfer rates for up to 480 Mbps
- Silicone construction provides snug, cushioned fit that protects drive and permits ventilation
- Fits standard 2.5 in. SATA drives with easy, quick installation – includes built-in USB cable

130103 Black
130110 Blue
130127 Red

Drive Enclosure

Hi-Speed USB 2.0, IDE, 2.5"

- Supports Hi-Speed USB 2.0 data transfer rates of up to 480 Mbps
- Lightweight, compact design requires no external power adapters for increased portability
- Fits standard 2.5" PATA (IDE) drives with easy, quick installation

703246

Drive Enclosure

Hi-Speed USB 2.0, IDE, 3.5"

- Supports Hi-Speed USB 2.0 data transfer rates up to 480 Mbps
- Sturdy aluminum case protects drive and built-in fan facilitates cooling
- Fits standard 3.5" PATA (IDE) drives with easy, quick installation

703253

171557

Hi-Speed USB PCI Card

USB Controller Card

- Supports data transfer rates of up to 480 Mbps
- Plug and Play installation; hot-swappable — Windows compatible

169011 3 External + 1 Internal Ports
171557 4 External or 3 External with 1 Internal Connections

Hi-Speed USB PC Card

2 Ports

- Supports data transfer rates of up to 480 Mbps
- Fits 32-bit PC Cardbus Type II PCMCIA slot
- Built-in DC jack provides direct power to external USB devices

516167

Hi-Speed USB ExpressCard/34

Four Hi-Speed USB Ports

- Easily adds four Hi-Speed USB ports to notebook computers
- Supports data transfer rates of up to 480 Mbps
- Fits ExpressCard/34 and ExpressCard/54 slots

158299

SuperSpeed USB PCI Express Card

Two external SuperSpeed USB ports, x1 lane

- Easily adds two SuperSpeed USB ports to desktop computers
- Each port supports USB 3.0 data transfer rates of up to 5 Gbps
- Fits PCI Express x1, x2, x4, x8 and x16 lane buses

150491

151016

150583

SuperSpeed USB ExpressCard/34

SuperSpeed USB ports

- Easily adds SuperSpeed USB ports to notebook computers
- Supports USB 3.0 data transfer rates of up to 5 Gbps
- Fits ExpressCard/34 and ExpressCard/54 slots

150583 Two SuperSpeed USB ports
151016 One SuperSpeed USB port

SATA 6 Gb/s RAID PCI Express Card

Two external eSATA ports, x1 lane

- Easily adds two external SATA 6 Gb/s ports
- Provides RAID 0 (striping) and RAID 1 (mirroring)
- Low-profile form factor fits PCI Express x1, x2, x4, x8 and x16 lane buses

150972

158213

158206

Serial PCI Card

External DB9 Ports

- Maximum 115.2 kbps throughput
- Universal bus power design for 5 V and 3.3 V
- Fully supports PCI IRQ sharing

158213 Two External DB9 Ports
158206 One External DB9 Port

Serial PCI Card

4 Port Adapter

- Adds 4 high-speed 16C950 UART serial DB9 Com ports to desktop computers
- Each port features individually controlled 5 V DC operation
- Up to 460 kbps throughput

175586

Serial PC Card

1 External DB9 Port

- Creates a DB9 com port (RS-232)
- Fast 16C550 high-performance UART chipset
- Supports data transfer rates of up to 115 kbps

176576

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Serial/Parallel Combo PCI Card

Two Serial DB9 + One Parallel DB25 External Ports

- Adds two external high-speed 16C550 UART serial DB9 Com and one parallel DB25 external ports to desktop computers
- Maximum 115.2 kbps throughput on each serial port
- Up to 1.5 MBps parallel throughput
- Parallel DB25 port supports Enhanced Parallel Port (EPP), Standard Parallel Port (SPP) and Enhanced Capability Port (ECP)

158251

Serial PCI Express Card

Easily adds configurable serial ports to a desktop computer

- Fits PCI Express x1, x2, x4, x8 and x16 lane buses
- Fits standard and low-profile PCI slots

158152 1 port, x1 lane
158169 2 Ports, x1 Lane

Serial PCI Express Card

4 Port Adapter

- Adds 4 high-speed 16C950 UART serial DB9 Com ports to desktop computers
- Each port features individually controlled 5 V DC operation
- Up to 460 kbps throughput

150682

Serial ExpressCard/34

1 Port

- Easily adds one DB9 (RS-232) serial port to notebook computers
- Supports data transfer rates of up to 230 kbps
- Fits ExpressCard/34 and ExpressCard/54 slots

158008

56 K Modem PCI Card

Data / Fax / Voice Modem

- Supports data transmission up to V.92 (56 kbps data download rate & 33.6 kbps data transmit rate)
- Supports fax transmission up to V.29 (14.4 kbps transmission rate)
- Hayes compatible for instant installation

153577

USB Modem

56k

- Quick Connect, auto dial/answer, tone/pulse dialing and improved download speeds
- Supports Digital Telephone Answering Machine (TAM)
- Downstream speeds up to 56 kbps

154109

Parallel PCI Card

Easily adds parallel ports to a desktop computer

- Supports EPP, ECP and SPP modes
- Universal bus power design for 5 V and 3.3 V

158220 One External DB25 Port
158237 Two External DB25 Ports

Parallel ExpressCard/34

1 Port

- Easily adds a configurable parallel port to notebook computers
- Supports data transfer rates of up to 600 KBps
- Supports SPP, PS2, EPP and ECP modes

158022

SATA 6Gb/s PCI Express Card

2 Internal Ports

- Easily adds two internal SATA 6 Gb/s ports
- Supports 1-lane 5 Gbps PCI Express and SATA transfer rate up to 6.0 Gbps
- Includes low-profile PCI bracket

150408

SATA 6Gb/s ExpressCard/34

2 External Ports

- Easily adds two external SATA 6 Gb/s ports
- Supports 1-lane 5 Gbps PCI Express and SATA transfer rate up to 6.0 Gbps
- Fits ExpressCard/34 and ExpressCard/54 slots

150385

SATA 3 Gb/s PCI Express Card

2 port, 1 External and 1 Internal Port, eSATA

- Easily adds one internal and one external SATA 3 Gb/s ports
- Supports 1-lane 2.5 Gbps PCI Express and SATA transfer rate of 3.0 Gbps
- Supports FIS-based switching with port multipliers

150040

SATA 3 Gb/s RAID PCI Express Card

Two internal SATA ports, x1 lane

- Easily adds two internal SATA 3 Gb/s ports
- Provides RAID 5 (distributed parity RAID), JBOD, RAID 0 (striping), RAID 1 (mirroring), RAID 0+1 (mirrored-striping)
- Low-profile form factor fits PCI Express x1, x2, x4, x8 and x16 lane buses

160377

SATA 1.5 Gb/s RAID Controller PCI Card

Two Internal Ports

- Easily adds two internal SATA 150 ports, each supporting SATA 150 data transfer rates of up to 1.5 Gbps
- Provides RAID 0 (striping) and RAID 1 (mirroring)
- Fits standard and low profile PCI slots

176767

IDE to SATA 150 Converter

Converts any IDE Drive to a SATA 150 Controller

- Supports SATA 150 data transfer rates of up to 1.5 Gbps
- Compatible with most IDE devices
- Attach IDE drives to standard SATA connections

170598

SATA 300 to IDE Converter

Connects a SATA Drive to an IDE Controller

- Supports SATA devices with transfer rates of up to 3 Gbps
- Easily attaches SATA drives to IDE connections
- Ideal for Blu-ray, SSD, DVD, DVD-RAM, CD-ROM, CD-RW and hard drives

158282



Internal SATA To External SATA Bracket

SATA To eSATA Bracket, 30 cm (12 in.), Red

- Supports data transfer speeds up to 6.0 Gbps
- Easily installs in regular PCI bracket slot
- Fully shielded to reduce EMI and other interference sources

300803 1 Port
150026 2 Port

Parallel PCI Express Card

One port, x1 lane

- Easily adds one parallel port to a desktop computer
- Supports SPP, EPP and ECP ports
- Fits standard and low-profile slots

158176

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

FireWire PCI Card

Three External + One Internal Ports
includes video editing software

- Adds two 6-pin and one 4-pin external ports and one 6-pin internal port to desktop computer
- Easily connect camcorders, external enclosures and more — daisy-chain up to 63 other FireWire devices
- Each port supports FireWire speeds of up to 400 Mbps

176996

FireWire 400 PCI Express Card

Two ports, x1 lane

- Easily adds two FireWire 400 ports to desktop computers
- Each port supports data transfer rates of up to 400 Mbps
- 12 V DC connector uses bus power to recharge and supply connected FireWire devices

160353

FireWire 800/400 PCI Express Card

Three ports, x1 lane

- Easily adds two FireWire 800 9-pin ports and one Firewire 400 6-pin port to desktop computer
- Supports data transfer rates of up to 800/400 Mbps
- 12 V DC connector uses bus power to recharge and supply connected FireWire devices

150996

FireWire 400 ExpressCard/34

Two ports

- Easily adds dual FireWire 400 ports to notebook computers
- Supports data transfer rates of up to 400 Mbps
- Built-in DC jack provides direct power to external FireWire devices

515016

PCI Express to ExpressCard Adapter

Supports Express Card/34 and Express Card/54

- Provides a quick solution for adding an Express Card socket to desktop computers
- Ideal for sharing Express Cards between desktop and notebook computers
- Spring mechanism smoothly seats and ejects Express Cards

160513

ExpressCard to PC Card Adapter

Installs PC cards in ExpressCard-equipped notebook computers

- Provides a practical solution for using PC cards with an ExpressCard-equipped notebook computer
- Easily share PC cards — special cables, connectors or power supplies not required
- Fits PCI ExpressCard/34 and ExpressCard/54 buses

158015

Hi-Speed USB to ExpressCard/34 Adapter

Easily connects ExpressCards/34 through a USB port

- Ideal for broadband wireless modems, flash memory card adapters, serial, parallel and TV cards, GPS receivers and more
- Creates another slot to operate additional ExpressCard/34 cards
- Adds functionality to desktop and notebook computers not equipped with an ExpressCard/34 slot

179188

CompactFlash to SATA Converter

Dual PCI / 3.5

- Easily converts a CompactFlash Type I/II flash memory card into a bootable solid state drive
- Creates a versatile, high-performance PC read/write/storage device
- Supports data transfer rates of up to 1.5 Gbps

158138

Mini SAS Pass-Through Card

36-pin internal to 26-pin external with PCB

- Supports future data transfer speeds up to 10.0 Gbps
- Connects external 26-pin SAS cable to internal 36-pin SAS cable
- Fits regular PCI slots

308786 1 Port
308779 2 Ports

INTRODUCING... CANSHELL™ RETAIL CABLE PACKAGING

Environmentally GREEN
Recyclable, Reusable, Easy Open & Close

Nearly 5 Times More Product on a Slat Wall!



TYPICAL CLAMSHELL PACKAGE
25 facings x 2 deep = 50 Products

NEW CANSHELL PACKAGE
48 facings x 5 deep = 240 Products

= 48 Canshell Facings on a Standard 36" x 48" Wall VS. 25 Facings for a Typical Clamshell Package.

"Twist to Open"
Securely holds contents yet permits easy repacking without heat-sealing or special equipment

Cutaway Illustrations and Photography
Reveal the quality construction of the cable and connector

Lifetime Warranty on All Cables
The strongest quality statement any manufacturer can make

Multi-Lingual
Features are listed in English, German, Spanish, French, Italian and Polish

Sales Callouts
Focus customer attention on key cable and connector features

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

SuperSpeed USB Device Cable

A Male / B Male, Blue

- USB 3.0 Standard-A male to USB 3.0 Standard-B male
- Connects a SuperSpeed USB device to a SuperSpeed USB hub or computer
- Supports speeds of up to 5 Gbps

391863 1.8 m (6 ft.)
391870 3 m (10 ft.)

SuperSpeed USB Extension Cable

A Male / A Female, Blue

- USB 3.0 Standard-A female to USB 3.0 Standard-A male
- Extends a USB cable length
- Supports speeds of up to 5 Gbps

391887 1.8 m (6 ft.)
391894 3 m (10 ft.)

Hi-Speed USB Device Cable

A Male / B Male, Black

- USB 2.0 Standard-A male to USB 2.0 Standard-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

390224 1.8 m (6 ft.)
390231 3 m (10 ft.)
390248 4.5 m (15 ft.)

Hi-Speed USB Extension Cable

A Male / A Female, Black

- USB Standard-A male to USB Standard-A female
- Extends a USB cable to a maximum of 5 m (16 ft.)
- Supports speeds of up to 480 Mbps

390316 1.8 m (6 ft.)
390323 3 m (10 ft.)
390330 4.5 m (15 ft.)

SuperSpeed USB Device Cable

A Male / B Male, Blue

- USB 3.0 Standard-A male to USB 3.0 Standard-B male
- Connects a SuperSpeed USB device to a SuperSpeed USB hub or computer
- Supports speeds of up to 5 Gbps

325400 1 m (3 ft.)
322430 1.8 m (6 ft.)
322454 3 m (10 ft.)

SuperSpeed USB Device Cable

A Male / Micro B Male, Blue

- USB 3.0 Standard-A male to USB 3.0 Micro-B male
- Connects a SuperSpeed USB device to a SuperSpeed USB hub or computer
- Supports speeds of up to 5 Gbps

325417 1 m (3 ft.)
325424 1.8 m (6 ft.)
325431 3 m (10 ft.)

SuperSpeed USB Extension Cable

A Male / A Female, Blue

- Extends a USB cable length
- Supports speeds of up to 5 Gbps

325394 1 m (3 ft.)
322379 1.8 m (6 ft.)
322447 3 m (10 ft.)

Hi-Speed USB Device Cable

A Male / Micro-B Male, Black

- USB 2.0 Standard-A male to USB 2.0 Micro-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

325677 0.5 m (1.5 ft.)
307161 1 m (3 ft.)
307178 1.8 m (6 ft.)
325684 3 m (10 ft.)
325691 5 m (16.5 ft.)

Hi-Speed USB Device Cable

A Male / B Male, Black

- USB 2.0 Standard-A male to USB 2.0 Standard-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

374507 0.5 m (1.5 ft.)
339070 1 m (3 ft.)
333368 1.8 m (6 ft.)
333382 3 m (10 ft.)
302197 4.5 m (15 ft.)

Hi-Speed USB Device Cable

A Male / B Male, Translucent Silver

- USB 2.0 Standard-A male to USB 2.0 Standard-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

374538 0.3 m (1 ft.)
333405 1.8 m (6 ft.)
340458 3 m (10 ft.)
340465 4.5 m (15 ft.)
345408 5 m (16 ft.)

Hi-Speed USB 2.0 Device Cable

A Male / Mini 4-Pin Male

- USB Type A male to USB Mini 4-pin male
- Connects a USB device to a USB hub or computer
- Speeds of up to 480 Mbps
- Hi-Speed USB 2.0 for ultra-fast data transfer rates – with zero data degradation

332804 1.8 m (6 ft.), Grey
302234 1.8 m (6 ft.), Black

Full-Speed USB Device Cable

A Male / B Male, Grey

- USB 1.1 Standard-A male to USB 1.1 Standard-B male
- Connects a Full-Speed USB device to a Full-Speed hub or computer
- Supports speeds of up to 12 Mbps

317863 3 m (10 ft.)

Full-Speed USB Extension Cable

A Male / A Female, Grey

- USB Standard-A male to USB Standard-A female
- Extends a USB cable to a maximum of 5 m (16 ft.)
- Speeds of up to 12 Mbps

317238 3 m (10 ft.)

Hi-Speed USB Device Cable

A Male / Mini-B Male, Black

- USB 2.0 Standard-A male to USB 2.0 Mini-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

322638 1 m (3 ft.)
333375 1.8 m (6 ft.)
322645 0.3 m (1 ft.)
302340 3 m (10 ft.)

Hi-Speed USB Extension Cable

A Male / A Female, Black

- USB Standard-A male to USB Standard-A female
- Extends a USB cable to a maximum of 5 m (16 ft.)
- Speeds of up to 480 Mbps

338653 1.8 m (6 ft.)
346511 3 m (10 ft.)
302050 4.5 m (15 ft.)

Hi-Speed USB Device Cable

A Male / Mini-B Male, Black

- USB 2.0 Standard-A male to USB 2.0 Mini-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer

391696 1 m (3 ft.)
390347 1.8 m (6 ft.)
390354 3 m (10 ft.)

Hi-Speed USB Device Cable

A Male / Mini-B Male, Translucent Silver

- USB 2.0 Standard-A male to USB 2.0 Mini-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

322652 0.3 m (1 ft.)
333412 1.8 m (6 ft.)
340472 3 m (10 ft.)

Hi-Speed USB Extension Cable

A Male / A Female, Translucent Silver

- USB Standard-A male to USB Standard-A female
- Extends a USB cable to a maximum of 5 m (16 ft.)
- Speeds of up to 480 Mbps

374583 0.3 m (1 ft.)
372855 0.5 m (1.5 ft.)
336314 1.8 m (6 ft.)
340496 3 m (10 ft.)
340502 4.5 m (15 ft.)

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Hi-Speed USB Device Cable

A Male / Micro-B Male, Black

- USB 2.0 Standard-A male to USB 2.0 Micro-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

393249 1 m (3 ft.)
393256 1.8 m (6 ft.)

Hi-Speed USB Device Cable

A Male / Micro-A Male, Black

- USB 2.0 Standard-A male to USB 2.0 Micro-A male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

307208 1 m (3 ft.)
307215 1.8 m (6 ft.)

Hi-Speed USB Device Cable

Micro-A Male / Micro-A Male, Black

- USB 2.0 Micro-A male to USB 2.0 Micro-A male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

307451 1 m (3 ft.)
307468 1.8 m (6 ft.)

Hi-Speed USB Device Cable

Micro-A Male / Micro-B Male, Black

- USB 2.0 Micro-A male to USB 2.0 Micro-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

307437 1 m (3 ft.)
307444 1.8 m (6 ft.)

Hi-Speed USB Device Cable

Micro-B Male / Micro-B Male, Black

- USB 2.0 Micro-B male to USB 2.0 Micro-B male
- Connects a Hi-Speed USB device to a Hi-Speed USB hub or computer
- Supports speeds of up to 480 Mbps

307482 1 m (3 ft.)
307499 1.8 m (6 ft.)

Hi-Speed USB 2.0 Extension Cable

Micro-A Male / Micro-AB Female, Black

- USB 2.0 Micro-A male to USB 2.0 Micro-AB female
- Extends a USB cable to a maximum of 5 m (16 ft.)
- Supports speeds of up to 480 Mbps

307239 1 m (3 ft.)
307406 1.8 m (6 ft.)

Hi-Speed USB 2.0 Extension Cable

Micro-B Male / Micro-AB Female, Black

- USB 2.0 Micro-B male to USB 2.0 Micro-AB female
- Extends a USB cable to a maximum of 5 m (16 ft.)
- Supports speeds of up to 480 Mbps

307413 1 m (3 ft.)
307420 1.8 m (6 ft.)

Hi-Speed USB Device Cable

(2) A Male / (1) B Male, Black

- (2) USB 2.0 Standard-A male to (1) USB 2.0 Standard-B male
- Supports speeds of up to 480 Mbps
- Easily connects to two USB ports to supply additional power to USB devices
- Hi-Speed USB for ultra-fast data transfer rates with zero data degradation

305952 1 m (3.3 ft.)

Hi-Speed USB Device Cable

(2) A Male / (1) Mini-B Male, Black

- (2) USB 2.0 Standard-A male to (1) USB 2.0 Mini-B male
- Supports speeds of up to 480 Mbps
- Easily connects to two USB ports to supply additional power to USB devices
- Fully shielded to help reduce EMI and other interference sources

306041 1 m (3.3 ft.)

Hi-Speed USB Adapter

Mini-B Female / Micro-B Male, Black

- USB 2.0 Mini-B female to USB 2.0 Micro-B male
- Convenient way of changing cable connections
- Supports data transfer speeds up to 480 Mbps

322492

Hi-Speed USB Adapter

Black

- Convenient way of changing cable connections
- Supports data transfer speeds up to 480 Mbps

308694 B Female / Micro-B Male
308687 B Female / Micro-A Male



Hi-Speed USB Adapter

Black

- Convenient way of changing cable connections
- Supports data transfer speeds up to 480 Mbps

308755 Micro-B Male / Micro-AB Female
308748 Micro-A Male / Micro-AB Female
308670 B Male / Micro-AB Female

USB Device Cable

A Male / B Male, Black

- USB 1.1 Standard-A male to USB 1.1 Standard-B male
- Connects a USB device to a USB hub or computer

323628 1.8 m (6 ft.)

USB Extension Cable

A Male / A Female, Black

- USB 1.1 Standard-A male to USB 1.1 Standard-A female
- Extends a USB cable to a maximum of 5.0 m (16 ft.)

323840 1.8 m (6 ft.)

Hi-Speed USB Device Cable

A Male / B Male, Black

- USB 2.0 Standard-A male to USB 2.0 Standard-B male
- Connects a USB device to a USB hub or computer
- Supports speeds of up to 480 Mbps

323918 1 m (3 ft.)
323970 1.8 m (6 ft.)

Hi-Speed USB Device Cable

A Male / Mini-B Male, Black

- USB 2.0 Standard-A male to USB 2.0 Mini-B male
- Connects a USB device to a USB hub or computer
- Supports speeds of up to 480 Mbps

324076 1.8 m (6 ft.)

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

High Speed HDMI Display Cable

HDMI Male to Male, Shielded, Black/Gray

- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications
- Fully shielded with built-in ferrite cores to help reduce EMI/RFI and other interference sources

391511 1.8 m (6 ft.)
391528 3 m (10 ft.)
391535 5 m (16.5 ft.)

High Speed HDMI Display Cable

Black

- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications
- Fully shielded to reduce EMI interference for improved video transmission

392013 HDMI Male to HDMI Male, 1 m (3.3 ft.)
392020 HDMI Male to HDMI Female, 1.8 m (6 ft.)
391993 HDMI Male to Mini-HDMI Male, 1.8 m (6 ft.)

High Speed HDMI Cable With Ethernet Channel

HDMI Male to HDMI Male, Black

- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications

393287 2 m (6.6 ft.)
393300 3 m (10 ft.)

High Speed HDMI Cable

HDMI Male to Male, Shielded, Black/Gray

- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications
- Fully shielded to reduce EMI and other interference sources

385152 1.8 m (6 ft.)
385169 3 m (10 ft.)
385176 5 m (16.5 ft.)

High Speed HDMI Cable

HDMI Male to Male, Shielded, Black/Gray

- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications
- Fully shielded to reduce EMI and other interference sources

325769 2 m (6.6 ft.)
325776 3 m (10 ft.)
325783 5 m (16.5 ft.)

High Speed HDMI Cable

HDMI Male to Male, Shielded, Black

- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications
- Fully shielded to reduce EMI and other interference sources

308816 1 m (3.3 ft.)
306119 1.8 m (6 ft.)
306126 3 m (10 ft.)
306133 5 m (16.5 ft.)
308441 7.5 m (25 ft.)
322539 10 m (33 ft.)
308434 15 m (50 ft.)
308458 22.5 m (75 ft.)

High Speed HDMI Cable With Ethernet Channel

HDMI Male to HDMI Male, Black

- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications

393270 2 m (6.6 ft.)

High Speed HDMI Cable

180-Degree Adjustable, High Speed HDMI Male to Male, Black

- Flexible connector adjusts 180 degrees for easy installation on walls, in media cabinets or other confined locations
- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications

322300 1 m (3 ft.)
322324 2 m (6.5 ft.)
322348 3 m (10 ft.)

High Speed HDMI Cable

HDMI Male to Male, Shielded, Black

- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications
- Fully shielded to reduce EMI and other interference sources

327343 1.8 m (6 ft.)

High Speed HDMI Cable With Ethernet Channel

HDMI Male to Micro-HDMI Male, Black

- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications

392006 2 m (6.6 ft.)

High Speed HDMI Cable With Ethernet Channel

Shielded, Black

- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p and Deep Color
- Fully shielded to reduce EMI and other interference sources

323192 HDMI Male to Male, 1 m (3.3 ft.)
323215 HDMI Male to Male, 2 m (6.5 ft.)
324427 HDMI Male to Micro Male, 2 m (6.6 ft.)
323222 HDMI Male to Male, 3 m (10 ft.)
324434 HDMI Male to Micro Male, 3 m (10 ft.)
323239 HDMI Male to Male, 5 m (16.5 ft.)
323246 HDMI Male to Male, 10 m (33 ft.)
323260 HDMI Male to Male, 15 m (50 ft.)

High Speed HDMI Cable

Mini HDMI Male to HDMI Male, Shielded, Black

- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications
- Fully shielded to reduce EMI and other interference sources

308809 1 m (3.3 ft.)
304955 1.8 m (6 ft.)
304962 3 m (10 ft.)
304993 5 m (16.5 ft.)

High Speed Mini HDMI Cable

Mini HDMI Male to Male, Shielded, Black

- Ensures the integrity of the signal between HDMI devices
- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications

305020 1.8 m (6 ft.)
305037 3 m (10 ft.)
305044 5 m (16.5 ft.)

High Speed HDMI Extension Cable

HDMI Male to Female, Shielded, Black

- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications
- Fully shielded to reduce EMI and other interference sources

308427 1.8 m (6 ft.)
322911 3 m (10 ft.)
322935 5 m (16.5 ft.)
322942 7.5 m (25 ft.)

HDMI Cable

HDMI Male / DVI-D 24+1 Male, Black

- Ensures the integrity of the signal between devices
- Supports existing HD (720p, 1080i, and 1080p) enhanced (480p) and standard (NTSC or PAL) video formats
- Fully shielded to reduce EMI and other interference sources

391108 1.8 m (6 ft.)

HDMI Cable

HDMI Male to DVI-D 24+1 Male, Dual Link, Black

- HDMI 19-pin male to DVI-D 24+1 male gold plated connections
- Connect between HDMI and DVI-D video source and display
- Fully shielded to reduce EMI and other interference sources

372503 1.8 m (6 ft.)
372510 3 m (10 ft.)
383110 3 m (10 ft.)

HDMI Splitter Cable

HDMI Male to HDMI Female / HDMI Female, Black

- Connects an HDMI male source with two HDMI female displays
- Delivers a single, high-quality signal to two displays – ideal for presentations, retail displays and training applications
- Integrated 2-in-1 output design eliminates Y-cable tangles and clutter

393065 0.3 m (1 ft.)

Video Splitter Cable

HDMI Male to HDMI Female / HDMI Female

- Connects an HDMI male source with two HDMI female displays
- Delivers a single, high-quality signal to two displays – ideal for presentations, retail displays and training applications
- Integrated 2-in-1 output design eliminates Y-cable tangles and clutter

307833

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Video Splitter Cable

Mini-DVI-D Male to DVI-D Dual Link Female / HDMI Female

- Connects a mini-DVI-D male source with DVI-D dual-link female and HDMI female displays
- Delivers a single, high-quality signal to two displays – ideal for presentations, retail displays and training applications using Mac computers
- Integrated 2-in-1 output design eliminates Y-cable tangles and clutter

308205

Video Splitter Cable

DVI-D Dual Link Male to DVI-D Dual Link Female / HDMI Female

- Connects a DVI-D Male source to DVI-D Female and HDMI Female displays
- Delivers a single, high-quality video signal to two displays – ideal for presentations, retail displays and training applications
- Integrated 2-in-1 output design eliminates Y-cable tangles and clutter

307826

HDMI Adapter

180-Degree Adjustable, HDMI 1.3 Male to Female, Black

- HDMI 19-pin male to HDMI 19-pin female gold-plated connections
- Flexible connector adjusts 180 degrees for easy installation on walls, in media cabinets or other confined locations – ideal for modifying existing HDMI cables
- Helps prevent disconnections and stress damage to HDMI ports

322355

High Speed Micro HDMI Cable With Ethernet Channel

Micro HDMI Male to Micro HDMI Male, Shielded, Black

- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p and Deep Color
- Fully shielded to reduce EMI and other interference sources

326636 1 m (3.3 ft.)
326643 2 m (6.6 ft.)
326650 3 m (10 ft.)

DisplayPort Adapter

DisplayPort Male / HDMI Adapter Female

- Converts a DisplayPort signal to an HDMI signal
- Delivers a high-quality digital video signal – ideal for using a new DisplayPort source with an existing HDMI display
- Supports Deep Color, high-bandwidth 10.8 Gbps applications and resolutions up to 1920 x 1200

308212

HDMI to DVI Adapter

HDMI Female to DVI-D Male, Dual Link, Black

- HDMI female to DVI-D dual link male connection
- Ensures the integrity of the signal between devices
- Supports existing HD (720p, 1080i and 1080p/60), enhanced (480p) and standard (NTSC or PAL) video formats

393096

HDMI to DVI Adapter

HDMI Female to DVI-D 24+1 Female, Dual Link, Black

- HDMI 19-pin female to DVI-D 24+1 dual link female connection
- Fully shielded to reduce EMI and other interference sources
- Provides up to 5 Gbps of bandwidth

374644

HDMI to DVI Adapter

HDMI Female to DVI-D 18+1 Female, Single Link, Black

- HDMI 19-pin female and DVD-D 18+1 female connection
- Fully shielded to reduce EMI and other interference sources

374668

FireWire Device Cable

6-pin to 6-pin, Black

- Connects FireWire controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

390385 1.8 m (6 ft.)

FireWire Device Cable

6-pin to 6-pin, Black

- Connects FireWire controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

323901 1.8 m (6 ft.)

FireWire Device Cable

6-pin to 4-pin, Black

- Connects FireWire controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

390408 1.8 m (6 ft.)

FireWire Device Cable

6-pin to 4-pin, Black

- Connects FireWire controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

323819 1.8 m (6 ft.)

FireWire Device Cable

4-pin to 4-pin, Black

- Connects FireWire controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

390422 1.8 m (6 ft.)

FireWire Device Cable

4-pin to 4-pin, Black

- Connects FireWire controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

323765 1.8 m (6 ft.)

FireWire

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

FireWire 800 Device Cable

9-pin to 9-pin, Black

- Connects FireWire 800 controller to FireWire 800 device
- Supports data transfer speeds up to 800 Mbps
- Fully shielded to reduce EMI and other interference sources

393072 1.8 m (6 ft.)

FireWire 800/400 Device Cable

9-pin to 6-pin, Black

- Connects FireWire 800 controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

391948 1.8 m (6 ft.)

FireWire 800/400 Device Cable

9-pin to 4-pin, Black

- Connects FireWire 800 controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

393089 1.8 m (6 ft.)

FireWire 800 Device Cable

9-pin to 9-pin, Black

- Connects FireWire 800 controller to FireWire 800 device
- Supports data transfer speeds up to 800 Mbps
- Fully shielded to reduce EMI and other interference sources

370493 1.8 m (6 ft.)

FireWire 800/400 Device Cable

9-pin to 6-pin, Black

- Connects FireWire 800 controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

370486 1.8 m (6 ft.)

FireWire 800/400 Device Cable

9-pin to 4-pin, Black

- Connects FireWire 800 controller to FireWire device
- Supports data transfer speeds up to 400 Mbps
- Fully shielded to reduce EMI and other interference sources

370479 1.8 m (6 ft.)

FireWire

DisplayPort Monitor Cable

DisplayPort Male / DisplayPort Male, Black

- DisplayPort 20-pin male to DisplayPort 20-pin male latching connections
- Delivers high-bandwidth, digital audio/visual signals from PC to display and other DisplayPort-enabled devices — up to 1080p resolution
- Supports HDMI and DVI signal pass-through

391931 2 m (6.6 ft.)

DisplayPort Monitor Cable

DisplayPort Male / DisplayPort Male, Black

- DisplayPort 20-pin male to DisplayPort 20-pin male latching connections
- Delivers high-bandwidth, digital audio/visual signals from PC to display and other DisplayPort-enabled devices — up to 1080p resolution
- Supports HDMI and DVI signal pass-through

306935 1 m (3.3 ft.)
307116 2 m (6.6 ft.)
307093 3 m (10 ft.)

DisplayPort Extension Cable

DisplayPort Male / DisplayPort Female, Black

- DisplayPort 20-pin female to DisplayPort 20-pin male latching connections
- Delivers high-bandwidth, digital audio/visual signals from PC to display and other DisplayPort-enabled devices — up to 1080p resolution
- Supports HDMI and DVI signal pass-through

322294 1 m (3.3 ft.)
308540 2 m (6.5 ft.)
322362 3 m (10 ft.)

DisplayPort to VGA Converter

DisplayPort Male / HD-15 Female

- Easily connects DisplayPort-equipped computers with VGA monitors, projectors and more
- Delivers a high-quality digital video signal – ideal for extending service of legacy VGA equipment
- Supports Deep Color, high-bandwidth 10.8 Gbps applications and resolutions up to 1080p on 1920 x 1200 (WUXGA) displays

308250

DisplayPort Adapter

DisplayPort Male / DVI-I Female

- Converts a DisplayPort signal to a DVI-I dual-link signal
- Delivers a high-quality digital video signal – ideal for using a new DisplayPort source with an existing DVI-I display
- Supports Deep Color, high-bandwidth 10.8 Gbps applications and resolutions up to 1920 x 1200

308229

DisplayPort Adapter

DisplayPort Male / HDMI Adapter Female

- Converts a DisplayPort signal to an HDMI signal
- Delivers a high-quality digital video signal – ideal for using a new DisplayPort source with an existing HDMI display
- Supports Deep Color, high-bandwidth 10.8 Gbps applications and resolutions up to 1920 x 1200

308212

DisplayPort to HDMI Converter Cable

DisplayPort Male to HDMI Male, Black

- Converts a DisplayPort signal to an HDMI signal
- Supports Deep Color, high-bandwidth 10.8 Gbps applications and resolutions up to 1920 x 1200
- Integrated design simplifies connections and eliminates cable tangles and clutter

322959 1 m (3.3 ft.)
322966 1.8 m (6 ft.)

DisplayPort to VGA Converter Cable

DisplayPort Male to HD15 Male, Black

- Easily connects DisplayPort-equipped computers with VGA monitors, projectors and more
- Delivers a high-quality digital video signal – ideal for extending service of legacy VGA equipment
- Integrated design simplifies connections and eliminates cable tangles and clutter

325349 3 m (10 ft.)

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Mini-DisplayPort to VGA Adapter

Mini-DisplayPort Male to VGA Female

- Connects a mini-DisplayPort source with a VGA display cable
- Delivers a single, high-quality signal to VGA display – ideal for Mac computers
- Integrated DAC for analog VGA signal output

322508

Mini-DisplayPort to HDMI Adapter

Mini-DisplayPort Male to HDMI Female

- Connects a mini-DisplayPort source with an HDMI display cable
- Delivers a single, high-quality signal to HDMI display – ideal for Mac computers
- Fully shielded to reduce EMI and other interference sources

322461

Mini-DisplayPort to DVI Adapter

Mini-DisplayPort Male to DVI-I Dual-Link Female

- Connects a mini-DisplayPort source with a DVI-I display cable
- Delivers a single, high-quality signal to DVI display – ideal for Mac computers
- Fully shielded to reduce EMI and other interference sources

322485

Mini-DVI to HDMI Adapter

Mini-DVI Male to HDMI Female

- Connects a mini-DVI source with a HDMI display cable
- Delivers a single, high-quality signal to HDMI display – ideal for Mac computers
- Gold-plated connectors provide maximum connectivity

308502

Mini DisplayPort Monitor Cable

Mini DisplayPort, Male to Male, White

- Provides Mini DisplayPort 20-pin male to Mini DisplayPort 20-pin male connections
- Delivers high-bandwidth, digital audio/visual signals from Mini DisplayPort enabled devices to Mini DisplayPort displays — up to 1080p resolution
- Supports HDMI and DVI signal pass-through

324632 2 m (6.6 ft.)

Mini DisplayPort Monitor Cable

Mini DisplayPort, Male to Male, White

- Provides Mini DisplayPort 20-pin male to Mini DisplayPort 20-pin male connections
- Delivers high-bandwidth, digital audio/visual signals from Mini DisplayPort enabled devices to Mini DisplayPort displays — up to 1080p resolution
- Supports HDMI and DVI signal pass-through

324670 3 m (10 ft.)

Mini DisplayPort Monitor Cable

Mini DisplayPort Male to DisplayPort Male, White

- Provides Mini DisplayPort 20-pin male to DisplayPort 20-pin male connections
- Delivers high-bandwidth, digital audio/visual signals from Mini DisplayPort and DisplayPort enabled displays and devices - up to 1080p resolution
- Supports HDMI and DVI signal pass-through

324748 2 m (6.6 ft.)
324830 3 m (10 ft.)

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

SVGA Monitor Cable

HD15 Male / HD15 Male, Black

- HD15 male to HD15 male
- Connects SVGA source to SVGA display
- Fully shielded to reduce EMI interference for improved video transmission

390668 1.8 m (6 ft.)
390675 3 m (10 ft.)
393034 Ferrite Cores, 3 m (10 ft.)

VGA Extension Cable

HD15 Male / HD15 Female, White

- HD15 male to HD15 female
- Extends any monitor cable
- Fully shielded to reduce EMI and other interference sources

300025 1.8 m (6 ft.)

VGA Monitor Cable

HD15 Male / HD15 Male

- HD15 male to HD15 male
- Connects VGA source to VGA display
- Fully shielded to reduce EMI and other interference sources

300735 1.8 m (6 ft.)
300926 3 m (10 ft.)

SVGA with Audio Cable

HD15 and Stereo 3.5 mm Plug, Male to Male, Black

- Ideal single-cable solution for connecting a desktop or notebook computer to a monitor with built-in speakers
- HD15 male to HD15 male with built-in 3.5 mm stereo male to male
- Fully shielded to reduce EMI interference for improved video transmission

324267 1.8 m (6 ft.)
324304 3 m (10 ft.)
324311 4.5 m (15 ft.)
324342 7.5 m (25 ft.)
324359 10 m (33 ft.)
326674 15 m (50 ft.)
326681 20 m (66 ft.)
326698 22.5 m (75 ft.)
326711 30 m (100 ft.)

High Definition Monitor Cable

HD15 Male / Triple RCA Male, Black

- HD15 male / (3) RCA female connections
- Adapts HD15 source to HD display
- Fully shielded to reduce EMI interference for improved video transmission

301107 1.8 m (6 ft.)

VGA Monitor Cable

HD15 Male / HD15 Female, Black

- HD15 male to HD15 female
- Connects VGA source to VGA display
- Fully shielded to reduce EMI and other interference sources

391702 1.8 m (6 ft.)

VGA Monitor Cable

HD15 Male / HD15 Male, Black

- HD15 male to HD15 male
- Connects VGA source to VGA display
- Fully shielded to reduce EMI interference for improved video transmission

393058 1.8 m (6 ft.)

SVGA Monitor Cable

HD15 Male / HD15 Male with Ferrite Cores, Black

- HD15 male to HD15 male
- Connects SVGA source to SVGA display
- Fully shielded with ferrite cores to reduce EMI interference for improved video transmission

317757 1.8 m (6 ft.)
317733 3 m (10 ft.)
317719 4.5 m (15 ft.)
373708 7.5 m (25 ft.)
317696 10 m (30 ft.)
372183 15 m (50 ft.)
372190 20 m (65 ft.)
373715 30 m (100 ft.)

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

SVGA Monitor Cable

HD15 Male / HD15 Male, Black

- HD15 male to HD15 male
- Connect SVGA source to SVGA display
- Fully shielded to reduce EMI interference for improved video transmission

309035 1.8 m (6 ft.)
309066 3 m (10 ft.)

SVGA Monitor Cable

HD15 Male / HD15 Male, Black

- HD15 male to HD15 male
- Connects SVGA source to SVGA display
- Fully shielded to reduce EMI interference for improved video transmission

311731 1.8 m (6 ft.)
311748 3 m (10 ft.)
312721 4.5 m (15 ft.)
372978 7.5 m (25 ft.)
312776 10 m (30 ft.)
313629 15 m (50 ft.)
335607 20 m (65 ft.)
337342 30 m (100 ft.)

SVGA Extension Cable

HD15 Male / HD15 Female, Black

- HD15 male to HD15 female
- Extends any monitor cable
- Fully shielded to reduce EMI interference for improved video transmission

390637 1.8 m (6 ft.)
390644 3 m (10 ft.)

SVGA Extension Cable

HD15 Male / HD15 Female, Black

- HD15 male to HD15 female
- Extends any monitor cable
- Fully shielded to reduce EMI interference for improved video transmission

309011 1.8 m (6 ft.)
313599 3 m (10 ft.)
310345 4.5 m (15 ft.)
327015 7.5 m (25 ft.)
313605 10 m (33 ft.)
313612 15 m (50 ft.)
328746 30 m (100 ft.)

SVGA Extension Cable

HD15 Male / HD15 Female with Ferrite Cores, Black

- HD15 male to HD15 female
- Extends any monitor cable
- Fully shielded with ferrite cores to reduce EMI interference for improved video transmission

317764 1.8 m (6 ft.)
317740 3 m (10 ft.)
317726 4.5 m (15 ft.)
373685 7.5 m (25 ft.)
317702 10 m (30 ft.)
372107 15 m (50 ft.)
371179 20 m (65 ft.)
373692 30 m (100 ft.)

SVGA Extension Cable

HD15 Male / HD15 Female, Black

- HD15 male to HD15 female
- Extends any monitor cable
- Fully shielded to reduce EMI interference for improved video transmission

309141 4.5 m (15 ft.)
309158 7.5 m (25 ft.)

SVGA Splitter Cable

HD15 Male / (2) HD15 Female, Black

- HD15 male to (2) HD15 female
- Connects SVGA source to (2) SVGA display cables
- Fully shielded to reduce EMI interference for improved video transmission

393041 15 cm (6 in.)

SVGA Y Cable

HD15 Male / 2 HD15 Female, Black

- HD15 male to dual HD15 female
- Splits SVGA connection between two monitors
- Fully shielded to reduce EMI and other interference sources

304559 15 cm (6 in.)

VGA Splitter Cable

HD15 Male / (2) HD15 Female, White

- Connects VGA source to (2) VGA display cables
- HD15 male to (2) HD15 female
- Fully shielded to reduce EMI interference for improved video transmission
- Molded PVC boot with strain relief

328302 15 cm (6 in.)



High Resolution Monitor Cable

HD15 Male / (5) BNC with Ferrite Core, Black

- HD15 male / (5) BNC, ferrite core, triple-shielded, molded
- Connects SVGA source to an HDTV display
- Fully shielded with ferrite cores to reduce EMI interference for improved video transmission

307284 1.8 m (6 ft.)

Video Splitter Cable

VGA Male / (2) VGA Female, Black

- Connects a VGA male source with two VGA female displays
- Delivers a single, high-quality video signal to two displays – ideal for presentations, retail displays and training applications
- Integrated 2-in-1 output design eliminates Y-cable tangles and clutter

307765 0.3 m (1 ft.)

Video Splitter Cable

VGA Male to VGA Female / RGB Female

- Connects a VGA Male source with VGA Female and RGB Female displays
- Delivers a single, high-quality signal to two displays – ideal for presentations, retail displays and training applications
- Integrated 2-in-1 output design eliminates Y-cable tangles and clutter

307994

Video Splitter Cable

VGA Male to VGA Female / DVH Female

- Connects a VGA male source with VGA and DVH female displays
- Delivers a single, high-quality signal to two displays – ideal for presentations, retail displays and training applications
- Integrated 2-in-1 output design eliminates Y-cable tangles and clutter

308175

SVGA Monitor Cable

HD15 Male / HD15 Male, Black

- HD15 male to HD15 male
- Connect SVGA source to SVGA display
- Fully shielded to reduce EMI and other interference sources

324083 1 m (3.3 ft.)
324120 1.8 m (6 ft.)

SVGA Extension Cable

HD15 Male / HD15 Female, Black

- HD15 male to HD15 female
- Extends any monitor cable
- Fully shielded to reduce EMI and other interference sources

324137 1 m (3 ft.)
324205 1.8 m (6 ft.)

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Printer Cable

DB25 Male to CEN36 Male

- DB25 male to Centronics 36 male 25 conductors
- Shielded
- Molded

303033 1.8 m (6 ft.)
304573 3 m (10 ft.)

IEEE 1284 Printer Cable

DB 25 Male to CEN 36 Male

- DB25 male to Centronics 36 male
- 18 twisted pair double-shielded, molded

309912 3 m (10 ft.)
309929 4.5 m (15 ft.)

Data Cable DB25

DB25 Male to DB25 Male

- 25 conductors
- Shielded
- Molded

300797 4.5 m (15 ft.)

Data Cable DB9

DB9 Male to DB9 Female

- Data cable for serial interface
- 9 conductors
- Shielded, molded

304238 1.8 m (6 ft.)
304344 3 m (10 ft.)
304368 4.5 m (15 ft.)

Data Cable

DB9 Male / DB9 Female, Black

- DB9 male to DB9 female
- Connects any PC with a DB9 port to another DB9 device

390569 1.8 m (6 ft.)

PS/2 Keyboard Cables

Mini-DIN 6 Male to Mini-DIN 6 Female

- Mini-DIN 6 Male to Mini-DIN 6 Female
- Molded

302531 1.8 m (6 ft.)

USB to PS/2 Adapter

Adapter

- Connects a USB mouse or keyboard to a PS/2 port

333962

PS/2 to USB Adapter

PS/2 to USB

- Connects a PS/2 mouse or keyboard to a USB port

341158

Digital Video Cable

DVI-D Dual Link

- DVI-D dual link male to DVI-D dual link male
- Connects any DVI-D computer to a DVI-D device
- Fully shielded — ideal for all monitor sizes and types

328838 1.8 m (6 ft.)
371803 3 m (10 ft.)

Monitor Cable

DVI-D Male to DVI-D Male, Single Link, Beige

- DVI-D single link male to DVI-D single link male
- Connects any DVI-D computer to a DVI-D device
- Fully shielded — ideal for all monitor sizes and types

328821 1.8 m (6 ft.)

Monitor Cable

DVI-A Male to HD15 Male, White

- DVI-A male to HD15 male
- Connects any DVI-A to an HD15 device
- Ideal for all monitor sizes and types

328852 1.8 m (6 ft.)

Digital Video Adapter

DVI Dual Link Male to VGA Female

- Fully shielded - ideal for all monitor sizes and types

328883

Monitor Cable

Black, 1.8 m (6 ft.)

- Fully shielded - ideal for all monitor sizes and types

390705 DVI-A Male / HD15 Male
390712 DVI-D Single Link Male / HD15 Male

HDMI Cable

HDMI Male / DVI-D 24+1 Male, Black

- Ensures the integrity of the signal between devices
- Supports existing HD (720p, 1080i, and 1080p) enhanced (480p) and standard (NTSC or PAL) video formats
- Fully shielded to reduce EMI and other interference sources

391108 1.8 m (6 ft.)

DVI-I to VGA Adapter

DVI-I Male / HD15 Female, Black

- DVI-I male to HD15 female
- Integrated design simplifies connections and eliminates cable tangles and clutter

391924

Mini-DVI to DVI-D Adapter

Mini-DVI Male to DVI-D Female

- Connects a mini-DVI source to DVI-D dual-link display cable
- Delivers a single, high-quality signal to DVI-D dual-link display – ideal for Mac computers
- Fully shielded to reduce EMI and other interference sources
- Gold-plated connectors provide maximum connectivity
- Molded PVC boot and strain relief

308496

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

SATA Data Cable

7-Pin Male to Male, Black

- Connects SATA drive to SATA controller
- Supports data transfer speeds up to 6.0 Gbps
- Fully shielded to reduce EMI and other interference sources

391672 50 cm (20 in.)
392075 100 cm (40 in.)

SATA Data Cable

7-Pin Male to Male, Red

- Connects SATA drive to SATA controller
- Supports data transfer speeds up to 6.0 Gbps
- Fully shielded to reduce EMI and other interference sources

340700 50 cm (20 in.)
340717 100 cm (40 in.)

SATA Data Cable

7-Pin Male to Male with latches, Red

- Connects SATA drive to SATA controller
- Built-in security latches help provide assured interconnections
- Supports data transfer speeds up to 6.0 Gbps
- Fully shielded to reduce EMI and other interference sources

324397 70 cm (27.5 in.)

SATA Data Cable

7-Pin Male to 90-degree Male, Red

- Connects SATA drive to SATA controller
- 90-degree connection provides for better cable management
- Supports data transfer speeds up to 6.0 Gbps
- Fully shielded to reduce EMI and other interference sources

305808 50 cm (20 in.)

SATA Data Cable

SATA, L-Type, Red

- Supports data transfer speeds up to 3.0 Gbps
- 2 L-type, fully-shielded male connections
- Connects SATA controllers to devices

374385 39 in. (100 cm)

Micro SATA Drive Cable

Micro SATA 7+7+2 Pin Male / 7 Pin SATA Male / 4 Pin 5 V Molex, Red

- Connects a 1.8" SATA drive to a SATA controller
- Ideal for installing 1.8" disk drives in desktop and notebook computers
- Supports data transfer speeds up to 6.0 Gbps
- Fully shielded to reduce EMI and other interference sources

308083 30 cm (12 in.)



Slimline SATA Drive Cable

Slimline 7+6 Pin SATA Male / 7 Pin SATA Male / 4 Pin 5 V – 12 V Molex, Red

- Connects a Slimline drive with a SATA controller
- Ideal for installing optical disk drives, DVD R/W/ROM, Blu-ray players and other slimline devices
- Supports data transfer speeds up to 6.0 Gbps
- Fully shielded to reduce EMI and other interference sources

308137 30 cm (12 in.)

eSATA+USB to USB Adapter

eSATA-USB Male / Type-A USB and eSATA Female

- eSATA+USB male to type-A USB female and eSATA female
- 2-in-1 design easily connects and permits simultaneous use of eSATA and USB devices
- Supports data transfer eSATA speeds up to 3 Gbps and Hi-Speed USB 2.0 speeds up to 480 Mbps

325288

eSATA+USB Cable

eSATA+USB Male to Dual eSATA Power/Data Male

- eSATA+USB male to dual eSATA power/data male cable
- Single-cable solution provides data transfer and power to connect SATA drives with eSATA+USB equipped systems
- Fully shielded to help reduce EMI and other interference sources

325752

eSATA+USB Cable

Black, 1 m (3.3 ft.)

- Single-cable solution provides data transfer and power for hosts and devices equipped with eSATA+USB ports
- Fully shielded to help reduce EMI and other interference sources

325295 eSATA+USB Male to Male
325301 eSATA+USB Male to Type-A USB and eSATA Male

eSATA+USB Cable

eSATA+USB Male to Mini B USB and eSATA Male, Black

- eSATA+USB male to mini B USB male and eSATA male
- Supports full USB and eSATA data transfer speeds
- Easily connects a USB or eSATA device to a eSATA+USB port

325318

SAS Cable

4X InfiniBand / 4X InfiniBand

- Connects a 4X host to a 4X target
- Supports data transfer speeds of up to 3 Gbps
- InfiniBand thumbscrew connectors

306478 1 m (3.2 ft.)



SAS Cable

SAS 29-pin Male / SATA 7-pin Male / Molex 4-pin

- Connects two SATA hosts to a SAS 29-pin target
- Supports data transfer speeds of up to 3 Gbps
- Improves point-to-point SCSI installations with increased cooling and airflow

307567 1 m (3.2 ft.)

SAS Cable

InfiniBand / SATA 7-pin Male

- Connects an InfiniBand host to four SATA 7-pin targets
- Supports data transfer speeds of up to 3 Gbps
- Improves point-to-point SCSI installations with increased cooling and airflow

307574 1 m (3.2 ft.)

SAS Cable

1 m (3.2 ft.)

- Supports data transfer speeds of up to 3 Gbps
- Fully shielded with gold-plated contacts

306461 4X InfiniBand / Mini-SAS
306492 Mini-SAS / Mini-SAS

SAS Cable

SAS Cable Internal, Mini SAS 36-pin to SAS 29-pin, Black

- Internal mini-SAS 36-pin (SFF-8087) connector host connection
- Internal SAS 29-pin (SFF-8482) connections (4)
- Point-to-point SCSI makes setting up SCSI easier than ever

308564 50 cm (19.6 in.)

Internal SATA To External SATA Bracket

Supports data transfer speeds up to 3.0 Gbps

- Flat internal cable design for more efficient airflow
- Fits regular PCI slots

300803 SATA To eSATA Bracket, 1 Port, 30 cm (12 in.), Red
150026 SATA To eSATA Bracket, 2 Port, 30 cm (12 in.), Red
374934 I-Type to L-Type Bracket, 1 Port, 47 cm (18.5 in.)

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com



External SATA Data Cable

eSATA 7-Pin Male to Male, Red

- Connects eSATA device to eSATA port
- Supports data transfer speeds up to 6.0 Gbps

374897 45 cm (18 in.)
374903 94 cm (37 in.)

Power Y Cable

5.25" Male to dual 5.25" Female

- Converts a 4-pin Molex male to dual 4-pin Molex female connections
- Molded PVC boot

301503 20 cm (8 in.)

SATA Power Cable Adapter

16 cm (6.3 in.)

- Converts a 4-pin molex-type connector to a 15-pin SATA power connection
- Provides power to SATA drives
- Molded PVC boot

390859

SATA Power Cable

4 Pin to 15 Pin, 16 cm (6.3 in.)

- Converts a 4-pin Molex power connection to a 15-pin SATA power connection
- Helps create additional power connections from existing sources
- Molded PVC boot

342766

SATA Power Cable Adapter

16 cm (6.3 in.)

- Converts a 15-pin SATA power connection to a 4-pin Molex
- Helps create additional power connections from existing SATA sources
- Molded PVC boot

306201

SATA Power Splitter

15-Pin SATA Power to Triple 15-Pin SATA Power

- Converts standard a SATA 15-pin power lead to 3 additional 15-pin SATA power connections
- Easily creates more power connections from existing SATA sources
- Gold-plated SATA connectors with molded PVC boot

308960

SATA Power Y Cable

4 pin to 2 x 15 pin

- 6 in. (15 cm) length

349369

Power Y-Cable

5.25" Male to dual 5.25" Female

- Converts a 4-pin Molex male to dual 4-pin Molex female connections
- Molded PVC boot

390835 20 cm (8 in.)

Power Y Cable

5.25" Male to dual 5.25" Female

- Converts a 4-pin Molex male to dual 4-pin Molex female connections
- Molded PVC boot

301503 20 cm (8 in.)



Power Y-Cable

5.25" Male to 5.25" Female/3.5" Female

- Converts a 5.25" male to 5.25" female and 3.5" female connections
- Molded PVC boot

301831 20 cm (8 in.)

ATX Power Extension Cable

Power Extension, 24-pin to 24-pin

- Extends the length of ATX motherboard power supply cable
- Compatible with Xeon power supplies
- Ideal for tower cases

373623 20 cm (8 in.)

Power Cable

Male / Male

- PC power US
- Connects most computer and electronic devices to a standard US wall outlet

391030 1.8 m (6 ft.)

Power Extension Cable

Male / Female, Black

- PC power US
- Extends US PC power cables

391054 1.8 m (6 ft.)

Power Cable

PC Power Cable

- Connects most desktop computers to North American and other similar outlets
- IEC 60320 C13 socket to NEMA 5-15 plug
- Molded connections with strain relief

300179 1.8 m (6 ft.)
323338 3 m (10 ft.)

Power Cable

Non-Polarized

- Replacement power cable for notebook computers and other non-polarized devices
- US version

339087 1.8 m (6 ft.)

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Composite Audio/Video Cable

Triple-Cinch RCA to Triple-Cinch RCA, Black

- Triple-cinch RCA to triple-cinch RCA
- Heavy-gauge cable with PVC protective jacket
- Corrosion-resistant contacts for best data transmission
- Heavy-duty strain relief

391726 1.8 m (6 ft.)

Composite Video Cable

Blue

- Heavy-gauge cable with PVC and nylon braided protective jacket
- Corrosion-resistant, gold-plated contacts for best data transmission

361231 Single Cinch RCA to Single Cinch RCA, 1.5 m (5 ft.)
361262 Dual Cinch RCA to Single Cinch RCA, 1.5 m (5 ft.)
361286 Dual Cinch RCA to Single Cinch RCA, 4.8 m (16 ft.)

Composite Audio/Video Cable

Triple Cinch RCA to Triple Cinch RCA, Black

- Triple cinch RCA to triple cinch RCA
- Heavy-gauge cable with PVC and nylon braided protective jacket
- Corrosion-resistant, gold-plated contacts for best data transmission

361682 10 m (33 ft.)

Composite Audio Cable

Dual Cinch RCA to Dual Cinch RCA, Blue

- Dual cinch RCA to Dual cinch RCA
- Heavy-gauge cable with PVC and nylon braided protective jacket
- Corrosion-resistant, gold-plated contacts for best data transmission

361187 1.5 m (5 ft.)
361200 4.8 m (16 ft.)
361705 10 m (33 ft.)

Component Video Cable

Component Male to Male, Blue

- Triple cinch RCA to triple cinch RCA
- Corrosion resistant gold plated contacts for best data transmission
- Heavy gauge cable with nylon mesh protective jacket

361811 3 m (10 ft.)
361835 4.5 m (15 ft.)

TosLink Audio Cable

TosLink Male to Male, Blue

- TosLink male to male
- Fiber cable with nylon mesh protective jacket
- Corrosion-resistant contacts for secure connection
- Heavy-duty strain relief

361361 1.5 m (5 ft.)
361415 3 m (10 ft.)

Component Video Cable

Triple-Cinch RCA to Triple-Cinch RCA, Blue

- Triple-cinch RCA to triple-cinch RCA
- Heavy-gauge cable with PVC and nylon braided protective jacket
- Corrosion-resistant, gold-plated contacts for best data transmission

317504 3 m (10 ft.)

Composite Video Cable

Blue

- Heavy-gauge cable with PVC and nylon braided protective jacket
- Corrosion-resistant, gold-plated contacts for best data transmission

317528 Single-Cinch RCA to Single-Cinch RCA, 1.5 m (5 ft.)
317542 Dual-Cinch RCA to Dual-Cinch RCA, 1.5 m (5 ft.)
317566 Dual-Cinch RCA to Dual-Cinch RCA, 3 m (10 ft.)

TosLink Audio Cable

TosLink Male to Male, Blue

- Fiber cable with nylon mesh protective jacket
- Corrosion-resistant contacts for secure connection
- Heavy-duty strain relief

317924 1.5 m (5 ft.)
317931 3 m (10 ft.)

Stereo to Composite Audio Cable

3.5 mm Stereo to Dual-Cinch RCA, Black

- 3.5 mm stereo to dual-cinch RCA
- Heavy-gauge cable with PVC protective jacket
- Corrosion-resistant contacts for best data transmission

325660 1 m (3 ft.)

Stereo Extension Cable

3.5 mm Stereo Male to Female, Black

- 3.5 mm stereo male to female
- Heavy-gauge cable with PVC protective jacket
- Corrosion-resistant contacts for best data transmission

393010 2 m (6.6 ft.)

Stereo Audio Cable

3.5 mm Stereo Male to Male, Black

- 3.5 mm stereo male to male
- Heavy-gauge cable with PVC protective jacket
- Corrosion-resistant contacts for best data transmission

322805 0.3 m (1 ft.)
322812 0.9 m (3 ft.)
334594 1.8 m (6 ft.)

Stereo Audio Cable

3.5 mm Stereo Male to Female

- 3.5 mm stereo male to female
- Heavy-gauge cable with PVC protective jacket
- Corrosion-resistant contacts for best data transmission

311717 1.8 m (6 ft.)

RCA Cinch Plug Cable

RCA Cinch Plug, dual-dual

- RCA dual plug male to dual plug male

336482 3.6 m (12 ft.)

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com



ATA/Ultra 66 Ribbon Cable

3 connectors

- Cable for Ultra DMA 66 IDE Hard Drives
- 40 conductors

320979 0.45 cm (18 in.)

NO PHOTO AVAILABLE

ATA/Ultra 100 Ribbon Cables

3 connectors

- Cable for Ultra DMA 100 IDE Hard Drives
- 80 conductors

329316 0.45 cm (18 in.)



IDE Dual Ribbon Cable

3 connectors

- Dual Drive cable
- 40 conductors

309790 50 cm (21 in.)

Modular Cable

RJ-11 6P4C

- Ideal to quickly connect telephones, fax machines and modems in homes and offices
- Stranded construction for increased flexibility
- Flat cable helps avoid kinking and stress

307703 3 m (10 ft.)
307727 5 m (16.5 ft.)
307741 10 m (32.8 ft.)

Modular Cable

RJ-12 6P6C

- Ideal for multi-line office telephone systems, dumb-terminal installations and other serial/parallel applications with low data rate requirements
- Stranded construction for increased flexibility
- Flat design helps avoid cable kinking and stress

307659 2 m (6.5 ft.)
307666 3 m (10 ft.)
307673 5 m (16.5 ft.)
307680 10 m (32.8 ft.)

Cable FlexWrap

Cable FlexWrap, Black, 14 cm diameter, 1.8 m

- Easy to use
- Protects equipment and cables
- Perfect for wire management

502962

Cable Cover

Cable Cover, 2.5 m

- Includes EasyGlide cable loader
- Protects equipment and cables
- Perfect for wire management

420846 15 mm diameter
420860 25 mm diameter

Cable Tie Straps

Hook and Loop, 5 Pack

- Helps identify cables, keeps installation organized and reduces damage
- Convenient, reusable hook-and-loop design — easy to add, change and rearrange cables
- Pre-cut length in five colors adds professional, finished look to projects

518260

Cable Tie Straps

Hook and Loop, 10-Pack

- Helps identify cables, keeps installation organized and reduces damage
- Convenient, reusable hook-and-loop design — easy to add, change and rearrange cables
- Pre-cut length in three colors adds professional, finished look to projects

422178

Notebook Computer Case Floor Display

Holds a broad range of MANHATTAN notebook computer cases

- Adjustable, triple-arms and tubular steel construction hold a broad range of MANHATTAN notebook computer cases
- Three-panel card frame focuses retail message to quickly generate sales
- Wide, lightweight base helps keep display steady and cases ready to sell

813334

Shanghai Notebook Computer Backpack

Top Load, Fits Most Widescreens Up To 15.6"

- Separate notebook computer compartment offers improved protection and easy airport inspections
- Full, front access to spacious interior compartment and pockets to store files, cables and accessories
- Adjustable padded shoulder straps and stitched foam back panel help disperse load for comfortable travel

439299 Black/Blue
439305 Black/Green
439312 Black/Red

Olympian Notebook Computer Sportpack

Top Load, Fits Most Widescreens Up To 15.6"

- Separate notebook computer compartment offers improved protection and easy airport inspections
- Three spacious interior compartments and pockets store files, cables and accessories
- Adjustable chest and padded shoulder straps with padded back panel help disperse load for comfortable travel

439473

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Cambridge Notebook Computer Backpack

Top Load, Fits Most Widescreens Up To 15.6"

- Separate notebook computer compartment offers improved protection and easy airport inspections
- Three spacious interior compartments and pockets store files, cables and accessories

439466

Guardian Notebook Computer Backpack

Top Load, Fits Most Widescreens Up To 17"

- Special design prevents unauthorized access to interior when worn — secures computer and digital devices from theft
- Provides effective deterrence in airports, trains, streets, campuses and other crowded locations
- Organizer panel easily detaches or reverses to accommodate large items and diverse cargo

438865

Everest Notebook Computer Backpack

Top Load, Fits Most Widescreens Up To 17"

- Top-load design with protective cover flap, accessory loops and padded carry handle
- Two oversized compartments with separate closures
- Innovative inner sleeve protects and accommodates files and large notebook computers

438162

Sydney Notebook Computer Backpack

Top Load, Fits Most Widescreens Up To 15.4"

- Separate notebook computer compartment offers improved protection and easy airport inspections
- Two spacious interior compartments and pockets store files, cables and accessories
- Media pocket protects MP3 player and other electronics

438780

Copenhagen Netbook Computer Briefcase

Top Load; Fits Most Widescreens Up To 10.1"

- Functional, sensible design and styling for mobile professionals
- Practical solution that provides essential computer protection — travels almost anywhere and fits most netbook computers
- Large front and rear pockets store files, cables and accessories

439480

New York Notebook Computer Briefcase

Top Load; Fits Most Widescreens Up To 15.6"

- Sophisticated, slim design offers full functionality, storage and protection for mobile executives
- Roomy, well-planned interior and pockets store files,cables and accessories — expands to add more space
- Pair with MANHATTAN New York Notebook Computer Rolling Briefcase (438872) for extra storage and travel options — integrated rear strap secures to rolling bag telecopic handle

421416

Empire Notebook Computer Briefcase

Top Load, Fits Most Widescreens Up To 17"

- Ultra-lightweight bag weighs only 35 oz.
- Padded compartment for notebook computer protection
- Multiple compartments for files and accessories

421560

Empire II Notebook Computer Briefcase

Top Load, Fits Most Widescreens Up To 15.6"

- Ultra-lightweight bag weighs only 40 oz.
- Padded compartment for notebook computer protection
- Multiple compartments for files and accessories

421577

Cologne Notebook Computer Briefcase

Top Load, Fits Most Widescreens Up To 17"

- Stylish blend of efficiency, organization and convenience for mobile professionals
- Large front pocket stores cables and accessories with handy mesh pocket for papers, tickets and more
- Padded dual strap handles, non-slip shoulder strap and rear slip strap provide comfortable, confident transport

438926

Madison Avenue Notebook Computer Messenger Bag

Top Load, Fits Most Widescreens Up To 15.6"

- Ultra-lightweight weights only 41 oz.
- MP3 player pocket with headphone port – listen while the case is closed
- Front compartment, large laptop area and two file compartments

432658

Milan Notebook Computer Messenger Bag

Top Load, Fits Most Widescreens Up To 15.6"

- Modern, urban styling with functional, practical details ideal for daily use
- Front flap with magnetic closure secures top-load computer compartment
- Advanced, heavy-duty padding offers improved computer protection during commutes

438841

Berlin Notebook Computer Messenger Sling Bag

Top Load, Black/Blue

- A modern, urban alternative to traditional notebook computer backpacks and briefcases
- Cross-body design evenly distributes weight with full, easy access to contents
- Lightweight, durable, easy-care materials resist water and wear

439541 Fits Most Widescreens Up To 14.1"
439558 Fits Most Widescreens Up To 15.6"

Maya Notebook Computer Messenger Bag

Top Load, Vertical, Fits Most Screens Up To 15.4"

- Innovative vertical messenger design easily navigates through airline aisles, streets and classrooms
- Built-in shoulder straps quickly convert from messenger bag to versatile backpack
- Efficient interior and roomy pockets store files, cables and accessories

438803

Big Apple Notebook Computer Briefcase

Top Load, Fits Most Widescreens Up To 17"

- Large padded compartment with adjustable divider for notebook computer protection
- Ultra-lightweight weighs only 49 oz.
- Two front compartments, large notebook area and back expandable compartment with three file folders

433723

Times Square Notebook Computer Briefcase

Top Load, Fits Most Widescreens Up To 15.4"

- Ultra-lightweight weighs only 30 oz.
- Padded compartment for notebook computer protection
- Front compartment, large notebook area, file divider and back compartment

421430

London Notebook Computer Briefcase

Top Load; Fits Most Widescreens Up To 15.6"

- Functional, sensible design and styling for mobile professionals
- Practical solution that provides essential computer protection — travels and fits almost anywhere
- Large front pocket stores files, cables and accessories

438889 Black
439381 Dark Citron
439374 Fuchsia Red

Zurich Notebook Computer Briefcase

Top Load, Fits Most Widescreens Up To 17"

- Optimal balance of style, convenience and storage for mobile professionals
- Front flap with magnetic closure secures top-load computer compartment
- Advanced, heavy-duty padding offers improved computer protection during commutes — sleeve detaches for quick and easy airport inspections

438896

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Notebook Computer Pouch

Use alone or slip into a larger notebook computer case for additional storage and protection options

- Snug, cushioned fit stretches for added protection from daily mishandling and spills – ideal for ultra portable PCs and netbooks
- Coordinated, two-in-one design easily reverses to display alternate color

421874 Fits Most Widescreens Up to 9", Black/Gray
421898 Fits Most Widescreens Up to 9", Purple/Beige
421911 Fits Most Widescreens up to 9", Green/Blue
421966 Fits Most Widescreens Up to 10", Black/Gray
421973 Fits Most Widescreens Up to 10", Purple/Beige
421843 Fits Most Widescreens Up to 12.1", Black/Gray
421867 Fits Most Widescreens Up to 12.1", Purple/Beige
421928 Fits Most Widescreens up to 12.1", Green/Blue
439343 Fits Most Widescreens Up to 14.1", Black/Gray
439350 Fits Most Widescreens Up to 14.1", Purple/Beige
439367 Fits Most Widescreens Up to 14.1", Green/Blue
421829 Fits Most Widescreens Up to 15.4", Black/Gray
421850 Fits Most Widescreens Up to 15.4", Purple/Beige
421935 Fits Most Widescreens up to 15.4", Green/Blue

iPad Pouch

Reversible, Fits iPad and Most Tablets Up to 9.7"

- Use alone or slip into a briefcase or backpack for additional storage and protection options
- Snug, cushioned fit stretches for added protection from daily mishandling and spills
- Coordinated, two-in-one design easily reverses to display alternate color

439497 Black/Gray
439503 Purple/Beige
439510 Green/Blue

Notebook Computer Sleeve

Use alone or slip into a larger notebook bag for additional storage and portable protection options

- Dual strap handles provide secure and confident transport
- Durable, lightweight construction with textured exterior and scratch-resistant interior

438490 Fits Most Screens Up To 15"
438506 Fits Most Screens Up To 15.4"
438513 Fits Most Screens Up To 17"

Notebook Computer Sleeve Case

Fits Most Widescreens Up To 12.1"

- Use alone or slip into a larger notebook computer case for additional storage and protection options
- Convenient front zipper pocket separately holds power adapter, extra battery, cables and other accessories
- Dual strap handles provide secure and confident transport

438957 Black/Black

Notebook Computer Premium Sleeve Case

Use alone or slip into a larger notebook computer case for additional storage and protection options

- Convenient front zipper pocket separately holds power adapter, extra battery, cables and other accessories
- Snug, cushioned fit offers extra safety from daily mishandling and spills
- Dual padded strap handles provide secure and confident transport — adjustable shoulder strap included

438964 Fits Most Widescreens Up To 12.1", Black/Black
438995 Fits Most Widescreens Up To 15.4", Blue/Black

Notebook Computer Cooling Stand

USB, 2 Hi-Speed USB Ports, 120 mm

- Helps reduce operating temperatures for longer life and improved performance
- Quiet, high-volume lighted fan helps dissipate damaging heat
- Special ergonomic incline improves comfort and reduces repetitive strain injury risk

190046

Notebook Computer Cooling Stand with Hi-Speed USB Hub

USB, 6 Adjustable Tilt Positions with 4-Port Hi-Speed USB Hub, 70 mm

- Six adjustable tilt levels elevate notebook computer to proper viewing height – ideal desktop docking station alternative
- Detachable Hi-Speed USB hub connects up to four additional peripherals
- Connect a full-size external keyboard, mouse and keypad for enhanced data entry and productivity

190039

Notebook Computer Cooling Pad

USB Pass-through, Single Fan, 200 mm

- Helps reduce operating temperatures for longer life and improved performance
- Large, quiet, high-volume fan helps dissipate damaging heat
- USB pass-through connection keeps port available for other devices

703406

Notebook Computer Cooling Pad

USB, Three Fans, 60 mm

- Helps reduce operating temperatures for longer life and improved performance
- Three quiet, high-volume fans help dissipate damaging heat
- Fits under any notebook computer – compact and lightweight for travel

700467

Notebook Computer Cooling Pad

USB, Two Lighted Fans, 60 mm

- Helps reduce operating temperature for longer life and improved performance
- Two quiet, high-volume fans help dissipate damaging heat
- Stylish and functional design with special lighting effects

700429

USB Flex Light

Adjusts to gently illuminate computer keyboard without disturbing others

- Ideal for airline cabins, meeting rooms, presentations and other low-light environments
- Lightweight for travel and easily installs into any USB port — no external power needed

431644 LED provides task lighting for notebook computers
438858 Two LEDs provide task lighting for notebook computers

Notebook Computer Lap Desk

Surface fits most notebook computers up to 19"

- Creates a rigid, stable and portable mobile computing surface — work comfortably almost anywhere
- Protects against heat generated from notebook computer batteries and components
- Lightweight, micro-bead cushion and sculpted edge conform for best fit

439282

Mobile Security Lock

Key Lock, 1.8 m (6 ft.)

- Helps deter theft of notebook computers and other valuable equipment
- Fits built-in security slot and secures to a desk or other stationary object
- Strong steel cable and solid, all-metal construction resist tampering

440387 Translucent PVC Jacket
440240 Black PVC Jacket

Mobile Security Lock

Combination Lock, 1.9 m (6.2 ft.)

- Helps deter theft of notebook computers and other valuable equipment
- Fits built-in security slot and secures to a desk or other stationary object
- Strong steel cable and solid, all-metal construction resist tampering

440899

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Notebook Computer Skin

Fits Most Widescreens Up To 17 in.

- Vivid, full-color design customizes notebook computer appearance
- Protects newer exteriors from dust, scratches and abrasions
- Ideal for updating notebook computers with minor cosmetic damage

475679 Guitar
475655 Flame
475723 Retro
475815 Water Drops
422789 Blue Water
422802 Tropical Reef
423410 Monet, Red Boats at Argenteuil
423397 Van Gogh, Irises
423403 Van Gogh, Starry Night Over the Rhone
423427 Van Gogh, The Starry Night
423434 Mountain Landscape
423441 Desert Island
423458 Snow Cub
423465 Whale with Rainbow
475808 Golf
475822 Basketball
423175 Goal

475679

475655

475723

475815

422789



422802

423410

423397

423403

423427

423434

423441

423458

423465

475808

475822

423175

Notebook Computer Skin

Fits Most Widescreens Up To 15.4 in.

- Exotic animal print on synthetic fur customizes notebook computer appearance
- Protects newer exteriors from dust, scratches and abrasions
- Ideal for updating notebook computers with minor cosmetic damage

475754 Cheetah
475761 Zebra
423212 Tiger

475754

475761

423212

Power Adapter

Adjustable Voltage, Seven Output Levels, 70 W

- 7 selectable output levels provide a broad mobile power solution — 12 to 24 V
- Convenient, single AC power source for notebook computers and other portable devices
- Lightweight and compact design easily stores for travel

100854

Universal Notebook Power Adapter

Adjustable Voltage, 8 Output Levels, 100 W

- 8 selectable output levels provide a broad mobile power solution — from 15 to 24 V
- 9 convertible plug tips ensure proper polarization and fit
- Built-in USB power port charges MP3 players, mobile phones and more
- Lightweight and compact design easily stores for travel — fits most car cigarette lighters and 12 V power ports

101615

Universal Notebook Power Adapter

Automatic Adjustable Voltage, 7 Output Levels, 70 W

- Automatically selects among 7 voltage output levels to provide a broad mobile power solution — from 15 to 24 V
- Convenient, single power source for notebook computers and other portable devices
- 9 convertible plug tips ensure proper polarization and fit

101639

Universal Notebook Power Adapter

Automatic Adjustable Voltage, 7 Output Levels, 95 W, USB

- Automatically selects between 7 voltage output levels to provide a broad mobile power solution — from 12V to 24 V
- Convenient, single power source with USB port for notebook computers and other portable devices
- 9 convertible plug tips ensure proper polarization and fit

101646

Notebook Power Adapter

19 V, AC/DC, 90 W

- Universal AC input provides a broad, mobile power solution
- Convertible DC plug tips ensure proper polarization and fit
- Lightweight and compact design easily stores for travel

307888

Notebook Power Adapter

19 V, AC/DC, 120 W

- Universal AC input provides a broad, mobile power solution
- Convertible DC plug tips ensure proper polarization and fit
- Lightweight and compact design easily stores for travel

307895

Mini Notebook Power Adapter

Automatic Adjustable Voltage, 4 Output Levels, 40 W

- Automatically selects among 4 voltage output levels to provide a broad mobile power solution — from 9.5 to 20 V
- 5 convertible plug tips ensure proper polarization and fit

101622

Power Adapter

Adjustable Voltage, 16 V / 19 V Output Levels, 90 W

- Universal AC input provides a broad, mobile power solution
- Convertible DC plug tips ensure proper polarization and fit
- Lightweight and compact design easily stores for travel

168281

(NEMA model shown. IEC model also available.)

Power Adapter

Adjustable Voltage, Four Output Levels, 80 W

- 4 selectable output levels provide a broad mobile power solution — 16 to 20 V
- Convenient, single DC power source for notebook computers and other portable devices
- Lightweight and compact design easily stores for travel — fits cigarette lighter, 12 V power port or airline EmPower® power port

100892

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

USB Power Adapter

NEMA 5-15, Two-Prong

- Rapidly charges USB devices using an AC power source
- Provides convenient, reliable charging when a USB port is unavailable
- Ideal for digital cameras, music players, cellular phones and other mobile devices

407489

Mobile Power Pack

Recharges Most Portable Devices

- Convenient, rechargeable external backup power for mobile devices – including iPhone and iPod
- Provides up to 50 additional hours of power when conventional sources are unavailable
- Quickly recharges through any USB port

168267

Solar Power Pack

Recharges Most Portable Devices

- Convenient, rechargeable external backup power for mobile devices
- Provides up to 45 additional hours of power when conventional sources are unavailable
- Environment-friendly design quickly recharges from the sun or through any USB port

180139

USB Mobile Charger

Single USB Port

- Converts 12 V into 5 V DC power for USB accessories
- Recharges USB and other portable devices including mobile phones, MP3 players and more
- Multiple circuit and surge protection prevents equipment damage and vehicle against backflow

401364

CD/DVD Wallet

Holds 24 discs

- Special design and shape commemorate international football championship
- Padded exterior and soft, lint-free sleeves protect CDs, DVDs and game discs from scratches and other damage
- Heavy-duty zippered closure and reinforced accessory clip ideal for travel

423205

Privacy Filter

Improves privacy when working with confidential information in open environments

- Limits views to 45° of display center without blurred or distorted images
- Reduces glare and protects LCD displays from scratches and minor damage

424271 Fits Most Widescreens Up To 12 in.
424004 Fits Most Screens Up To 12.1 in.
424257 Fits Most Screens Up To 14.1 in.
424264 Fits Most Widecreens Up To 14.1 in.
424028 Fits Most Screens Up To 15 in.
424035 Fits Most Widescreens Up To 15.4 in.
424042 Fits Most Screens Up To 17 in.
424301 Fits Most Widecreens Up To 22 in.

LCD Monitor Protector

Fits Most Screens Up To 15.4 in.

- Protects LCD displays from scratches and minor damage
- Frameless design – easily fits desktop displays and notebook computers
- Simple to apply – easily removed without harming monitor

439275

CPU Stand

Saves space and improves access

- Saves space and stores CPU under or next to desk or countertop
- Raises computer from floor to help protect from dust, spills and other minor hazards
- Heavy-duty construction adjusts 6.1 to 10 in. to accommodate most CPUs

432832

Keyboard Drawer

Underdesk Mount

- Space-saving design allows user to store keyboard under a table or desktop
- Includes smooth springlock slides for easy movement
- Heavy-duty steel hardware

421683

Anti-Static Wrist Strap

Essential for static protection while working on PCs

- Adjustable velcro strap
- 6 ft. grounding cord

410144

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

LCD Monitor Arm

Supports one monitor, adjustable mount

- Securely holds one LCD monitor above the desktop to increase work space and minimize clutter
- Optimize ergonomics and monitor view with tilt, rotate, side-to-side and three height adjustments
- Meets VESA standards — fits monitors up to 22" and up to 22 pounds

432344

LCD Monitor Pole

Supports two monitors, double-link swing arms

- Securely holds two LCD monitors above the desktop to increase work space, improve visibility and minimize clutter
- 36" double-link swing arms optimize ergonomics and monitor views with separate 180° tilt, 180° rotate, side-to-side, height and tension adjustments
- Meets VESA standards — fits monitors up to 19" and 13 pounds each

420808

LCD Monitor Pole

Supports three monitors, double-link swing arms

- Securely holds three LCD monitors above the desktop to increase work space, improve visibility and minimize clutter
- 36" double-link swing arms optimize ergonomics and monitor views with separate tilt, rotate, side-to-side, height and tension adjustments
- Meets VESA standards — supports three monitors up to 19" and 13 pounds each

420716



LCD Monitor Pole

Supports four monitors, double-link swing arms

- Securely holds four LCD monitors above the desktop to increase work space, improve visibility and minimize clutter
- 36" double-link swing arms optimize ergonomics and monitor views with separate tilt, rotate, side-to-side, height and tension adjustments
- Meets VESA standards — supports monitors up to 19" and 13 pounds each

420815

LCD Monitor Pole

Supports one monitor, hinged arm

- Securely holds one LCD monitor above the desktop to increase work space and minimize clutter
- Optimize ergonomics and monitor view with tilt, rotate, height and tension adjustments
- Meets VESA standards — fits monitors up to 22" and up to 22 pounds

420648

LCD Monitor Pole

Supports one monitor, single-link swing arm

- Securely holds one LCD monitor above the desktop to increase work space and minimize clutter
- Single-link swing arm optimizes ergonomics and monitor views with tilt, rotate, side-to-side, height and tension adjustments
- Meets VESA standards — fits monitors up to 22" and up to 22 pounds

420655



LCD Monitor Pole

Supports one monitor, double-link swing arm

- Securely holds one LCD monitor above the desktop to increase work space and minimize clutter
- Double-link swing arm extends reach and range of motion
- Meets VESA standards — fits monitors up to 22" and up to 22 pounds

420693 Silver
423380 Black

LCD Wall Mount

Supports one monitor, adjustable mount

- Securely holds one LCD monitor on wall to improve views, increase work space and minimize clutter
- Two-piece bracket with heavy-duty, steel construction easily mounts to most vertical surfaces
- Meets VESA standards — fits monitors up to 22" and up to 26 pounds

432351

LCD Wall Mount

Supports one monitor, fixed mount

- Securely holds one LCD monitor on wall to improve views, increase work space and minimize clutter
- Two-piece bracket with heavy-duty, steel construction easily mounts to most vertical surfaces
- Meets VESA standards — fits monitors up to 22" and up to 33 pounds

422840

Laser Lens Cleaner

Cleans CD/DVD drives and players

- Easily cleans home, car and computer CD/DVD drives and players
- Helps improve audio and video clarity, extend equipment life and minimize repairs
- Easy-to-follow voice instructions in 6 languages

421737

LCD Mini Cleaning Kit

Alcohol-free, Includes Cleaning Solution, Brush, Microfiber Cloth and Carrying Bag

- Safe for use on LCD surfaces – helps restore and maintain brightness and clarity
- Ideal for use with flat panel displays, notebook computers, televisions and more
- Soft brush gently eliminates excess dust and debris without scratching

421010

Air Duster

One Case, Twelve 8 oz. Cans

- Gently removes dust and debris from sensitive electronics without scratching or residue
- Ideal for use with flat panel displays, notebook computers, keyboards, camera and projector lenses and more
- Easily cleans power supply units, coolers and fans for improved efficiency and performance

410632

LCD Micro Cleaning Kit

Alcohol-free, Includes Cleaning Solution and Brush

- Safe for use on LCD surfaces — helps restore and maintain brightness and clarity
- Ideal for use with flat panel displays, notebook computers, handheld devices, keyboards and more
- Soft brush gently eliminates excess dust and debris without scratching

404211

LCD Cleaning Kit

Alcohol-free, Includes Cleaning Solution, Brush and Microfiber Cloth

- Safe for use on LCD surfaces — helps restore and maintain brightness and clarity
- Ideal for use with flat panel displays, notebook computers, handheld devices, keyboards and more
- Soft brush gently eliminates excess dust and debris without scratching

421027

LCD Cleaning Kit

Alcohol-free, Includes Cleaning Solution and Anti-microbial Cloth

- Ideal for use with flat panel displays, notebook computers, handheld devices and more
- Non-aerosol, gel cleaner with a pleasant fragrance removes fingerprints and smudges without harsh solvents
- Soft, lint-free anti-microbial microfiber cloth cleans, dries and polishes for a clear, non-streak finish

404198 Jasmine Scent
404204 Green Apple Scent
404310 Lavender Scent

LCD Cleaning Kit

Alcohol Free, Includes Cleaning Solution

- Special design commemorates international football championship
- Safe for use on LCD surfaces — helps restore and maintain brightness and clarity
- Ideal for use with larger flat-panel displays, widescreen notebook computers, televisions and more

423168

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Optical Mouse Pad

Improves optical and trackball mouse performance, Blue

- Embedded pattern optimizes beam detection for precise control
- Improves tracking on glass or polished desktops
- Smooth, low-friction surface provides effortless, comfortable movement

475167

Leather Mouse Pad

Improves laser and optical mouse performance, Black

- Special split leather surface optimizes beam detection for precise control
- Low-friction surface provides effortless, comfortable movement
- Non-slip natural rubber layer protects desktop from scratches and wear

423267

Laser Mouse Pad

Improves laser mouse performance, Black

- Special anti-reflective surface optimizes beam detection for precise control
- Low-friction surface provides effortless, comfortable movement
- Non-slip natural rubber layer protects desktop from scratches and wear

475204

Multi-Purpose Mouse Pad

Protects and cleans notebook computer and improves mouse control

- Fits between notebook computer display and keyboard to protect during transport
- Soft, lint-free microfiber cleans dust, debris and smudges without scratching
- Non-slip rubber layer protects desktop from scratches and wear

422871

Wrist-Rest Mouse Pad

Gel-like Foam

- Soft wrist support feels like gel
- Ergonomically designed
- Non-slip base

434362 Black
434386 Blue

Ergonomic Mouse Pad

Improves optical and laser mouse performance and comfort, Football/Soccer

- Special design commemorates international football championship
- Promotes proper hand and wrist movement – helps reduce wrist stress and repetitive motion disorders
- Helps fully utilize high mouse resolutions for more accurate response

423182

Laser Mouse Pad Counter Display

24 pieces

- Sturdy, attractive display helps generate quick point-of-purchase revenue
- Pre-packed with 24 MANHATTAN Laser Mouse Pads ready for sale
- Each laser mouse pad imprinted with a vibrant, full-color image

421881

Mouse Pad Counter Display

Fine Art Collection, 24 pieces

- Sturdy, attractive display helps generate quick point-of-purchase revenue
- Pre-packed with 24 MANHATTAN Mouse Pads ready for sale
- Each mouse pad imprinted with a vibrant, full-color fine art image

423496

Mouse Pad Counter Display

National Geographic Collection, 24 pieces

- Sturdy, attractive display helps generate quick point-of-purchase revenue
- Pre-packed with 24 MANHATTAN Mouse Pads ready for sale
- Each mouse pad imprinted with a vibrant, full-color National Geographic image

423373

iPad Slip-Fit Sleeve

Adds color, style and protection

- Personalizes and helps protect iPad tablets – ideal for iPad 2 models
- Soft, textured finish adds a safe, assured grip to smooth iPad surfaces
- Snug, wraparound fit with full access to display, controls and ports
- Slip- and water-resistant, one-piece silicone construction

450027 Black
450034 Bright Blue
450041 Frost

iPad Slip-Fit Sleeve

Laser-etched design adds high-tech color, style and protection

- Personalizes and helps protect iPad tablets – ideal for iPad 2 models
- Two-color, laser-etched finish adds a safe, assured grip to smooth iPad surfaces
- Snug, wraparound fit with full access to display, controls and ports
- Slip- and water-resistant, one-piece silicone construction

450201 Blue/Red
450218 Red/Blue

iPad Leather Case

Adds character, style and protection

- Personalizes and helps protect iPad tablets – ideal for iPad 2 models
- Genuine leather cover and scratch-proof microsuede lining prevent minor damage with an upscale look
- Interior pocket keeps iPad secure with full access to display, controls and ports

450225 Black

iPad Kickstand Case

Adds convenience, style and protection

- Personalizes and helps protect iPad tablets – ideal for iPad 2 models
- Integrated, multi-adjustable stand places iPad at optimal hands-free position
- Durable Nylon exterior with scratch-proof microsuede lining prevents minor damage
- Interior pocket keeps iPad secure with full access to display, controls and ports

450249 Black

iPad Snap-Fit Shell

Hard cover adds high-tech color, style and protection

- Personalizes and helps protect iPad tablets – ideal for iPad 2 models
- Tough, rigid exterior with scratch-proof microsuede lining prevents minor damage
- Unique, carbon fiber pattern and textured finish add a safe, assured grip to smooth iPad surface
- Frameless design with full access to display, controls and ports

450256 Carbon Fiber

iPad Bluetooth Keyboard Case

Adds versatility, function and protection

- Personalizes and helps protect iPad tablets – ideal for iPad 2 models
- Built-in, full-function Bluetooth keyboard creates a wireless workstation almost anywhere
- Integrated stand places iPad at optimal typing, reading and viewing positions
- Padded, faux leather cover prevents minor damage with an upscale look
- Interior pocket keeps iPad secure with full access to display, controls and ports

450263 Black

iPad Screen Protector

Protects against dust, debris and scratches

- Transparent, anti-scratch film helps protect iPad tablets – ideal for iPad 2 models
- Reduces fingerprints and repels dust and debris to keep display clean and clear
- Maintains colors, brightness and touch sensitivity
- Maximum coverage with full access to display and controls
- Easy to apply and remove without residue

450270

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Universal Tool Kit

Computer Tool Kit, 145 pieces

- Mini vacuum cleaner with attachments
- Soldering iron, solder wick and solder
- Ratchet driver with 57 interchangeable ends
- Assorted crimp-on wire connectors
- Hammer
- Flashlight
- Allen wrench set, 9 pieces
- Brush
- 6 sizes of precision screw drivers (Phillips and flat head)
- Precision hobby knife
- Wire ties
- Wire cutters
- Needle nose pliers with built in wire cutter
- Wire stripper
- Crimper
- Anti-static chip inserter
- Anti-static chip extractor
- Anti-static three prong parts & chip retriever/extractor
- Anti-static chip tweezers
- (2) AA batteries
- Magnetic telescoping pick-up tool
- Electric voltage tester

530217

Technician Tool Kit

Computer Tool Kit, 17 pieces

- Soldering iron, solder wick and solder
- Anti-static chip inserter, anti-static chip extractor, anti-static three-prong parts and chip retriever/extractor, anti-static chip tweezers
- Needle nose pliers
- Extra parts tube
- 1/4" nut-driver
- 3/16" nut-driver
- T10 & T15 torque screwdriver
- (2) Phillips head screwdrivers, small and standard
- (2) Slotted/flat screwdrivers, small and standard

530071

Basic Computer Tool Kit

Computer Tool Kit, 13 pieces

- Anti-static chip inserter, anti-static chip extractor, anti-static three-prong parts and chip retriever/extractor, anti-static chip tweezers
- 1/4" nutdriver
- 3/16" nut driver
- T-15 star-type screwdriver
- #1 Phillips screwdriver, #0 Phillips screwdriver
- 3/16 slotted screwdriver, 1/8" slotted screwdriver
- Extra parts tube
- Vinyl zipper case

400077

Pegwall Gondola Display Shelf

90 cm (35.5"), Fits Pegwall Gondola Display

- Easily adjust height and position to accommodate product displays

813228



Pegwall Gondola Display Shelf Fence

Fits Pegwall Gondola Display Shelf

- Easily installs onto Display Shelf (813228) to arrange and organize product presentations

813525

Pegwall Gondola Display Hanger Bar with Arms

2 Arms, Fits Pegwall Gondola Display

- Dual arms slide or detach to accommodate product displays

813266



Pegwall Gondola Display Loop Hook

25 cm (10 in.), 40 Hooks, Fits Pegwall Gondola Display

- Open-back design easily installs into pegwall to arrange and organize hanging displays

813259



Pegwall Gondola Display Loop Hook

20 cm (8 in.), 40 Hooks, Fits Pegwall Gondola Display

- Open-back design easily installs into pegwall to arrange and organize hanging displays

813242



Pegwall Gondola Display Loop Hook

15 cm (6 in.), 40 Hooks, Fits Pegwall Gondola Display

- Open-back design easily installs into pegwall to arrange and organize hanging displays

813235

Pegwall Gondola Hanger Arm

1 Arm, Fits Pegwall Gondola Display Hanger Bar

- Slides or detaches to accommodate product displays

813273

Pegwall Gondola Display Brochure Holder

Fits Pegwall Gondola Display

- Open-back design easily installs into pegwall to arrange and organize hanging displays

813289

Pegwall Gondola Display Connector Cap

Fits Pegwall Gondola Display

- Secures two Pegwall Gondola Display units when installed back-to-back
- Helps keep multi-unit displays steady and prevent tipping
- Ideal accessory for Pegwall Gondola Display Starter Kit (813501)

813211

Pegwall Gondola Display Sign

MANHATTAN, Fits Pegwall Gondola Display

- Fits into Pegwall Gondola Display header frame under light reflector to generate attention and create brand awareness

813198

Pegwall Gondola Display Sign

INTELLINET, Fits Pegwall Gondola Display

- Fits into Pegwall Gondola Display header frame under light reflector to generate attention and create brand awareness

813204

Not all products may be available in all markets. Please consult your local representative for details.
www.manhattan-products.com

Pegwall Gondola Display Starter Kit

Presents and organizes INTELLINET and MANHATTAN products for retail display and sale

- Modular design allows installation of multiple units for impressive retail displays
- Includes header frame and light reflector to generate attention and create brand awareness
- Optional shelves, hangers, hooks and accessories help present and organize merchandise for quick sale

813501

Notebook Computer Case Floor Display

Holds a broad range of MANHATTAN notebook computer cases

- Adjustable, triple-arms and tubular steel construction
- Three-panel card frame focuses retail message to quickly generate sales
- Wide, lightweight base helps keep display steady and cases ready to sell

813334

Guaranteed
to Keep You Wired
MANHATTAN
BRINGING COMPUTERS TO LIFE
LIFETIME
WARRANTY

NETWORK CAMERAS

Improve your surveillance

The Intellinet Network Solutions Network Cameras are designed for security surveillance applications, and come fully equipped with state-of-the-art features that set them apart from other network cameras on the market today.

www.intellinet-network.com | www.networkipcamera.com

INTELLINET
NETWORK SOLUTIONS

Complete Product Information Is Now Available On The Web

Features Include:

- Smart-Search Functionality
- Innovative Carousel Navigation
- Searchable Knowledge Base
- Detailed Product Information with Multiple Image Views
- Related Products and Categories

INTELLINET™
NETWORK SOLUTIONS



www.intellinet-network.com

MANHATTAN™
BRINGING COMPUTERS TO LIFE

www.manhattan-products.com